

## ORIGINAL PUBLICATIONS IN PEER-REVIEWED JOURNALS

1. Foxx, R.M., & **Brown, R.A.** (1979). A nicotine fading and self-monitoring program to produce cigarette abstinence or controlled smoking. Journal of Applied Behavior Analysis (Special Behavioral Medicine edition), 12, 111-125.
2. Foxx, R.M., **Brown, R.A.**, & Katz, I. (1981). Nicotine fading and self-monitoring for cigarette abstinence or controlled smoking: A two and one-half year follow-up. The Behavior Therapist, 4, 21-23.
3. Beaver, C.W., **Brown, R.A.**, & Lichtenstein, E. (1981). Effects of monitored nicotine fading and anxiety management training on smoking reduction. Addictive Behaviors, 6, 301-305.
4. Lichtenstein, E., Ransom, C.C., & **Brown, R.A.** (1981). Effects of counselor smoking status, experience level, and treatment modality on the credibility of smoking cessation programs. Journal of Drug Education, 11(4), 361-367.
5. Follick, M.J., Fowler, J.L., & **Brown, R.A.** (1984). Adherence in worksite weight loss intervention: The effects of an incentive procedure. Journal of Consulting and Clinical Psychology, 52(1), 139-140.
6. **Brown, R.A.**, Lichtenstein, E., McIntyre, K.O. & Harrington-Kostur, J. (1984). Effects of nicotine fading and relapse prevention on smoking cessation. Journal of Consulting and Clinical Psychology, 52(2), 307-308.
7. **Brown, R.A.**, & Lewinsohn, P.M. (1984). A psychoeducational approach to the treatment of depression: Comparison of group, individual, and minimal contact procedures. Journal of Consulting and Clinical Psychology, 52(5), 774-783.
8. Abrams, D.B., Monti, P.M., Pinto, R.P., Elder, J.P., **Brown, R.A.**, & Jacobus, S.I. (1987). Psychosocial stress and coping in smokers who relapse or quit. Health Psychology, 6(4), 289-303.
9. Hecht, J.P., Emmons, K.M., **Brown, R.A.**, Everett, K.D., Farrell, N.C., Hitchcock, P., & Sales, S.D. (1994). Smoking interventions for patients with cancer: Guidelines for nursing practice. Oncology Nursing Forum, 21, 1657-1666.
10. Niaura, R., **Brown, R.A.**, Goldstein, M.G., Murphy, J.K., & Abrams, D.B. (1996). Transdermal clonidine for smoking cessation: A double blind randomized dose response study. Experimental and Clinical Psychopharmacology, 4(3), 285-291.
11. **Brown, R.A.**, Lewinsohn, P.M., Seeley, J.S., & Wagner, E. F. (1996). Cigarette smoking, major depression and other psychiatric disorders among adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 35(12), 1602-1610.

12. Mueller, T.I., Stout, R.L., Rudden, S., **Brown, R.A.**, Gordon, A., Solomon, D.A., & Recupero, P.R. (1997). A double-blind, placebo-controlled pilot study of carbamazepine for the treatment of alcohol dependence. Alcoholism: Clinical and Experimental Research, *21*(1), 86-92.
13. **Brown, R.A.**, Evans, D.M., Miller, I.W., Burgess, E.S., & Mueller, T.I. (1997). Cognitive-behavioral treatment for depression in alcoholism. Journal of Consulting and Clinical Psychology, *65*(5), 715-726.
14. **Brown, R.A.**, Monti, P.M., Myers, M.G., Martin, R. A., Rivinus, T., Dubreuil, M.E., & Rohsenow, D.J. (1998). Depression among cocaine abusers in treatment: Relationships with cocaine and alcohol use and treatment outcome. American Journal of Psychiatry, *155*(2), 220-225.
15. **Brown, R.A.**, Burgess, E.S., Sales, S.D., Whiteley, J.A., Evans, D.M., & Miller, I.W. (1998). Reliability and validity of a smoking time-line follow-back interview. Psychology of Addictive Behaviors, *12*(2), 101-112.
16. Lewinsohn, P.M., Rohde, P., & **Brown, R.A.** (1999). Level of current and past adolescent cigarette smoking as predictors of future substance use disorders in young adulthood. Addiction, *94*(6), 913-921.
17. Monti, P.M., Rohsenow, D.J., Hutchison, K.E., Swift, R.M., Mueller, T.I., Colby, S.M., **Brown, R.A.**, Gulliver, S.B., Gordon, A., & Abrams, D.B. (1999). Naltrexone's effect on cue-elicited craving among alcoholics in treatment. Alcoholism: Clinical and Experimental Research, *23*(8), 1386-1394.
18. Emmons, K.M., Goldstein, M.G., Roberts, M. Cargill, B., Sherman, C.B., Millman, R., Brown, R., & Abrams, D.B. (2000). The use of nicotine replacement therapy during hospitalization. Annals of Behavioral Medicine, *22*(4), 325-329.
19. Curtin, L., **Brown, R.A.**, & Sales, S.D. (2000). Determinants of attrition from cessation treatment in smokers with a history of major depressive disorder. Psychology of Addictive Behaviors, *14*(2), 134-142.
20. **Brown, R.A.**, & Ramsey, S.E. (2000). Addressing comorbid depressive symptomatology in alcohol treatment. Professional Psychology: Research and Practice, *31*(4), 418-422.
21. Lewinsohn, P.M., **Brown, R.A.**, Seeley, J.R., & Ramsey, S.E. (2000). Psychosocial correlates of cigarette smoking abstinence, experimentation, persistence and frequency during adolescence. Nicotine & Tobacco Research, *2*, 121-131.

22. Rohde, P., Lewinsohn, P.M., Kahler, C.W., Seeley, J.R., & **Brown, R.A.** (2001). Natural course of alcohol use disorders from adolescence to young adulthood. Journal of the American Academy of Child and Adolescent Psychiatry, 40, 83-90.
23. Shadel, W.G., Niaura, R., **Brown, R.A.**, Hutchison, K.E., & Abrams, D.B. (2001). A content analysis of smoking cravings. Journal of Clinical Psychology, 57(1), 145-150.
24. Niaura, R., Britt, D.M., Shadel, W.G., Goldstein, M., Abrams, D., & **Brown, R.** (2001). Symptoms of depression and survival experience among three samples of smokers trying to quit. Psychology of Addictive Behaviors, 15(1), 13-17.
25. Zvolensky, M. J., Heffner, M., Eifert, G. H., Spira, A. P., Feldner, M. T., & **Brown, R. A.** (2001). Incremental validity of perceived control dimensions in the differential prediction of interpretive biases for threat. Journal of Psychopathology and Behavioral Assessment, 23(2), 75-83.
26. Niaura, R., Bock, BC., Lloyd, EE., **Brown, R.**, Lipsitt, LP & Buka, S. (2001). Maternal transmission of nicotine dependence: Psychiatric, neurocognitive, and prenatal factors. The American Journal on Addictions, 10, 16-29.
27. **Brown, R. A.**, Kahler, C. W., Niaura, R., Abrams, D. B., Sales, S. D., Ramsey, S. E., Goldstein, M. G., Burgess, E. S., & Miller, I. W. (2001). Cognitive-behavioral treatment for depression in smoking cessation. Journal of Consulting and Clinical Psychology, 69(3), 471-480.
28. Cargill, B. R., Emmons, K. M., Kahler, C. W., & **Brown, R. A.** (2001). The relationship among alcohol use, depression, substance use and motivation to quit smoking with hospitalized smokers. Psychology of Addictive Behaviors, 15(3), 272-275.
29. Read, J.P., **Brown, R.A.**, Marcus, B.H, Kahler, C.W., Ramsey, S.E., Dubreuil, M.E., Jakicic, J.J., & Francione, C. (2001). Exercise attitudes and behaviors among persons in treatment for alcohol use disorders. Journal of Substance Abuse Treatment, 21(4), 199-206.
30. Zvolensky, M.J., Feldner, M.T., Eifert, G.H., & **Brown, R.A.** (2001). Affective style among smokers: Understanding anxiety sensitivity, emotional reactivity, and distress tolerance using biological challenge. Addictive Behaviors, 26, 901-915.
31. **Brown, R.A.**, Kahler, C.W., Zvolensky, M.J., Lejuez, C.W., & Ramsey, S.E. (2001). Anxiety sensitivity: Relationship to negative affect smoking and smoking cessation in smokers with past major depressive disorder. Addictive Behaviors 26, 887-899.

32. Monti, P.M., Rohsenow, D. J., Swift, R. M., Gulliver, S. B., Colby, S. M., Mueller, T. I., **Brown, R. A.**, Gordon, A., Abrams, D. B., Niaura, R. S., & Asher, M. K. (2001). Naltrexone and cue exposure with coping and communication skills training for alcoholics: treatment process and 1-year outcomes. Alcoholism: Clinical and Experimental Research, *25*, 1634-1647
33. McDermut, W., Miller, I.W., & **Brown, R.A.** (2001). The efficacy of group psychotherapy for depression: A meta-analysis and review of the empirical literature. Clinical Psychology: Science and Practice *8*(1), 98-116.
34. Burgess, E.S., **Brown, R.A.**, Kahler, C.W., Niaura, R.S., Miller, I.W., Goldstein, M.G., & Abrams, D.B. (2002). Patterns of change in depressive symptoms during smoking cessation: Who's at risk for relapse. Journal of Consulting and Clinical Psychology, *70*(2), 356-361.
35. **Brown, R. A.**, Lejuez, C. W., Kahler, C. W., & Strong, D. R. (2002). Distress tolerance and duration of past smoking cessation attempts. Journal of Abnormal Psychology, *111*(1), 180-185.
36. Lejuez, C.W., Read, J.P., Kahler, C.W., Richards, J. B., Ramsey, S. E., Stuart, G. L., Strong, D.R., & **Brown, R. A.** (2002). Evaluation of a behavioral measure of risk taking: the Balloon Analogue Risk Task (BART). Journal of Experimental Psychology: Applied, *8*(2), 75-84.
37. Ramsey, S.E., **Brown, R.A.**, Stuart, G.L., Burgess, E.S., & Miller, I.W. (2002). Cognitive variables in alcohol dependent patients with elevated depressive symptoms: Changes and predictive utility as a function of treatment modality. Substance Abuse, *23*(3), 171-182.
38. Kahler, C. W., Ramsey, S. E., Read, J. P., & **Brown, R. A.** (2002). Substance-induced and independent major depressive disorder in treatment-seeking alcoholics: Associations with dysfunctional attitudes and coping. Journal of Studies on Alcohol, *63*(3), 363-371.
39. Kahler, C.W., **Brown, R.A.**, Ramsey, S. E., Niaura, R., Abrams, D. B., Goldstein, M. G., Mueller, T. I., & Miller, I. W. (2002). Negative mood, depressive symptoms, and major depression after smoking cessation treatment in smokers with a history of major depressive disorder. Journal of Abnormal Psychology, *111*(4), 670-675.
40. Mermelstein, R., Colby, S.M., Patten, C., Prokhorov, A., **Brown, R.A.**, Myers, M., Adelman, W., Hudmon, K., & McDonald, P. (2002). Methodological issues in measuring treatment outcome in adolescent smoking cessation studies. Nicotine & Tobacco Research, *4*(4), 395-403.

41. Hitsman, B., Abrams, D.B., Shadel, W.G., Niaura, R., Borrelli, B., Emmons, K.M., **Brown, R.A.**, Swift, R.M., Monti, P.M., Rohsenow, D.J., & Colby, S.M. (2002). Depressive symptoms and readiness to quit smoking among cigarette smokers in outpatient alcohol treatment. Psychology of Addictive Behaviors, *16*(3), 264-268.
42. Stuart, G. L., Ramsey, S. E., Moore, T. M., Kahler, C. W., Farrell, L.E., Recupero, P. R., & **Brown, R. A.** (2002). Marital violence victimization and perpetration among women substance abusers: A descriptive study. Violence Against Women, *8*, 934-952.
43. Ramsey, S.E., **Brown, R.A.**, Strong, D.R., Sales, S.D. (2002). Cigarette smoking among adolescent psychiatric inpatients: Prevalence and correlates. Annals of Clinical Psychiatry. *14*, 149-153.
44. Kahler, C.W., Strong, D. R., Hayaki, J., Ramsey, S.E., & **Brown, R.A.** (2003). An item response analysis of the Alcohol Dependence Scale in treatment-seeking alcoholics. Journal of Studies on Alcohol, *64*(1), 127-136.
45. Novak, A., Burgess, E.S., Clark, M., Zvolensky, M.J., & **Brown, R.A.** (2003). Anxiety sensitivity, self-reported motives for alcohol and nicotine use, and level of consumption. Journal of Anxiety Disorders, *17*(2), 165-180.
46. Rohde, P., Lewinsohn, P. M., **Brown, R. A.**, Gau, J. M., & Kahler, C. W. (2003). Psychiatric disorders, familial factors, and cigarette smoking: 1. Associations with smoking initiation. Nicotine & Tobacco Research, *5*(1), 85-98.
47. Zvolensky, M. J., Lejuez, C. W., Kahler, C. W., & **Brown, R. A.** (2003). Integrating an exposure-based smoking cessation program into the cognitive-behavioral treatment of panic disorder: Theoretical relevance and case demonstration. Cognitive and Behavioral Practice *10*, 348-358.
48. **Brown, R.A.**, Ramsey, S.E., Strong, D.R., Myers, M.G., Kahler, C.W., Lejuez, C.W., Niaura, R., Pallonen, U.E., Kazura, A.N., Goldstein, M.G., & Abrams, D.B. (2003). Effects of motivational interviewing on smoking cessation in adolescents with psychiatric disorders. Tobacco Control, *12*, Suppl 4, IV3-IV10.
49. Kahler, C. W., **Brown, R. A.**, Strong, D. R., Lloyd-Richardson, E. E., & Niaura, R. (2003). History of major depressive disorder among smokers in cessation treatment: Associations with dysfunctional attitudes and coping. Addictive Behaviors, *28*, 1033-1047.
50. Strong D. R., **Brown, R. A.**, Ramsay, S. E. & Myers, M. (2003). Nicotine dependence measures among adolescents with psychiatric disorders: Evaluating symptom expression as a function of dependence severity. Nicotine and Tobacco Research, *5*, 735-746.

51. Ramsey, S.E., Strong, D.R., Stuart, G.L., Weinstock, M.C., Williams, L.A., Tarnoff, G., Picotte-Prillmayer, D.M., **Brown, R.A.** (2003). Substance use and diagnostic characteristics that differentiate smoking and nonsmoking adolescents in a psychiatric setting. Journal of Nervous and Mental Disease, *191*, 759-762.
52. Stuart, G.L., Ramsey, S.E., Moore, T.M., Kahler, C.W., Farrell, L.E., Recupero, P.R., & **Brown, R.A.** (2003). Reductions in marital violence following treatment for alcohol dependence. Journal of Interpersonal Violence, *18*(10), 1113-1132.
53. Read, J.P., & **Brown, R.A.** (2003). The role of physical exercise in treatment and recovery from alcoholism. Professional Psychology: Research and Practice, *34*(1), 49-56.
54. Strong, D. R., Kahler, C. W., Ramsey, S. E., & **Brown, R. A.** (2003). Finding order in the DSM-IV nicotine dependence syndrome: A Rasch analysis. Drug and Alcohol Dependence, *72*, 151-162.
55. Lejuez, C. W., Kahler, C. W., & **Brown, R. A.** (2003). A modified computer version of the Paced Auditory Serial Addition Task (PASAT) as a laboratory-based stressor: Implications for behavioral assessment. The Behavior Therapist, *26*(4), 290-293.
56. Zvolensky, M. J., Lejuez, C. W., Kahler, C. W., & **Brown, R. A.** (2004). Panic attack history and smoking cessation: An initial examination. Addictive Behaviors, *29*, 825-830.
57. Rohde, P., Kahler, C. W., Lewinsohn, P. M., & **Brown, R. A.** (2004). Psychiatric disorders, familial factors, and cigarette smoking II: Associations with progression to daily smoking. Nicotine and Tobacco Research, *6*(1), 119-132.
58. Wileyto, E.P., Patterson, F., Niaura, R., Epstein, L.H., **Brown, R.A.**, Audrain-McGovern, J., Hawk, L.W., & Lerman, C. (2004). Do small lapses predict relapse to smoking behavior under bupropion treatment? Nicotine and Tobacco Research, *6*(2), 357-367.
59. Ramsey, S. E., Kahler, C.W., Read, J.P., Stuart, G.L., & **Brown, R.A.** (2004). Discriminating between substance-induced and independent depressive episodes in alcohol dependent patients. Journal of Studies on Alcohol, *65*(5), 672-676.
60. Kahler, C. W., Read, J. P., Stuart, G. L., Ramsey, S. E., McCrady, B. S., & **Brown, R. A.** (2004). Motivational enhancement for 12-step involvement among alcohol detoxification patients. Journal of Consulting and Clinical Psychology, *72*, 736-741.
61. Strong, D.R., **Brown, R. A.**, Kahler, C.W., Lloyd-Richardson, E., & Niaura, R. S. (2004). Depression proneness in treatment-seeking smokers: A taxometric analysis. Personality and Individual Differences, *36*, 1155-1170.

62. Strong, D. R., Kahler, C. W., Ramsey, S. E., Abrantes, A., & **Brown, R. A.** (2004). Nicotine withdrawal among adolescents with psychopathology: An item response analysis. Nicotine and Tobacco Research, *6*, 547-557.
63. Kahler, C.W., Strong, D.R., Niaura, R., & **Brown, R.A.** (2004). Hostility in smokers with past major depressive disorder: Relation to smoking patterns, reasons for quitting, and cessation outcomes. Nicotine & Tobacco Research, *6*, 809-818.
64. Rohsenow, D. J., Monti, P. M., Martin, R. A., Colby, S. M., Myers, M. G., Gulliver, S. B., **Brown, R. A.**, Mueller, T. I., Gordon, A., & Abrams, D. B. (2004). Motivational enhancement and coping skills training for cocaine abusers: effects on substance use outcomes. Addiction, *99*(7), 862-874.
65. Zvolensky, M. J., Baker, K. M., Leen-Feldner, E., Bonn-Miller, M. O., Feldner, M. T., & **Brown, R. A.** (2004). Anxiety sensitivity: Association with intensity of retrospectively-rated smoking-related withdrawal symptoms and motivation to quit. Cognitive Behaviour Therapy, *33*, 114-125.
66. Stein, M.D., Solomon, D.A., Herman, D.S., Anthony, J.L., Ramsey, S.E., Anderson, B.J., **Brown, R.**, & Miller, I.W. (2004). Pharmacotherapy plus psychotherapy for treatment of depression in active injection drug users. Archives of General Psychiatry, *61*, 152-159. (Authorship added per Correction, Archives of General Psychiatry, 2005; *62*(2), 224).
67. Ramsey, S.E., **Brown, R.A.**, Strong, D.R., Stuart, G.L., Weinstock, M.C., & Myers, M.G. (2005). Cigarette smoking and substance use among adolescents in psychiatric treatment. Journal of Child & Adolescent Substance Abuse. *14*(4), 1-14.
68. Abrantes, A.M., Strong, D.R., Ramsey, S.E., Lewinsohn, P.M., & **Brown, R.A.** (2005). Substance use characteristics and externalizing problems among inpatient adolescent smokers. Journal of Psychoactive Drugs, *37*(4), 391-399.
69. Wileyto, E.P., Patterson, F., Niaura, R., Epstein, L.H., **Brown, R.A.**, Audrain-McGovern, J., Hawk Jr., L.W., & Lerman, C. (2005). Recurrent event analysis of lapse and recovery in a smoking cessation clinical trial using bupropion. Nicotine & Tobacco Research, *7*(2), 257-268.
70. **Brown, R.A.**, Lejuez, C.W., Kahler, C.W., Strong, D.R., & Zvolensky, M.J. (2005). Distress tolerance and early smoking lapse. Clinical Psychology Review, *25*, 713-733.
71. Daughters, S. B., Lejuez, C. W., Bornoalova, M. A., Kahler, C. W., Strong, D. R., & **Brown, R. A.** (2005). Distress tolerance as a predictor of early treatment dropout in a residential substance abuse treatment facility. Journal of Abnormal Psychology, *114*(4), 729-734.

72. Daughters, S. B., Lejuez, C. W., Kahler, C. W., Strong, D. R., & **Brown, R. A.** (2005). Psychological distress tolerance and duration of most recent abstinence attempt among residential treatment-seeking substance abusers. Psychology of Addictive Behaviors, *19*(2), 208-211.
73. Daughters, S. B., Lejuez, C. W., Strong, D. R., **Brown, R. A.**, Breen, R. B., & Lesieur, H. R. (2005). The relationship among negative affect, distress tolerance, and length of gambling abstinence attempt. Journal of Gambling Studies, *21*(4), 363-378.
74. Stein, M.D., Solomon, D.A., Anderson, B.J., Herman, D.S., Anthony, J.L., **Brown, R.A.**, Ramsey, S.E., & Miller, I.W. (2005). Persistence of antidepressant treatment effects in a pharmacotherapy plus psychotherapy trial for active injection drug users. American Journal on Addictions, *14*, 346-357.
75. Stein, M.D., Anderson, B.J., Solomon, D.A., Herman, D.S., Ramsey, S.E., **Brown, R.A.**, & Miller, I.W. (2005). Reductions in HIV risk behaviors among depressed drug injectors. The American Journal of Drug and Alcohol Abuse, *31*, 417-432.
76. Abrantes, A.M., Strong, D.R., Ramsey, S.E., Lewinsohn, P.M., & **Brown, R.A.** (2006). Characteristics of dieting and nondieting adolescents in a psychiatric inpatient setting. Journal of Child and Family Studies, *15*(4), 418-432.
77. Picotte, D.M., Strong, D.R., Abrantes, A.M., Tarnoff, G., Ramsey, S.E., Kazura, A.N., & **Brown, R.A.** (2006). Family and peer influences on tobacco use among adolescents with psychiatric disorders. The Journal of Nervous and Mental Disease, *194*(7), 518-523.
78. Abrantes, A.M., Strong, D.R., Ramsey, S.E., Kazura, A., & **Brown, R. A.** (2006). HIV-risk behaviors among inpatient psychiatric adolescents with and without comorbid SUD. Journal of Dual Diagnosis, *2*(3), 85-100.
79. Kahler, C.W., Kelly, J.F., Strong, D.R., Stuart, G.L., & **Brown, R.A.** (2006). Development and initial validation of a 12-step participation expectancies questionnaire. Journal of Studies on Alcohol, *67*(4), 538-542.
80. Apodaca, T. R., Abrantes, A. M., Strong, D.R, Ramsey, S.E., & **Brown, R.A.** (2007). Readiness to change smoking behavior among adolescents with a psychiatric disorder. Addictive Behavior, *32*, 1119-1130.
81. Strong, D. R., Kahler, C. W., Abrantes, A. M., MacPherson, L., Myers, M. G., Ramsey, S. E., & **Brown, R. A.** (2007). Nicotine dependence symptoms among adolescents with psychiatric disorders: Using a Rasch model to evaluate symptom expression across time. Nicotine and Tobacco Research, *9*, 557-569.

82. **Brown, R.A.**, Abrantes, A.M., Strong, D.R., Mancebo, M.C., Menard, J., Rasmussen, S.A. & Greenberg, B.D. (2007). A pilot study of moderate-intensity aerobic exercise for obsessive compulsive disorder. The Journal of Nervous and Mental Disease, *195*(6), 514-520.
83. Kahler, C.W., LaChance, H.R., Strong, D.R., Ramsey, S.E., Monti, P.M., & **Brown, R.A.** (2007). The commitment to quitting smoking scale: Initial validation in a smoking cessation trial for heavy social drinkers. Addictive Behaviors, *32*, 2420-2424.
84. David, S.M, **Brown, R.A.**, Papandonatos, G.D., Kahler, C.W., Lloyd-Richardson, E.E., Munafò, M.R. Shields, P.G., Lerman, C., Strong, D.R., McCaffery, A.J., & Niaura, R. (2007). Pharmacogenetic clinical trial of sustained-release bupropion for smoking cessation. Nicotine and Tobacco Research, *9*(8). 821-833.
85. **Brown, R.A.**, Niaura, R., Lloyd-Richardson, E.E., Strong, D.R., Kahler, C.W., Abrantes, A.M., Abrams, D. & Miller, I.W. (2007). Bupropion and cognitive behavioral treatment for depression in smoking cessation. Nicotine and Tobacco Research, *9*(7), 721-730.
86. Kassel, J.D., Yates, M., & **Brown, R.A.** (2007). Baseline reaction time predicts 12-month smoking cessation outcome in formerly depressed smokers. Psychology of Addictive Behaviors, *21*(3), 415-419.
87. MacPherson, L., Strong, D.R., Kahler, C.W., Abrantes, A.M., Ramsey, S.E., & **Brown, R.A.** (2007). Association of post-treatment smoking change with future smoking and cessation efforts among adolescents with psychiatric comorbidity. Nicotine and Tobacco Research, *9*(12), 1297-1307.
88. David, S.P., Strong, D.R., Munafo, M.R., **Brown, R.A.**, Lloyd-Richardson, E.E., Wileyto, P.E., Evins, E.A., Shields, P.G., Lerman, C., & Niaura, R. (2007). Bupropion efficacy for smoking cessation is influenced by the DRD2 Taq1A polymorphism: Analysis of pooled data from two clinical trials. Nicotine and Tobacco Research *9*(12), 1251-1257.
89. **Brown, R.A.**, Palm, K.M., Strong, D.R., Lejuez, C.W., Kahler, C.W., Zvolensky, M.J., Hayes, S.C., Wilson, K.G., & Gifford, E.V. (2008). Distress tolerance treatment for early lapse smokers: Rationale, program description and preliminary findings. Behavior Modification, *32*(3), 302-332.
90. Zvolensky, M. J., Gibson, L. E., Vujanovic, A. A., Gregor, K., Bernstein, A., Kahler, C., Lejuez, C. W., **Brown, R. A.**, & Feldner, M. T. (2008). Impact of posttraumatic stress disorder on early smoking lapse and relapse during a self-guided quit attempt among community-recruited daily smokers. Nicotine and Tobacco Research, *10*, 1415-1427.

91. Leventhal, A. M., Ramsey, S. E., **Brown, R. A.**, LaChance, H. A., & Kahler, C. W. (2008). Dimensions of depressive symptoms and smoking cessation. Nicotine and Tobacco Research, *10*(3), 507-517.
92. Ziedonis, D., Hitsman, B., Beckham, J.C., Adler, L.E., Audrain-McGovern, J., Breslau, N., **Brown, R.A.**, George, T.P., Zvolensky, M., Williams, J., Calhoun, P.S., & Riley, W.T. (2008). Tobacco Use and Cessation in Psychiatric Disorders: National Institute of Mental Health (NIMH) Report. Nicotine and Tobacco Research, *10*(12), 1691-1715.
93. Kahler, C.W., Metrik, J., LaChance, H.R., Ramsey, S.E., Abrams, D.B., Monti, P.M., & **Brown, R.A.** (2008). Addressing heavy drinking in smoking cessation treatment: A randomized clinical trial. Journal of Consulting and Clinical Psychology, *76*, 852-862.
94. Macpherson, L., Stipelman, B. A., Duplinsky, M., **Brown, R. A.**, & Lejuez, C. W. (2008). Distress tolerance and pre-smoking treatment attrition: Examination of moderating relationships. Addictive Behaviors, *33*(11), 1385-1393.
95. Abrantes, A. M., Strong, D. R., Lejuez, C. W., Kahler, C. W., Carpenter, L. L., Price, L. H., Niaura, R., & **Brown, R.A.** (2008). The role of negative affect in risk for early lapse among low distress tolerance smokers. Addictive Behaviors, *33*(11), 1394-1401.
96. **Brown, R.A.**, Abrantes, A.M., Read, J.P., Marcus, B.H., Jakicic, J., Strong, D.R., Oakley, J.R., Ramsey, S.E., Kahler, C.W., Stuart, G., Dubreuil, M.E. & Gordon, A.A. (2009). Aerobic exercise for alcohol recovery: Rationale, program description, and preliminary findings. Behavior Modification, *33*(2), 220-249.
97. **Brown, R.A.**, Lejuez, C.W., Strong, D.R., Kahler, C.W., Zvolensky, M.J., Carpenter, L.L., Niaura, R., & Price, L.H. (2009). A prospective examination of distress tolerance and early smoking lapse in adult self-quitters. Nicotine and Tobacco Research, *11*(5), 493-502.
98. Abrantes, A.M., Palm, K.M., Strong, D.R., Ramsey, S.E., & **Brown, R.A.** (2009). Treatment utilization after psychiatric inpatient hospitalization among adolescents with and without substance use disorders. Addictive Disorders and Their Treatment, *6*(4), 147-156.
99. Abrantes, A.M., Strong, D.R., Cohn, A., Cameron, A.Y., Greenberg, B.D., Mancebo, M.C., & **Brown, R.A.** (2009). Acute changes in mood, obsessions and compulsions following moderate-intensity aerobic exercise among patients with Obsessive-Compulsive Disorder. Journal of Anxiety Disorders, *23*(7), 923-927.

100. Kahler, C.W., Spillane, N.S., Leventhal, A.M., Strong, D.R., **Brown, R.A.**, and Monti, P.M. (2009). Hostility and smoking cessation treatment outcome in heavy social drinkers. Psychology of Addictive Behaviors, *23*, 67-76.
101. Abrantes, A.M., Strong, D.R., Lloyd-Richardson, E.E., Niaura, R., Kahler, C.W., & **Brown, R.A.** (2009). Regular exercise as a protective factor in relapse following smoking cessation treatment. The American Journal on Addictions, *18*(1), 100-101.
102. Abrantes, A.M., Lee, C.S., MacPherson, L., Strong, D.R., Borrelli, B., & **Brown, R.A.** (2009). Health risk behaviors in relation to making a smoking quit attempt among adolescents. Journal of Behavioral Medicine, *32*(2), 142-149.
103. Palm, K.M., Abrantes, A.M., Strong, D.R., Ramsey, S.E., & **Brown, R.A.** (2009). Clinical characteristics of adolescents with a PTSD diagnosis in an inpatient setting. Journal of Dual Diagnosis, *5*(1), 14-29.
104. **Brown, R.A.**, Strong, D.R., Abrantes, A.A., Myers, M.G., Ramsey, S.E., & Kahler, C.W. (2009). Effects on substance use outcomes in adolescents receiving motivational interviewing for smoking cessation during psychiatric hospitalization. Addictive Behaviors, *34*(10), 887-891.
105. Strong, D.R., Kahler, C.W., Leventhal, A.M., Abrantes, A.M., Richardson, E.E., Niaura, R.S., and **Brown, R.A.** (2009). Impact of bupropion and CBT for depression on positive affect, negative affect and urges to smoke during cessation treatment. Nicotine and Tobacco Research, *11*(10) 1142-1153.
106. MacPherson, L., Tull, M.T., Matusiewicz, A.K., Rodman, A., Strong, D.R., Kahler, C.W., Hopko, D.R., Zvolensky, M.J., **Brown, R.A.**, & Lejuez, C. W. (2010). Randomized controlled trial of behavioral activation smoking cessation treatment for smokers with elevated depressive symptoms. Journal of Consulting and Clinical Psychology, *78*, 55-61.
107. Cohn, A.M., Strong, D.R., Abrantes, A. M., & **Brown, R.A.** (2010). History of single episode and recurrent major depressive disorder among smokers in cessation treatment: Associations with depressive symptomatology and early cessation failure, Addictive Disorders and Their Treatment, *9*(1), 41-52.
108. Strong, D.R., Cameron, A., Feuer, S., Cohn, A., Abrantes, A.M., & **Brown, R.A.** (2010). Single versus recurrent depression history: Differentiating risk factors among current US smokers. Drug and Alcohol Dependence, *109*, 90-95.
109. **Brown, R.A.**, Abrantes, A.M., Read, J.P., Marcus, B.H., Jakicic, J., Strong, D.R., Oakley, J.R., Ramsey, S.E., Kahler, C.W., Stuart, G.L., Dubreuil, M.E., & Gordon, A.A. (2010). A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. Mental Health and Physical Activity, *3*, 27-34.

110. **Brown, R.A.**, Ramsey, S.E., Kahler, C.W., Palm, K.M., Monti, P.M., Abrams, D., Dubreuil, M., Gordon, A., & Miller, I.W. (2011). A randomized controlled trial of CBT for depression vs. relaxation training for alcohol dependent individuals with elevated depressive symptoms. Journal of Studies on Alcohol and Drugs, *72*, 286-296.
111. Ramsey, S.E., Engler, P.A., Stein, M.D., **Brown, R.A.**, Cioe, P., Kahler, C.W., Promrat, K., Rose, J., Anthony, J., & Solomon, D.A. (2011). Effect of CBT on depressive symptoms in methadone maintenance patients undergoing treatment for Hepatitis C. Journal of Addiction Research and Therapy, *2*(2),
112. Schonbrun, Y.C., Strong, D.R., Anderson, B.J., Caviness, C.M., **Brown, R.A.**, & Stein, M.D. (2011). Alcoholics Anonymous and hazardously drinking women returning to the community after incarceration: Predictors of attendance and outcome. Alcoholism: Clinical and Experimental Research, *35*(3) 532-539.
113. Strong, D.R., Caviness, C., Anderson, B., **Brown, R.A.**, and Stein, M. (2010). Assessing the severity of hazardous drinking and related consequences among incarcerated women. Alcoholism: Clinical and Experimental Research, *34*(5) 907-914.
114. Myers, M.G., Gwaltney, C.J., Strong, D.R., Ramsey, S.E., **Brown, R.A.**, Monti, P.M., & Colby, S.M. (2011). Adolescent first lapse following smoking cessation: Situation characteristics, precipitants and proximal influences. Addictive Behaviors, *36*(12), 1253-1260.
115. Abrantes, A.M., Battle, C.L., Strong, D.R., Ing, E., Dubreuil, M.E., Gordon, A., & **Brown, R.A.** (2011). Exercise preferences of patients in substance abuse treatment. Mental Health and Physical Activity, *4*(2), 79-87.
116. Leventhal, A.M., David, S.P., Brightman, M., Strong, D., McGeary, J.E., **Brown, R.A.**, Lloyd-Richardson, E. E., Munafò, M., Uhl, G., & Niaura, R. (2012). Dopamine D4 receptor gene variation moderates the efficacy of bupropion for smoking cessation. The Pharmacogenomics Journal, *12*, 86-92.
117. Niemeier, H.M., Leahey, T., Reed, K.P., **Brown, R.A.**, & Wing, R.R. (2012). An acceptance-based behavioral intervention for weight loss: A pilot study. Behavior Therapy, *43*(2), 427-435.
118. Bloom, E.L., Abrantes, A. M., Fokas, K. F., Ramsey, S. E., & **Brown, R. A.** (2012). Gender differences in the relationship between physical activity and smoking among psychiatrically hospitalized adolescents. Mental Health and Physical Activity, *5*(2), 135-140.
119. Abrantes, A.M., Friedman, J.H., **Brown, R.A.**, Strong, D.R., Desaulniers, J., Ing, E., Saritelli, J., & Riebe, D. (2012). Physical activity and neuropsychiatric symptoms of Parkinson's Disease. Journal of Geriatric Psychiatry and Neurology, *25*(3), 138-145.

120. Abrantes, A.M., McLaughlin, N., Greenberg, B.D., Strong, D.R., Riebe, D., Mancebo, M., Rasmussen, S., Desaulniers, J., & **Brown, R.A.** (2012). Design and rationale for a randomized controlled trial testing the efficacy of aerobic exercise for patients with obsessive-compulsive disorder. Mental Health and Physical Activity, 5(2), 155-165.
121. Strong, D.R., **Brown, R.A.**, Sims, M., Herman, D.S., Anderson, B.J., & Stein, M.J. (2012). Persistence on a stress-challenge task prior to initiating buprenorphine treatment was associated with successful transition from opioid use to early abstinence. Journal of Addiction Medicine, 6(3), 219-225.
122. Litvin, E. B., Abrantes, A. M. & **Brown, R. A.** (2013). Computer and mobile technology-based interventions for substance use disorders: An organizing framework. Addictive Behaviors, 38, 1747-1756.
123. Mathew, A.R., Robinson, J.D., Norton, P.J., **Brown, R.A.**, Cinciripini, P.M., & Blalock, J.A. (in press). Affective trajectories before and after a quit attempt in smokers with current depressive disorders. Nicotine and Tobacco Research.
124. Tzilos, G.K., Strong, D.R., Abrantes, A.M., Ramsey, S.E., & **Brown, R.A.** (in press). Quit intention as a predictor of quit attempts over time in adolescents with psychiatric disorders. The American Journal on Addictions.