

## PUBLICATIONS LIST

### ORIGINAL PUBLICATIONS IN PEER-REVIEWED JOURNALS

1. Kahler, C. W., Epstein, E. E., & McCrady, B. S. (1995). Loss of control and inability to abstain: The measurement of and the relationship between two constructs in male alcoholics. *Addiction, 90*, 1025-1036.
2. Epstein, E. E., Kahler, C. W., McCrady, B. S., Lewis, K. D., & Lewis, S. (1995). An empirical classification of drinking patterns among alcoholics: Binge, episodic, sporadic, and steady. *Addictive Behaviors, 20*, 23-41.
3. Morgenstern, J., Kahler, C., Frey, R. M., & Labouvie, E. (1996). Modeling therapeutic response to 12-Step treatments: Optimal responders, non-responders and partial responders. *Journal of Substance Abuse, 8*, 45-59.
4. Morgenstern, J., Labouvie, E., McCrady, B. S., Kahler, C. W., & Frey, R. M. (1997). Affiliation with Alcoholics Anonymous following treatment: A study of its therapeutic effects and mechanisms of action. *Journal of Consulting and Clinical Psychology, 65*, 768-777.
5. Morgenstern, J., Kahler, C. W., & Epstein, E. (1998). Do treatment process factors mediate the relationship between Type A-Type B and outcome in 12-Step oriented substance abuse treatment?. *Addiction, 93*, 1765-1776.
6. Rohde, P., Lewinsohn, P.M., Kahler, C.W., Seeley, J.R., & Brown, R.A. (2001). The natural course of alcohol use disorders from adolescence to young adulthood. *Journal of the American Academy of Child and Adolescent Psychiatry, 40*, 83-90.
7. Kahler, C. W., Stuart, G. L., & Lejuez, C. W. (2001). The utility of advanced statistical training for behavioral psychologists. *the Behavior Therapist, 24*, 8-10.
8. Read, J. P., Kahler, C. W., & Stevenson, J. F. (2001). Bridging the gap between alcoholism treatment research and practice: Identifying what works and why. *Professional Psychology: Research and Practice, 32*, 227-238.
9. Kahler, C. W. (2001). Generation and recall of alcohol-related information in excessive drinkers: Relationship to problem severity, outcome expectancies, and stage of change. *Psychology of Addictive Behaviors, 15*, 109-117.
10. Brown, R. A., Kahler, C. W., Niaura, R., Abrams, D. B., Sales, S. D., Ramsey, S. E., Goldstein, M. G., Burgess, E. S., & Miller, I. W. (2001). Cognitive-behavioral treatment for depression in smoking cessation. *Journal of Consulting and Clinical Psychology, 69*, 471-480.
11. Cargill, B. R., Emmons, K. M., Kahler, C. W., & Brown, R. A. (2001). The relationship among alcohol use, depression, smoking behavior, and motivation to quit smoking with hospitalized smokers. *Psychology of Addictive Behaviors, 15*, 272-275.
12. Hall, S. M., Delucchi, K., Velicer, W., Kahler, C., Ranger-Moore, J., Hedeker, D., Tsoh, J., & Niaura, R. (2001). Statistical analysis of randomized trials in tobacco treatment: Longitudinal designs with dichotomous outcome. *Nicotine & Tobacco Research, 3*, 193-202.
13. Brown, R. A., Kahler, C. W., Lejuez, C. W., Zvolensky, M. J., & Ramsey, S. E. (2001). Anxiety sensitivity: Relation to negative affect smoking and smoking cessation in smokers with past major depressive disorder. *Addictive Behaviors, 26*, 887-899.

14. Read, J. P., Brown, R. A., Marcus, B. H., Kahler, C. W., Ramsey, S. E., Dubreuil, M. E., Jakicic, J. J., & Francione, C. (2001). Exercise attitudes and behaviors among persons in treatment for alcohol use disorder. *Journal of Substance Abuse Treatment, 21*, 1999-206.
15. Brown, R. A., Lejuez, C. W., Kahler, C. W., & Strong, D. R. (2002). Distress tolerance and duration of past smoking cessation attempts. *Journal of Abnormal Psychology, 111*, 180-185.
16. Burgess, E.S., Brown, R. A., Kahler, C. W., Niaura, R., Miller, I. W., Abrams, D. A., & Goldstein, M. G. (2002). Patterns of change in depressive symptoms during smoking cessation: Who's at risk for relapse? *Journal of Consulting and Clinical Psychology, 70*, 356-361.
17. Lejuez, C. W., Read, J. P., Kahler, C. W., Richards, J. B., Ramsey, S. E., Stuart, G. L., Strong, D. R., & Brown, R. A. (2002). Evaluation of a Behavioral Measure of Risk-Taking: The Balloon Analogue Risk Task (BART). *Journal of Experimental Psychology: Applied, 8*, 75-84.
18. Kahler, C. W., Ramsey, S. E., Read, J. P., & Brown, R. A. (2002). Substance-induced and independent major depressive disorder in treatment-seeking alcoholics: Associations with dysfunctional attitudes and coping. *Journal of Studies on Alcohol, 3*, 363-371.
19. Stuart, G. L., Ramsey, S. E., Moore, T. M., Kahler, C. W., Farrell, L.E., Recupero, P. R., & Brown, R. A. (2002). Marital violence victimization and perpetration among women substance abusers: A descriptive study. *Violence Against Women, 8*, 934-952.
20. Kahler, C.W., Brown, R.A., Ramsey, S. E., Niaura, R., Abrams, D. B., Goldstein, M. G., Mueller, T. I., & Miller, I. W. (2002). Negative mood, depressive symptoms, and major depression after smoking cessation treatment in smokers with a history of major depressive disorder. *Journal of Abnormal Psychology, 4*, 670-675.
21. Kahler, C. W., Strong, D. R., Hayaki, J., Ramsey, S. E., & Brown, R. A. (2003). An item response analysis of the Alcohol Dependence Scale in treatment-seeking alcoholics. *Journal of Studies on Alcohol, 64*, 127-136.
22. Lejuez, C. W., Aklin, W. M., Jones, H. A., Richards, J. R., Strong, D. R., Kahler, C. W., & Read, J. P. (2003). The balloon analogue risk task (BART) differentiates smokers and nonsmokers. *Experimental and Clinical Psychopharmacology, 11*, 26-33.
23. Rohde, P., Lewinsohn, P. M., Brown, R. A., Gau, J. M., & Kahler, C. W. (2003). Psychiatric disorders, familial factors, and cigarette smoking: 1. Associations with smoking initiation. *Nicotine & Tobacco Research, 5*, 85-98.
24. Read, J. P., Wood, M. D., Kahler, C. W., Maddock, J. E., & Palfai, T. P. (2003). Examining the role of drinking motives in college student alcohol use and problems. *Psychology of Addictive Behaviors, 17*, 13-23.
25. Lejuez, C. W., Kahler, C. W., & Brown, R. A. (2003). A modified computer version of the paced auditory serial addition task (PASAT) as a laboratory-based stressor: Implications for behavioral assessment. *the Behavior Therapist, 26*, 290-293.
26. Stuart, G.L., Moore, T.M., Kahler, C.W. & Ramsey, S.E. (2003). Substance abuse and relationship violence among men court-referred to batterers intervention programs. *Substance Abuse, 24*, 107-122.
27. Kahler, C. W., McCrady, B. S., & Epstein, E. E. (2003). Sources of distress among women in treatment with their alcoholic partners. *Journal of Substance Abuse Treatment, 24*, 257-265.

28. Kahler, C. W., Brown, R. A., Strong, D. R., Lloyd-Richardson, E. E., & Niaura, R. (2003). History of major depressive disorder among smokers in cessation treatment: Associations with dysfunctional attitudes and coping. *Addictive Behaviors, 28*, 1033-1047.
29. Zvolensky, M. J., Lejuez, C. W., Kahler, C. W., & Brown, R. A. (2003). Integrating an exposure-based smoking cessation program into the cognitive-behavioral treatment of panic disorder: Theoretical relevance and case demonstration. *Cognitive and Behavioral Practice, 10*, 348-358.
30. Kahler, C. W., Read, J. P., Wood, M. D., & Palfai, T. P. (2003). Social environmental selection as a mediator of gender, ethnic, and personality effects on college student drinking. *Psychology of Addictive Behaviors, 17*, 226-234.
31. Stuart, G.L., Ramsey, S.E., Moore, T.M., Kahler, C.W., Farrell, L.E., Recupero, P.R., & Brown, R.A. (2003). Reductions in marital violence following treatment for alcohol dependence. *Journal of Interpersonal Violence, 18*, 1113-1131.
32. Strong, D. R., Kahler, C. W., Ramsey, S. E., & Brown, R. A. (2003). Finding order in the DSM-IV nicotine dependence syndrome: A Rasch analysis. *Drug and Alcohol Dependence, 72*, 151-162.
33. Kahler, C. W., Strong, D. R., Stuart, G.L., Moore, T.M., & Ramsey, S.E. (2003). Item functioning of the Alcohol Dependence Scale in a high-risk sample. *Drug and Alcohol Dependence, 72*, 183-192.
34. Stuart, G.L., Moore, T.M., Ramsey, S.E., & Kahler, C.W. (2003). Relationship aggression and substance use among women court-referred to domestic violence intervention programs. *Addictive Behaviors, 28*, 1603-1610.
35. Brown, R.A., Ramsey, S.E., Strong, D.R., Myers, M.G., Kahler, C.W., Lejuez, C.W., Niaura, R., Pallonen, U.E., Kazura, A.N., Goldstein, M.G., & Abrams, D.B. (2003). Effects of motivational interviewing on smoking cessation in adolescents with psychiatric disorders. *Tobacco Control, 12(Suppl)*, IV3-IV10.
36. Zvolensky, M. J., Leen-Feldner, E. W., Feldner, M. T., Bonn-Miller, W. O., Lejuez, C. W., Kahler, C., & Stuart, G. (2004). Emotional responding to biological challenge as a function of panic disorder and smoking. *Journal of Anxiety Disorders, 18*, 19-32.
37. Strong, D. R., Brown, R. A., Kahler, C.W., Lloyd-Richardson, E. E., & Niaura, R. (2004). Depression proneness in treatment-seeking smokers: a taxometric analysis. *Personality and Individual Differences, 36*, 1155-1170.
38. Stuart, G.L., Moore, T.M., Ramsey, S.E., & Kahler, C.W. (2004). Hazardous drinking and relationship violence perpetration and victimization in women arrested for domestic violence. *Journal of Studies on Alcohol, 65*, 46-53.
39. Rohde, P., Kahler, C.W., Lewinsohn, P.M., & Brown, R.A. (2004). Psychiatric disorders, familial factors, and cigarette smoking: II. Associations with progression to daily smoking. *Nicotine & Tobacco Research, 6*, 119-132.
40. Kalman, D., Kahler, C.W., Tirch, D., Kaschub, C., Penk, W., & Monti, P.M. (2004). Twelve-week outcomes from an investigation of high-dose nicotine patch therapy for heavy smokers with a past history of alcohol dependence. *Psychology of Addictive Behaviors, 18*, 78-82.
41. Zvolensky, M. J., Lejuez, C. W., Kahler, C. W., & Brown, R. A. (2004). Panic attack history and smoking cessation: An initial examination. *Addictive Behaviors, 29*, 855-830.

42. Rohde, P., Kahler, C. W., Lewinsohn, P. M., & Brown, R. A. (2004). Psychiatric disorders, familial factors, and cigarette smoking: III. Associations with cessation by young adulthood among daily smokers. *Nicotine & Tobacco Research, 6*, 509-522.
43. Strong, D. R., Kahler, C. W., Ramsey, S. E., Abrantes, A., & Brown, R. A. (2004). Nicotine withdrawal among adolescents with acute psychopathology: An item response analysis. *Nicotine & Tobacco Research, 6*, 547-557.
44. Stuart, G.L., Moore, T.M., Kahler, C.W., Ramsey, S.E. & Strong, D. (2004). Cigarette smoking and substance use among men court-referred to domestic violence treatment programs. *American Journal on Addictions, 13*, 319-320.
45. Kahler, C. W., Read, J. P., Stuart, G. L., Ramsey, S. E., McCrady, B. S., & Brown, R. A. (2004). Motivational enhancement for 12-step involvement among patients undergoing alcohol detoxification. *Journal of Consulting and Clinical Psychology, 72*, 736-741.
46. Read, J. P., Brown, P. J., & Kahler, C. W. (2004). Substance use and posttraumatic stress disorders: Symptom interplay and effects on outcome. *Addictive Behaviors, 29*, 1665-1672.
47. McCrady, B.S., Epstein, E.E., & Kahler, C.W. (2004). AA and relapse prevention as maintenance strategies after conjoint behavioral alcohol treatment for men: 18 month outcomes. *Journal of Consulting and Clinical Psychology, 72*, 870-878.
48. Ramsey, S. E., Kahler, C.W., Read, J.P., Stuart, G.L., & Brown, R.A. (2004). Discriminating between substance-induced and independent depressive episodes in alcohol dependent patients. *Journal of Studies on Alcohol, 65*, 672-676.
49. Kahler, C.W., Strong, D.R., Niaura, R., & Brown, R.A. (2004). Hostility in smokers with past major depressive disorder: Relation to smoking patterns, reasons for quitting, and cessation outcomes. *Nicotine & Tobacco Research, 6*, 809-818.
50. Kahler, C. W., Strong, D. R., Read, J. P., Palfai, T. P., & Wood, M. D. (2004). Mapping the continuum of alcohol problems in college students: A Rasch model analysis. *Psychology of Addictive Behaviors, 18*, 322-333.
51. Aklin, W. M., Lejuez, C. W., Zvolensky, M. J., Kahler, C. W., & Gwadz, M. (2005). Evaluation of a behavioral measure of risk taking propensity with inner city adolescents. *Behaviour Research and Therapy, 43*, 215-228.
52. McNally, A.M., Palfai, T.P., & Kahler, C.W. (2005). Motivational interventions for heavy drinking college students: Examining the role of discrepancy-related psychological processes. *Psychology of Addictive Behaviors, 19*, 78-87.
53. Lewis-Esquerre, J.M., Rodrigue, J.R., & Kahler, C.W. (2005). Development and validation of an adolescent Smoking Consequences Questionnaire. *Nicotine & Tobacco Research, 7*, 81-90.
54. Strong, D. R., Kahler, C. W., Greene, R. L., & Schinka, J. (2005). Isolating a primary dimension with the Cook Medley Hostility Scale: A Rasch analysis. *Personality and Individual Differences, 39*, 21-33.
55. Zvolensky, M. J., Schmidt, N. B., Antony, M. M., McCabe, R. E., Forsyth, J. P., Feldner, M. T., Leen-Feldner, E. W., Karekla, M., & Kahler, C. W. (2005). Evaluating the role of panic disorder in emotional sensitivity processes involved with smoking. *Journal of Anxiety Disorders, 19*, 673-686.
56. Lewis-Esquerre, J.M., Colby, S.M., O'Leary-Tevyaw, T., Eaton, C.A., Kahler, C.W., & Monti, P. (2005). Validation of the timeline follow-back in the assessment of adolescent smoking. *Drug and Alcohol Dependence, 79*, 33-43.

57. Daughters, S. B., Lejuez, C. W., Kahler, C. W., Strong, D.R., & Brown, R. A. (2005). Distress tolerance and duration of last abstinence attempt among substance abusers. *Psychology of Addictive Behaviors, 19*, 208-211.
58. Stuart, G.L., Moore, T.M., Kahler, C.W., Ramsey, S.E., & Strong, D. (2005). Cigarette smoking, alcohol use, and psychiatric functioning among women arrested for domestic violence. *American Journal on Addictions, 14*, 188-190.
59. Brown, R.A., Lejuez, C.W., Kahler, C.W., Strong, D.R., & Zvolensky, M.J. (2005). Distress tolerance and early smoking lapse. *Clinical Psychology Review, 25*, 713-733.
60. Kahler, C.W., Strong, D.R., & Read, J.P. (2005). Towards efficient and comprehensive measurement of the alcohol problems continuum in college students: The Brief Young Adult Alcohol Consequences Questionnaire. *Alcoholism: Clinical and Experimental Research, 29*, 1180-1189.
61. Daughters, S.B., Lejuez, C.W., Bornovalova, M.A., Kahler, C.W., Strong, D., & Brown, R. (2005). Distress tolerance as a predictor of early treatment dropout in a residential substance abuse treatment facility. *Journal of Abnormal Psychology, 114*, 729-734.
62. Read, J.P., Kahler, C.W., Strong, D.R., & Colder, C.R. (2006). Development and preliminary validation of the Young Adult Alcohol Consequences Questionnaire. *Journal of Studies on Alcohol, 67*, 169-177.
63. Stuart, G.L., Moore, T.M., Kahler, C.W., Gordon, K.C., & Ramsey, S.E. (2006). Psychopathology of women arrested for domestic violence. *Journal of Interpersonal Violence, 21*, 376-389.
64. Kalman, D., Kahler, C.W., Garvey, A.J., & Monti, P.M. (2006). High dose nicotine patch therapy for smokers with a history of alcohol dependence: thirty-six week outcomes. *Journal of Substance Abuse Treatment, 30*, 213-217.
65. Kahler, C.W., Kelly, J.F., Strong, D.R., Stuart, G.L., & Brown, R.A. (2006). Development and initial validation of a 12-step participation expectancies questionnaire. *Journal of Studies on Alcohol, 67*, 538-542.
66. Kahler, C.W., & Strong, D.R. (2006). A Rasch model analysis of DSM-IV alcohol abuse and dependence items in the National Epidemiological Survey on Alcohol and Related Conditions. *Alcoholism: Clinical and Experimental Research, 30*, 1165-1175.
67. Stuart, G.L., Moore, T.M., Gordon, K.C., Hellmuth, J.C., Ramsey, S.E., & Kahler, C.W. (2006). Reasons for intimate partner violence perpetration among arrested women. *Violence Against Women, 12*, 809-621.
68. Morgenstern, J., Irwin, T., Wainberg, M., Parsons, J., Muench, F., Bux, D., Kahler, C.W., Marcus, S., & Schulz-Heik, J. (2007). A randomized controlled trial of goal choice interventions for alcohol use disorders among men-who-have-sex-with-men. *Journal of Consulting and Clinical Psychology, 75*, 72-84.
69. Strong, D.R., & Kahler, C.W. (2007). Evaluation of the continuum of gambling problems using the DSM-IV. *Addiction, 102*, 713-721.
70. Borsari, B., O'Leary Tevyaw, T., Barnett, N. P., Kahler, C. W., & Monti, P. M. (2007). Stepped care for mandated college students: A pilot study. *The American Journal on Addictions, 16*, 131-137.
71. Strong, D. R., Kahler, C. W., Abrantes, A., M., MacPherson, L., Myers, M. G., Ramsey, S. E., & Brown, R. A. (2007). Nicotine dependence symptoms among adolescents with psychiatric disorders: Using a Rasch model to evaluate symptom expression across time. *Nicotine & Tobacco Research, 9*, 557-569.

72. Brown, R.A., Niaura, R., Lloyd-Richardson, E.E., Strong, D.R., Kahler, C.W., Abrantes, A.M., Abrams, D. & Miller, I.W. (2007). Bupropion and cognitive behavioral treatment for depression in smoking cessation. *Nicotine & Tobacco Research, 9*, 721-30.
73. David, S., Brown, R.A., Papandonatos, G.D., Kahler, C.W., Lloyd-Richardson, E.L., Munafò, M.R., Shields, P.G., Lerman, C., Strong, D., McCaffery, J., & Niaura, R. (2007). Pharmacogenetic clinical trial of sustained-release bupropion for smoking cessation. *Nicotine & Tobacco Research, 9*, 821-833.
74. Kahler, C.W., LaChance, H.R., Strong, D.R., Ramsey, S.E., Monti, P.M., & Brown, R.A. (2007). The commitment to quitting smoking scale: Initial validation in a smoking cessation trial for heavy social drinkers. *Addictive Behaviors, 32*, 2420-2424.
75. Ray, L.A., Miranda, R., Kahler, C.W., Leventhal, A.M., Monti, P.M., Swift, R., & Hutchison, K.E. (2007). Pharmacological effects of naltrexone and intravenous alcohol on craving for cigarettes among light smokers: A pilot study. *Psychopharmacology, 193*, 449-456.
76. Kahler, C.W., Daughters, S.B., Leventhal, A.M., Gwaltney, C.J., & Palfai, T.P. (2007). Implicit associations between smoking and social consequences among smokers in cessation treatment. *Behaviour Research and Therapy, 45*, 2066-2077.
77. O'Leary Tevyaw, T., Gwaltney, G., Tidey, J.W., Colby, S.M., Kahler, C.W., Miranda, R., Barnett, N.P., Rohsenow, D.J., & Monti, P.M. (2007). Contingency management for adolescent smokers: An exploratory study. *Journal of Child & Adolescent Substance Abuse, 16*, 23-44.
78. Lejuez, C. W., Aklin, W. M., Daughters, S. B., Zvolensky, M. J., Kahler, C. W., & Gwadz, M. (2007). Reliability and validity of the youth version of the Balloon Analogue Risk Task (BART-Y) in the assessment of risk-taking behavior among inner-city adolescents. *Journal of Clinical Child and Adolescent Psychology, 36*, 106-111.
79. Borsari, B., Boyle, K., Hustad, J.T.P., Barnett, N. P., O'Leary Tevyaw, T., & Kahler, C. W. (2007). Drinking before drinking: Pre-gaming and drinking games in mandated students. *Addictive Behaviors, 32*, 2694-705.
80. Read, J.P., Merrill, J., Kahler, C.W., & Strong, D.R. (2007). Predicting functional outcomes among college drinkers: Reliability and predictive validity of the Young Adult Alcohol Consequences Questionnaire. *Addictive Behaviors, 32*, 2597-610.
81. MacPherson, L., Strong, D.R., Kahler, C.W., Abrantes, A.M., Ramsey, S., & Brown, R.A. (2007). Association of post smoking treatment change with future smoking and cessation efforts among adolescents with psychiatric comorbidity. *Nicotine & Tobacco Research, 9*, 1297-1307.
82. Kahler, C.W., Strong, D.R., Papandonatos, G.D., Colby, S.M., Clark, M.A., Boergers, J., Niaura, R., Abrams, D.B., & Buka, S.L. (2008). Cigarette smoking and the lifetime alcohol involvement continuum. *Drug and Alcohol Dependence, 93*, 111-120.
83. Morgenstern, J., Blanchard, K.A., Kahler, C.W., Barbosa, K.M., McCrady, B.S., & McVeigh, K.H. (2008). Testing mechanisms of action for intensive case management. *Addiction, 103*, 469-477.
84. Bornovalova, M. A., Gwadz, M., Kahler, C. W., Aklin, W. M., & Lejuez, C. W. (2008). Sensation seeking and risk-taking propensity as mediators in the relationship between childhood abuse and HIV-related risk behavior. *Child Abuse and Neglect, 32*, 99-109.

85. Leventhal, A.M., Ramsey, S.E., Brown, R.A, LaChance, H.R., & Kahler, C.W. (2008). Dimensions of depressive symptoms and smoking cessation. *Nicotine & Tobacco Research, 10*, 507-517.
86. Brown, R.A., Palm, K.M., Strong, D.R., Lejuez, C.W., Kahler, C.W., Zvolensky, M.J., Hayes, S.C., Wilson, K.G., & Gifford, E.V. (2008). Distress tolerance treatment for early lapse smokers: Rationale, program description and preliminary findings. *Behavior Modification, 32*, 302-332.
87. Leventhal, A. M., Kahler, C. W., Ray, L. A., Stone, K., Young, D., Chelminski, I., & Zimmerman, M. (2008). Anhedonia and amotivation in psychiatric outpatients with fully remitted stimulant use disorder. *The American Journal on Addictions, 17*, 218 - 223.
88. Kahler, C.W., Hustad, J., Barnett, N.P., Strong, D.R., & Borsari, B. (2008). Validation of the 30-day version of the Brief Young Adult Alcohol Consequences Questionnaire for use in longitudinal studies. *Journal of Studies on Alcohol and Drugs, 69*, 611-615.
89. Ray, L.A., Kahler, C.W., Young, D., Chelminski, I., & Zimmerman, M. (2008). The factor structure and severity of DSM-IV alcohol abuse and dependence symptoms in psychiatric outpatients. *Journal of Studies on Alcohol and Drugs, 69*, 496-499.
90. Zvolensky, M. J., Gibson, L. E., Vujanovic, A. A., Gregor, K., Bernstein, A., Kahler, C.W., Lejuez, C. W., Brown, R. A., & Feldner, M.T. (2008). Impact of posttraumatic stress disorder on early smoking lapse and relapse during a self-guided quit attempt among community-recruited daily smokers. *Nicotine & Tobacco Research, 10*, 1415-1427.
91. Gwaltney, C.J., Bartolomei, R., Colby, S.M., & Kahler, C.W. (2008). Ecological momentary assessment of adolescent smoking cessation: A feasibility study. *Nicotine & Tobacco Research, 10*, 1185-1190.
92. Kelly, J.F., Abrantes, A.M., Kahler, C.W., Myers, M.G., & Brown, S.A. (2008). Social recovery model: An 8-year investigation of adolescent 12-step group involvement. *Alcoholism: Clinical and Experimental Research, 32*, 1468-1478.
93. Barnett, N. P., Borsari, B., Hustad, J., Tevyaw, T. O, Colby, S. M., Kahler, C.W., Monti, P. M. (2008). Profiles of college students mandated to alcohol intervention. *Journal of Studies on Alcohol and Drugs, 69*, 684-694.
94. Abrantes, A.M., Strong, D.R., Lejuez, C.W., Kahler, C.W., Carpenter, L.L., Price, L.H, Niaura, R., & Brown, R.A. (2008). The role of negative affect in risk for early lapse among low distress tolerance smokers. *Addictive Behaviors, 1394-1401*.
95. Kahler, C.W., Metrik, J., LaChance, H.R., Ramsey, S.E., Abrams, D.B., Monti, P.M., & Brown, R.A. (2008). Addressing heavy drinking in smoking cessation treatment: A randomized clinical trial. *Journal of Consulting and Clinical Psychology, 76*, 852-862.
96. Strong, D.R., Kahler, C.W., Colby, S., Griesler, P.C., & Kandel, D. (2009). Linking measures of adolescent nicotine dependence to a common latent continuum. *Drug and Alcohol Dependence, 99*, 296-308.
97. Kahler, C.W., Borland, R., Hyland, A., McKee, S.A., Thompson, M.E., & Cummings, K.M. (2009). Alcohol consumption and quitting smoking in the International Tobacco Control (ITC) Four Country Survey. *Drug and Alcohol Dependence, 100*, 214-220.
98. Leventhal, A.M., Kahler, C.W., Ray, L.A., & Zimmerman, M. (2009). Refining the nicotine dependence-depression link: Patterns of depressive symptoms in psychiatric patients with current, past, and no history of nicotine dependence. *Addictive Behaviors, 34*, 297-303.

99. Aklin, W. M., Tull, M. T., Kahler, C. W., & Lejuez, C. W. (2009). Risk-taking propensity changes throughout the course of residential substance abuse treatment. *Personality and Individual Differences, 46*, 454-459.
100. Brown, R.A., Abrantes, A.M., Read, J.P., Marcus, B.H., Jakicic, J., Strong, D.R., Oakley, J.R., Ramsey, S.E., Kahler, C.W., Stuart, G.G., Dubreuil, M.E. & Gordon, A.A. (2009). Aerobic exercise for alcohol recovery: Rationale, program description, and preliminary findings. *Behavior Modification, 33*, 220-249.
101. Abrantes, A.M., Strong, D.R., Lloyd-Richardson, E.E., Niaura, R., Kahler, C.W., & Brown, R.A. (2009). Regular exercise as a protective factor in relapse following smoking cessation treatment. *The American Journal on Addictions, 18*, 100-101.
102. Mackillop, J., Murphy, J.G., Tidey, J.W., Kahler, C.W., Ray, L.A., & Bickel, W.K. (2009). Latent structure of facets of alcohol reinforcement from a behavioral economic demand curve. *Psychopharmacology, 203*, 33-40.
103. Daughters, S.B., Reynolds, E.K., MacPherson, L., Kahler, C.W., Danielson, K.M., Zvolensky, M., & Lejuez, C.W. (2009). Distress tolerance and early adolescent externalizing and internalizing symptoms: The moderating role of gender and ethnicity. *Behaviour Research and Therapy, 47*, 198-205.
104. Verster, J.C., Herwijnen, J.V., Olivier, B., & Kahler, C.W. (2009). Validation of the Dutch version of the Brief Young Adult Alcohol Consequences Questionnaire (B-YAACQ). *Addictive Behaviors, 34*, 411-414.
105. Gwaltney, C.J., Metrik, J., Kahler, C.W., & Shiffman, S. (2009). Self-efficacy and smoking cessation: A meta-analysis. *Psychology of Addictive Behaviors, 23*, 56-66.
106. Kahler, C.W., Spillane, N.S., Leventhal, A.M., Strong, D.R., Brown, R.A., and Monti, P.M. (2009). Hostility and smoking cessation treatment outcome in heavy social drinkers. *Psychology of Addictive Behaviors, 23*, 67-76.
107. Kahler, C.W., Hoepfner, B.B., & Jackson, K.M. (2009). A Rasch model analysis of alcohol consumption and problems across adolescence and young adulthood. *Alcoholism: Clinical and Experimental Research, 33*, 663-673.
108. Brown R.A., Lejuez, C.W., Strong, D.R., Kahler, C.W., Zvolensky, M.J., Carpenter, L.L., Niaura, R., & Price, L.H. (2009). A prospective examination of distress tolerance and early smoking lapse in adult self-quitters. *Nicotine & Tobacco Research, 11*, 493-502.
109. Tevyaw, T. O., Colby, S. M., Tidey, J. W., Kahler, C. W., Rohsenow, D. J., Barnett, N. P., Gwaltney, C. J., & Monti, P. M. (2009). Contingency management and motivational enhancement: A randomized clinical trial for college student smokers. *Nicotine & Tobacco Research, 11*, 739-749.
110. Kahler, C.W., Daughters, S.B., Leventhal, A.M., Rogers, M.L., Clark, M.A., Colby, S.M., Boergers, J., Ramsey, S.E., Abrams, D.B., Niaura, R., & Buka, S.L. (2009). Personality, psychiatric disorders, and smoking in middle-aged adults. *Nicotine & Tobacco Research, 11*, 833-841.
111. Kahler, C.W., Spillane, N.S., Metrik, J., Leventhal, A.M., & Monti, P.M. (2009). Sensation seeking as a predictor of treatment compliance and smoking cessation treatment outcomes in heavy social drinkers. *Pharmacology, Biochemistry and Behavior, 93*, 285-290.
112. Gulliver, S.B., Kamholz, B.W, Helstrom, A.W., Morissette, S.B., & Kahler, C.W. (in press). A preliminary evaluation of adjuncts to motivational interviewing for psychiatrically-complex smokers. *Journal of Dual Diagnosis*.

113. Brown, R.A., Strong, D.R., Abrantes, A.M., Myers, M.G., Ramsey, S.E., & Kahler, C.W. (in press). Effects on substance use outcomes in adolescents receiving motivational interviewing for smoking cessation during psychiatric hospitalization. *Addictive Behaviors*.
114. Stuart, G.L., O'Farrell, T.J., Leonard, K., Moore, T.M., Temple, J.R., Ramsey, S.E., Stout, R., Kahler, C.W., Bucossi, M., Andersen, S., Recupero, P., Walsh, Z., Chatav Schonbrun, Y., Strong, D., Rothman, E., Rhatigan, D., & Monti, P. (in press). Examining the interface between substance misuse and intimate partner violence. *Substance Abuse: Research and Treatment*.
115. Strong, D.R., Kahler, C.W., Leventhal, A.M., Abrantes, A.M., Richardson, E.E., Niaura, R.S., & Brown, R.A. (in press). Impact of bupropion and CBT for depression on positive affect, negative affect and urges to smoke during cessation treatment. *Nicotine & Tobacco Research*.
116. Leventhal, A. M., Waters, A. J., Kahler, C. K., Ray, L.A., & Sussman, S. (in press). Relations between anhedonia and smoking motivation. *Nicotine & Tobacco Research*.
117. Metrik, J., Rohsenow, D. J., Monti, P. M., McGeary, J., Cook, T. A. R., de Wit, H., Haney, M., & Kahler, C. W. (in press). Effectiveness of a marijuana expectancy manipulation: Piloting the balanced-placebo design for marijuana. *Experimental and Clinical Psychopharmacology*.
118. MacKillop, J., & Kahler, C. W. (in press). Delayed reward discounting predicts treatment response for heavy drinkers receiving smoking cessation treatment. *Drug & Alcohol Dependence*.

#### OTHER PEER-REVIEWED PUBLICATIONS

- Kahler, C. W., Epstein, E. E., & McCrady, B. S. (1995). On chefs, tailors, and toolmakers: A reply to the commentaries. *Addiction*, *90*, 1049-1051.
- Kahler, C. W. (1995). Current challenges and an old debate. *Addiction*, *90*, 1169-1171.

#### BOOKS AND BOOK CHAPTERS

- Wynne, R. D., McCrady, B. S., Kahler, C. W., Liddle, H. A., Palmer, R. B., Horberg, L. K., & Schlesinger, S. E. (1995). When addictions affect the family. In M. Harway (Ed.), *Treating the changing family: Handling normative and unusual events* (pp. 293-317). New York: Wiley Press.
- McCrady, B. S., Epstein, E. E., & Kahler, C. W. (1998). Families of alcoholics. In A. Bellack & M. Hersen (Series Eds.), *Comprehensive clinical psychology: Vol. 9. Applications in diverse populations* (pp.199-218). New York: Elsevier.
- Brown, P. J., Read, J. P., & Kahler, C. W. (2003). Comorbid PTSD and substance use disorders: Treatment outcomes and the role of coping. In P.C. Ouimette & P.J. Brown (Eds.), *Trauma and substance abuse: Causes, consequences, and treatment of comorbid disorders* (pp. 171-190). Washington, CD: American Psychological Association.
- Kahler, C. W., Zvolensky, M. J., Goldstein, M. G., & Brown, R. A. (2003). Behavioral interventions in nicotine dependence. In A.W. Graham, T.K. Schultz, M.F. Mayo-Smith, R.K. Ries, & B.B. Wilford (Eds.), *Principles of addiction medicine* (3rd. ed., pp. 891-904). Arlington, VA: American Society of Addiction Medicine.
- Kahler, C. W., Leventhal, A.M., & Brown, R. A. (in press). Behavioral interventions in smoking cessation. In A.W. Graham, T.K. Schultz, M.F. Mayo-Smith, R.K. Ries, & B.B. Wilford

(Eds.), *Principles of addiction medicine* (4rd. ed.). Arlington, VA: American Society of Addiction Medicine.

OTHER NON-PEER REVIEWED PUBLICATIONS

1. Kahler, C.W. (2006). Towards an empirically supported alcohol use disorders nosology for DSM-V. *The Brown University Digest of Addiction Theory and Application*, 25, 8.
2. Leventhal, A. M., & Kahler, C. W. (2006). Guidelines for nicotine replacement therapy for smoking cessation. *US Pharmacy Review 2006*.