

**Martin Keller, M.D.**

**ORIGINAL PUBLICATIONS IN PEER-REVIEWED JOURNALS:**

1. Andreasen NC, Grove WM, Shapiro RW, Keller MB, Hirschfeld RM, McDonald-Scott P. Reliability of lifetime diagnosis: A multicenter collaborative perspective. *Arch Gen Psychiatry* 1981;38(4):400-405.
2. Grove WM, Andreasen NC, McDonald-Scott P, Keller MB, Shapiro RW. Reliability studies of psychiatric diagnosis: theory and practice. *Arch Gen Psychiatry* 1981;38(4):408-413.
3. Shapiro R, Keller MB. Initial six-month follow-up of patients with major depressive disorder: A preliminary report from the NIMH collaborative study of the psychobiology of depression. *J Affect Disord* 1981;3(3):205-220.
4. Keller MB, Manschreck TM. The bedside mental status examination: Reliability and validity. *Compr Psychiatry* 1981;22(5):500-511.
5. Keller MB, Shapiro RW. Major depressive disorder: Initial results from a one year prospective naturalistic follow-up study. *J Nerv Ment Dis* 1981;12:761-768.
6. Keller MB, Lavori PW, Andreasen NC, Grove WM, Shapiro RW, Scheftner W, McDonald-Scott P. Test-retest reliability of assessing psychiatrically ill patients in a multicenter design. *J Psychiatr Res* 1981;16(4):213-227.
7. Keller MB, Lavori PW, McDonald-Scott P, Scheftner WA, Andreasen NC, Shapiro RW, Croughan J. Reliability of lifetime diagnoses and symptoms in patients with a current psychiatric disorder. *J Psychiatr Res* 1981;16(4):229-240.
8. Keller MB, Shapiro RW. "Double depression": Superimposition of acute depressive episodes on chronic depressive disorders. *Am J Psychiatry* 1982;139(4): 438-442.
9. Andreasen NC, McDonald-Scott P, Grove WM, Keller MB, Shapiro RW, Hirschfeld, RMA. Assessment of reliability in multicenter collaborative research with a videotape approach. *Am J Psychiatry* 1982;139(7):876-882.
10. Keller MB, Shapiro RW, Lavori PW, Wolfe N. Recovery in major depressive disorder: Analysis with the life table and regression models. *Arch Gen Psychiatry* 1982;39(8):905-910.
11. Keller MB, Shapiro RW, Lavori PW, Wolfe N. Relapse in major depressive disorder: Analysis with the life table. *Arch Gen Psychiatry* 1982;39(8):911-915.
12. Keller MB, Klerman GL, Lavori PW, Fawcett JA, Coryell W, Endicott J. Treatment received by depressed patients. *JAMA* 1982;248(15):1848-1855.

**Martin Keller, M.D.**

13. Hirschfeld RMA, Klerman GL, Clayton PJ, Keller MB, McDonald-Scott P, Larkin BH. Assessing personality: Effects of the depressive state on trait measurement. *Am J Psychiatry* 1983;140(6):695-699.
14. Beardslee WR, Bemporad J, Keller MB, Klerman GL. Children of parents with major affective disorder: A review. *Am J Psychiatry* 1983;140(7):825-832.
15. Hirschfeld RMA, Klerman GL, Clayton PJ, Keller MB. Personality and depression: Empirical findings. *Arch Gen Psychiatry* 1983;40:993-998.
16. Keller MB, Lavori PW, Endicott J, Coryell W, Klerman GL. "Double depression": Two-year follow-up. *Am J Psychiatry* 1983;140(6):689-694.
17. Keller MB, Lavori PW, McDonald-Scott P, Endicott J, Andreasen N, VanEerdewegh MM. The reliability of retrospective treatment reports. *Psychiatry Res* 1983;9(1):81-88.
18. Keller MB. Double depression: Implications for clinical practice. *Medecine et Hygiene* 1983;3558-3562.
19. Keller MB, Lavori PW, Lewis CE, Klerman GL. Predictors of relapse in major depressive disorder. *JAMA* 1983;250(24):3299-3304.
20. Lavori PW, Keller MB, Klerman GL. Relapse in affective disorders: A reanalysis of the literature using life table methods. *J Psychiatr Res* 1984;18(1)13-25.
21. Lavori PW, Keller MB, Roth S. Affective disorders and ABO blood groups: New data and a reanalysis of the literature using the logistic transformation of proportions. *J Psychiatr Res* 1984;18(2):119-129.
22. Hirschfeld RMA, Klerman GL, Keller MB, Andreasen NC, Clayton PJ. The validity of situational/reactive major depressive disorder. *J Clin Neuropharm* 1984;7(1).
23. Coryell W, Lavori PW, Endicott J, Keller MB, VanEerdewegh M. Outcome in schizoaffective, psychotic and nonpsychotic depression: Course over a six to twenty-four month follow-up. *Arch Gen Psychiatry* 1984;41(120):787-791.
24. Keller MB, Klerman GL, Lavori PW, Coryell W, Endicott J, Taylor J. Long-term outcome of episodes of major depression: Clinical and public health significance. *JAMA* 1984;252(6):788-792.
25. Rice J, Reich T, Andreasen NC, Lavori PW, Endicott J, Clayton PJ, Keller MB, Hirschfeld RMA, Klerman GL. Sex related differences in depression: Familial evidence. *J Affect Disord* 1984;7:199-210.
26. Hirschfeld RMA, Klerman GL, Clayton PJ, Keller MB, Andreasen NC. Personality and gender-related differences in depression. *J Affect Disord* 1984;7:211-221.

**Martin Keller, M.D.**

27. Endicott J, Nee J, Andreasen N, Clayton PJ, Keller MB, Coryell W. Bipolar II: Combine or keep separate? *J Affect Disord* 1984;8(1):17-28.
28. Coryell W, Endicott J, Reich T, Andreasen N, Keller MB. A family study of bipolar II disorder. *Br J Psychiatry* 1984;145:49-54.
29. Keller MB, Lavori PW. Double depression, major depression and dysthymia: Distinct entities or different phases of a single disorder? *Psychopharm Bull* 1984;20(3):399-402.
30. NIMH/NIH. Consensus development conference statement. Mood disorders: Pharmacologic prevention of recurrences. *Am J Psychiatry* 1985;142(4):469-476.
31. Kashani JH, Keller MB, Reid JC, Solomon N, Mazzola D. Double depression in adolescent substance users. *J Affect Disord* 1985;8:153-157.
32. Beardslee WR, Keller MB, Klerman GL. Children of parents with affective disorder. *Int J Fam Psychiatry* 1985;6(3):283-299.
33. Beardslee WR, Klerman GL, Keller MB, Lavori PW, Podorefsky DL. But are they cases? Validity of DSM-III major depression in children identified in family study. *Am J Psychiatry* 1985;146(6):687-691.
34. Klerman GL, Lavori PW, Rice J, Reich T, Endicott J, Andreasen NC, Keller MB, Hirschfeld RMA. Birth-cohort trends in rates of major depressive disorder among relatives of patients with affective disorder. *Arch Gen Psychiatry* 1985;42:689-693.
35. Coryell W, Endicott J, Keller MB, Andreasen NC. The phenomenology and family history in DSM-III psychotic depression. *J Affect Disord* 1985;9(1):13-18.
36. Coryell W, Endicott J, Andreasen N, Keller M. Bipolar I, bipolar II, and nonbipolar major depression among the relatives of affectively ill probands. *Am J Psychiatry* 1985;142(7):817-821.
37. Hirschfeld RMA, Klerman GL, Andreasen NC, Clayton PJ, Keller MB. Situational major depressive disorder. *Arch Gen Psychiatry* 1985;42:1109-1114.
38. Endicott J, Nee J, Coryell W, Keller M, Andreasen N, Croughan J. Schizoaffective, psychotic, and nonpsychotic depression: Differential familial association. *Compr Psychiatry* 1986;27(1):1-13.
39. Keller MB, Lavori PW, Klerman GL, Andreasen NC, Endicott J, Coryell W, Fawcett J, Rice JP, Hirschfeld RMA. Low levels and lack of predictors of somatotherapy and psychotherapy received by depressed patients. *Arch Gen Psychiatry* 1986;43(5):458-466.
40. Keller MB, Beardslee WR, Dorer DJ, Lavori PW, Samuelson H, Klerman GL. Impact of severity and chronicity of parental affective illness on adaptive functioning and psychopathology in their children. *Arch Gen Psychiatry* 1986;43:930-937.

**Martin Keller, M.D.**

41. Andreasen NC, Scheftner W, Reich T, Hirschfeld RMA, Endicott J, Keller MB. The validation of the concept of endogenous depression: A family study approach. *Arch Gen Psychiatry* 1986;43(3):246-251.
42. Keller MB, Lavori PW, Rice J, Coryell W, Hirschfeld RMA. The persistent risk of chronicity in recurrent episodes of non-bipolar major depressive disorder: A prospective follow-up. *Am J Psychiatry* 1986;143(1):24-28.
43. Hirschfeld RMA, Klerman GL, Andreasen NC, Clayton PJ, Keller MB. Psychosocial predictors of chronicity in depressed patients. *Br J Psychiatry* 1986;148:648-654.
44. Rice J, McDonald-Scott P, Endicott J, Coryell W, Grove W, Keller MB, Altis D. The stability of diagnosis with an application to bipolar II disorder. *Psychiatry Res* 1986;19:285-296.
45. Keller MB, Lavori PW, Coryell W, Andreasen NC, Endicott J, Clayton PJ, Klerman GL, Hirschfeld RMA. Differential outcome of pure manic, mixed/cycling and pure depressive episodes in patients with bipolar illness. *JAMA* 1986;255:3138-3142.
46. Hirschfeld RMA, Klerman GL, Keller MB, Andreasen NC, Clayton PJ. Personality of recovered patients with bipolar affective disorder. *J Affect Disord* 1986;11:81-89.
47. Lavori PW, Klerman GL, Keller MB, Reich T, Rice J, Endicott J. Age-period-cohort analysis of secular trends in onset of major depression: Findings in siblings of patients with major affective disorder. *J Psychiatr Res* 1987;21:23-25.
48. Coryell W, Andreasen NC, Endicott J, Keller M. The significance of past mania or hypomania in the course and outcome of major depression. *Am J Psychiatry* 1987;144(3):309-315.
49. Biederman J, Keller MB, Lavori P, Harmatz J, Knee D, Dubey D, Yunis E. HLA haplotype A26-B38 in affective disorders: Lack of association. *Biol Psychiatry* 1987;22:221-224.
50. Herzog DB, Keller MB, Lavori PW, Ott IL, Bridges AC. Social impairment in bulimia. *Int J Eating Disord* 1987;6:741-747.
51. Brotman AW, Pascarzi GA, Keller MB, Dorer DJ, Eisenthal S. Patients treated with psychodynamic psychotherapy by residents at Massachusetts General Hospital. *J Psychiatric Education* 1987;11(4):233-242.
52. Kaplan BJ, Beardslee WR, Keller MB. Intellectual competence in children of depressed parents. *J Clin Child Psychol* 1987;16(2):158-163.
53. Coryell W, Endicott J, Keller MB. The importance of psychotic features to major depression: Course and outcome during a 2-year follow-up. *Acta Psychiatr Scand* 1987;75:78-85.

**Martin Keller, M.D.**

54. Grove WM, Andreasen NC, Young M, Endicott J, Keller MB, Hirschfeld RMA, Reich T. Isolation and characterization of a nuclear depressive syndrome. *Psychol Med* 1987;17(2):471-484.
55. Young MA, Keller MB, Lavori PW, Scheftner WA, Fawcett JA, Endicott J, Hirschfeld RMA. Lack of stability of the RDC endogenous subtype in consecutive episodes of major depression. *J Affect Disord* 1987;12(2):139-143.
56. Keller MB, Lavori PW, Friedman B, Nielsen E, Endicott J, McDonald-Scott P, Andreasen NC. The Longitudinal Interval Follow-up Evaluation: A comprehensive method for assessing outcome in prospective longitudinal studies. *Arch Gen Psychiatry* 1987;44(6):540-548.
57. Coryell W, Grove W, VanEerdewegh M, Keller MB, Endicott J. Outcome in RDC schizoaffective depression: The importance of diagnostic subtyping. *J Affect Disord* 1987;12:47-56.
58. Herzog DB, Keller MB, Lavori PW, Ott IL. Short-term prospective study of recovery in bulimia nervosa. *Psychiatry Res* 1988;23:45-55.
59. Herzog D, Keller MB, Lavori PW. Outcome in anorexia nervosa and bulimia nervosa: A review of the literature. *J Nerv Ment Dis* 1988;176(3):131-143.
60. Keller MB. Undertreatment of major depression. *Psychopharm Bulletin* 1988;24(1):75-80.
61. Coryell W, Endicott J, Andreasen NC, Keller MB, Clayton PJ, Hirschfeld RMA, Scheftner WA, Winokur G. Depression and panic attacks: The significance of overlap as reflected in follow-up and family study data. *Am J Psychiatry* 1988;145(3):293-300.
62. Lavori PW, Keller MB, Endicott J. Improving the validity of FH-RDC diagnosis of major affective disorder in un-interviewed relatives in family studies: A model based approach. *J Psychiatr Res* 1988;22(4):249-259.
63. Lavori PW, Keller MB. Improving the aggregate performance of psychiatric diagnostic methods when not all subjects receive the standard test. *Statistics in Medicine* 1988;7(7):727-737.
64. Keller MB, Beardslee W, Lavori PW, Wunder J, Drs DL, Samuelson H. Course of major depression in non-referred adolescents: A retrospective study. *J Affect Disord* 1988;15(3):235-243.
65. Lavori PW, Keller MB, Beardslee WR, Dorer DJ. Affective disorder in childhood: Separating the familial component of risk from individual characteristics of children. *J Affect Disord* 1988;15(3):303-311.

**Martin Keller, M.D.**

66. Beardslee WR, Keller MB, Lavori PW, Klerman GL, Dorer D, Samuelson H. Psychiatric disorder in adolescent offspring of parents with affective disorder in a non-referred sample. *J Affect Disord* 1988;15(3):313-322.
67. Andreasen NC, Grove WM, Endicott J, Coryell WH, Scheftner WA, Hirschfeld RMA, Keller MB. The phenomenology of depression. *Psychiatry & Psychobiology* 1988;(3):1-10 (Paris).
68. Rice J, Andreasen NC, Coryell W, Endicott J, Fawcett J, Hirschfeld RM, Keller MB, Klerman GL, Lavori P, Reich T, Scheftner WA. NIMH collaborative program on the psychobiology of depression: clinical. *Genet Epidemiol* 1989;(6):179-182.
69. Hirschfeld RMA, Klerman GL, Lavori P, Keller MB, Griffith P, Coryell W. Premorbid personality assessments of first onset of major depression. *Arch Gen Psychiatry* 1989;46(4):345-350.
70. Keller MB. Current concepts in affective disorders. *J Clin Psychiatry* 1989;50(5):157-162.
71. Hirschfeld RMA, Kosier T, Keller MB, Lavori PW, Endicott J. The influence of alcoholism on the course of depression. *J Affect Disord* 1989;16(2/3):151-158.
72. Hasin DS, Endicott J, Keller MB. RDC alcoholism in patients with major affective syndromes: Two-year course. *Am J Psychiatry* 1989;146(3):318-323.
73. Coryell W, Keller MB, Endicott J, Andreasen N, Clayton P, Hirschfeld, RMA. Bipolar II illness: Course and outcome over a five-year period. *Psychol Med* 1989;19:129-141.
74. Coryell W, Endicott J, Keller M, Andreasen N, Grove W, Hirschfeld RMA, Scheftner W. Bipolar affective disorder and high achievement: A familial association. *Am J Psychiatry* 1989;146(8):983-988.
75. Gelenberg AJ, Kane JM, Keller MB, Lavori P, Rosenbaum JF, Cole K, Lavelle J. Comparison of standard and low serum levels of lithium for maintenance treatment of bipolar disorder. *N Engl J Med* 1989;321(22):1489-1493.
76. Coryell W, Keller M, Lavori P, Endicott J. Affective syndromes, psychotic features and prognosis. I. Depression. *Arch Gen Psychiatry* 1990;47(7):651-657.
77. Coryell W, Keller M, Lavori P, Endicott J. Affective syndromes, psychotic features and prognosis. II. Mania. *Arch Gen Psychiatry* 1990;47(7):658-662.
78. Coryell W, Endicott J, Keller MB. Outcome of patients with chronic affective disorder: A five-year follow-up. *Am J Psychiatry* 1990;147(12):1627-1633.
79. Young MA, Fogg LF, Scheftner WA, Keller MB, Fawcett JA. Sex differences in the lifetime prevalence of depression: Does varying the diagnostic criteria reduce the female/male ratio? *J Affect Disord* 1990;18(3):187-192.

**Martin Keller, M.D.**

80. Keller MB, Lavori PW. Natural history of panic disorder. *J Psychiatr Res* 1990;24(1):75.
81. Winokur G, Coryell W, Keller MB, Scheftner WA. Relationship of electroconvulsive therapy to course in affective illness: A collaborative study. *Eur Arch Psychiatry and Clin Neurol Sci* 1990;240:54-59.
82. Schwartz CE, Dorer DJ, Beardslee WR, Lavori PW, Keller MB. Maternal expressed emotion and parental affective disorder: Risk for childhood depressive disorder, substance abuse, or conduct disorder. *J Psychiatr Res* 1990;24(3):231-250.
83. Frank E, Prien R, Jarrett R, Keller MB, Kupfer D, Lavori P, Rush AJ, Weissman M. Conceptualization and rationale for consensus definitions of terms in major depressive disorder: Response, remission, recovery, relapse, and recurrence. *Arch Gen Psychiatry* 1991;48(9):851-855.
84. Keller MB, Baker LA. Bipolar disorder: Epidemiology, course, diagnosis, and treatment. *Bulletin of the Menninger Clinic* 1991;55(2):172-181.
85. Keller MB, Lavori PW, Beardslee WR, Wunder J, Ryan N. Depression in children and adolescents: New data on "undertreatment" and a literature review on the efficacy of available treatments. *J Affect Disord* 1991;21:163-171.
86. Coryell W, Endicott J, Keller MB. Predictors of relapse into major depressive disorder in a nonclinical population. *Am J Psychiatry* 1991;148(10):1353-1358.
87. Keller MB, Russell CW. Refining the concept of dysthymia. *Hospital and Community Psychiatry* 1991;42(9):892-896.
88. Hasin DS, Endicott J, Keller MB. Alcohol problems in psychiatric patients: 5-year course. *Compr Psychiatry* 1991;32:303-316.
89. Herzog D, Keller MB, Lavori PW, Bradburn IS. Bulimia nervosa in adolescence. *J Dev Behav Pediatr.* 1991;12(3):191-195.
90. Clayton PJ, Grove WM, Coryell W, Keller MB, Hirschfeld, R, Fawcett J. Follow-up and family study of anxious depression. *Am J Psychiatry* 1991;148(11):1512-1517.
91. Keller MB, Baker LA. Clinical course of panic disorder and depression. *J Clin Psychiatry* 1992;53(3)5-8.
92. Coryell W, Endicott J, Keller MB. Rapidly cycling affective disorder: demographics, diagnosis, family history, and course. *Arch Gen Psychiatry* 1992;49:126-131.
93. Coryell W, Winokur G, Keller MB, Scheftner W, Endicott J. Alcoholism in primary major depressive disorder: A family study approach to co-existing disorders. *J Affect Disord* 1992;24:93-99.

**Martin Keller, M.D.**

94. Keller MB, Herzog DB, Lavori PW, Bradburn IS, Mahoney EM. The natural history of bulimia nervosa: Extraordinarily high rates of chronicity, relapse, recurrence, and psychosocial morbidity. *Intl J Eating Disord* 1992;12(1):1-9.
95. Keller MB, Lavori PW, Kane J, Gelenberg AJ, Rosenbaum JF, Walzer EA, Baker L. Subsyndromal symptoms in bipolar disorder: A comparison of standard and low serum levels of lithium. *Arch Gen Psychiatry* 1992;49:371-376.
96. Keller MB, Lavori PW, Beardslee WR, Wunder J, Schwartz CE, Roth J, Biederman J The disruptive behavioral disorder in children and adolescents: Comorbidity and clinical course. *J Am Acad Adolesc Psychiatry* 1992;31(2):204-209.
97. Keller MB, Lavori PW, Wunder J, Beardslee WR, Drs DL, Hasin D. The clinical course and outcome of substance abuse disorders in adolescents. *J Sub Abuse Treatment* 1992;9:9-14.
98. Keller MB, Lavori PW, Mueller TI, Endicott J, Coryell W, Hirschfeld RMA, Shea T. Time to recovery, chronicity and levels of psychopathology in major depression: A 5-year prospective follow-up of 431 subjects. *Arch Gen Psychiatry* 1992;49:809-816.
99. Herzog D, Keller MB, Strober M, Yeh C, Pai SY, The current status of treatment for anorexia nervosa and bulimia nervosa. *Int J Eating Disorders* 1992;12(2):215-220.
100. Herzog D, Keller MB, Sacks NR, Yeh CJ, Lavori PW. Psychiatric comorbidity in treatment-seeking anorexics and bulimics. *J Am Acad Child Adolesc Psychiatry* 1992;31(5):810-818.
101. Biederman J, Faraone SV, Keenan K, Benjamin J, Krifcher B, Moore C, Sprich S, Ugaglia K, Jellinek M, Steingard R, Spencer T, Norman D, Kolodny R, Kraus, Perrin J, Keller MB, Tsuang MT. Further evidence for family-genetic risk factors in attention deficit hyperactivity disorder (ADHD): Patterns of comorbidity in probands and relatives in psychiatrically and pediatrically referred samples. *Arch Gen Psychiatry* 1992;49:728-738.
102. Herzog DB, Keller MB, Lavori PW, Kenny GM, Sacks NR. The prevalence of personality disorders in 210 women with eating disorders. *J Clin Psychiatry* 1992;53(5):147-152.
103. Yonkers K, Ellison J, Shera D, Pratt L, Langford L, Cole J, White K, Samuelson H, Lavori P, Keller MB. Pharmacotherapy observed in a large prospective longitudinal study on anxiety disorders. *Pharmacotherapy Bull* 1992;28(2):131-137.
104. Keller MB, Lavori PW, Wunder J, Beardslee WR, Schwartz CE, Roth J. The chronic course of anxiety disorders in children and adolescents. *J Am Acad Child Adolesc Psychiatry* 1992;31(4):595-599.

**Martin Keller, M.D.**

105. Herzog DB, Keller MB, Sacks NR, Yeh CJ, Lavori PW. Psychiatric comorbidity in treatment seeking anorexics and bulimics. *J Am Acad Child Adolesc Psychiatry* 1992;31(5):810-818.
106. Herzog DB, Keller MB, Lavori PW, Gray HM. A bulimia family survey. *J Am Acad Child Adolesc Psychiatry* 1992;31(6):1170-1171.
107. Coryell W, Winokur G, Keller MB, Scheftner W, Endicott J. Alcoholism and primary major depression: A family study approach to co-existing disorders. *J Affect Disord* 1992;24:93-99.
108. Herzog DB, Sacks NR, Keller MB, Lavori PW, von Ranson KB, Gray HM. Patterns and predictors of recovery in anorexia nervosa and bulimia nervosa. *J Am Acad Child Adolesc Psych* 1993;32(4):835-842.
109. Winokur G, Coryell W, Keller MB, Endicott J, Akiskal H. A prospective follow-up of patients with bipolar and primary unipolar affective disorder. *Arch Gen Psychiatry* 1993;50:457-465.
110. Coryell W, Scheftner W, Keller MB, Endicott J, Maser J, Klerman GL. The enduring psychosocial consequences of mania and depression. *Am J Psychiatry* 1993;150:720-727.
111. Goisman RM, Rogers MP, Steketee GS, Warshaw MG, Cuneo P, Keller MB. Utilization of behavioral methods in a multicenter anxiety disorders study. *J Clin Psychiatry* 1993;54:213-218.
112. Keller MB, Hanks DL. Course and outcome in panic disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 1993;17(4):551-570.
113. Keller MB, Lavori PW, Goldenberg IM, Baker LA, Pollack MH, Sachs GS, Rosenbaum JF, Deltito JA, Klerman GL. Influence of depression on the treatment of panic disorder with imipramine, alprazolam, and placebo. *J Affect Disord* 1993;28:27-38.
114. Keller MB, Lavori PW, Coryell W, Endicott J, Mueller TI. Bipolar I: A five-year prospective follow-up. *J Nerv Ment Dis* 1993;181:238-245.
115. Beardslee WR, Keller MB, Lavori PW, Staley J, Sacks N. The impact of parental affective disorder on depression in offspring: A longitudinal follow-up in a nonreferred sample. *J Am Acad Child Adolesc Psychiatry* 1993;32(4):723-730.
116. Warshaw MG, Fierman E, Pratt L, Hunt M, Yonkers KA, Massion AO, Keller MB. Quality of life and dissociation in anxiety disorder patients with histories of trauma or PTSD. *Am J Psychiatry* 1993;150:1512-1516.
117. Massion A, Warshaw M, Keller MB. Quality of life and psychiatric morbidity in panic disorder vs. generalized anxiety disorder. *Am J Psychiatry* 1993;150:600-607.

**Martin Keller, M.D.**

118. Reich J, Goldenberg I, Vasilie R, Goisman R, Keller M. A prospective, follow-along study of the course of social phobia. *Psychiatry Res* 1994;54(3):249-258.
119. Goisman RM, Warshaw MG, Peterson LG, Rogers MP, Cuneo P, Hunt MF, Tomlin-Albanese JM, Kazim A, Gollan JK, Epstein-Kaye T, Reich JH, Keller MB. Panic, agoraphobia, and panic with agoraphobia: Data from a multicenter anxiety disorder study. *J Nerv Ment Dis* 1994;182(2):72-79.
120. Mueller TI, Lavori PW, Keller MB, Swartz A, Warshaw M, Hasin D, Coryell W, Endicott J, Rice J, Akiskal H. Prognostic effect of the variable course of alcoholism on the 10-year course of depression. *Am J Psychiatry* 1994;151(5):701-706.
121. Keller MB, Yonkers KA, Warshaw MG, Pratt LA, Gollan JK, Massion AO, White K, Swartz AR, Reich J, Lavori PW. Remission and relapse in subjects with panic disorder and panic with agoraphobia: A prospective short-interval naturalistic follow-up. *J Nerv Ment Dis* 1994;182(5):290-296.
122. Rogers MP, White K, Warshaw MG, Yonkers KA, Rodriguez-Villa F, Chang G, Keller MB. Prevalence of medical illness in patients with anxiety disorders. *Int J Psychiatry Med* 1994;24(1):83-96.
123. Pollack MH, Otto MW, Sachs GS, Leon A, Shear MK, Deltito JA, Keller MB, Rosenbaum JF. Anxiety psychopathology predictive of outcome in patients with panic disorder and depression treated with imipramine, alprazolam and placebo. *J Affect Disord* 1994;30(4):273-281.
124. Reich J, Goldenberg I, Goisman R, Vasile R, Keller M. A prospective, follow-along study of the course of social phobia: II. Testing for basic predictors of course. *J Nerv Ment Dis* 1994;182(5):297-301.
125. Coryell W, Akiskal HS, Leon AC, Winokur G, Maser JD, Mueller TI, Keller MB. The time course of nonchronic major depressive disorder. Uniformity across episodes and samples. NIMH Collaborative Program on the Psychobiology of Depression—Clinical studies. *Arch Gen Psychiatry* 1994;51(5):405-410.
126. Keller MB. Depression in the United States: Underrecognized and undertreated? *Postgraduate Medicine: A Special Report* Feb 1994:7-11.
127. Winokur G, Coryell W, Akiskal HS, Endicott J, Keller M, Mueller TI. Manic-depressive (bipolar) disorder: The course in light of a prospective ten-year follow-up of 131 patients. *Acta Psychiatr Scand* 1994;89(2):102-110.
128. Lavori PW, Keller MB, Scheftner W, Fawcett J, Mueller T, Coryell W. Recurrence after recovery in unipolar MDD: An observational follow-up study of clinical predictors and somatic treatment as a mediating factor. *Int J Methods Psychiatr Res* 1994;4:211-229.

**Martin Keller, M.D.**

129. Reich J, Perry JC, Shera D, Dyck I, Vasile R, Goisman RM, Rodriguez-Villa F, Massion AO, Keller M. Comparison of personality disorders in different anxiety disorder diagnoses: Panic, agoraphobia, generalized anxiety disorder, and social phobia. *Ann Clin Psychiatry* 1994;(2):125-134.
130. Bauer MS, Keller MB. The therapeutic challenge of rapid cycling bipolar disorder. *Psychiatr Ann* 1994;24(8):390-392.
131. Warshaw MG, Keller MB, Stout RL. Reliability and validity of the longitudinal interval follow-up evaluation for assessing outcome of anxiety disorders. *J Psychiatr Res* 1994;28(6):531-545.
132. Coryell W, Winokur G, Maser JD, Akiskal HS, Keller MB, Endicott J. Recurrently situational (reactive) depression: A study of course, phenomenology and familial psychopathology. *J Affect Disord* 1994;31(3):203-210.
133. Solomon DA, Keitner GI, Miller IW, Shea MT, Keller MB. Course of illness and maintenance treatments for patients with bipolar disorder. *J Clin Psychiatry* 1995;56(1):5-13.
134. Keller MB, Harrison W, Fawcett JA, Gelenberg A, Hirschfeld RM, Klein D, Kocsis JH, McCullough JP, Rush AJ, Schatzberg A, Thase M. Treatment of chronic depression with sertraline or imipramine: Preliminary blinded response rates and high rates of undertreatment in the community. *Psychopharmacol Bull* 1995;31(2):205-212.
135. Coryell W, Endicott J, Maser JD, Mueller T, Lavori P, Keller MB. The likelihood of recurrence in bipolar affective disorder: The importance of episode recency. *J Affect Disord* 1995;33(3):201-206.
136. Coryell W, Endicott J, Maser JD, Keller MB, Leon AC, Akiskal HS. Long-term stability of polarity distinctions in the affective disorders. *Am J Psychiatry* 1995;152(3):385-390.
137. Akiskal HS, Maser JD, Zeller PJ, Endicott J, Coryell W, Keller M, Warshaw M, Clayton P, Goodwin F. Switching From unipolar to bipolar II. An 11-year prospective study of clinical and temperamental predictors in 559 patients. *Arch Gen Psychiatry* 1995;52(2):114-123.
138. Broadhead WE, Leon AC, Weissman MM, Barrett JE, Blacklow RS, Gilbert TT, Keller MB, Olfson M, Higgins ES. Validation of the SDDS-PC™ screen for multiple mental disorders in primary care. *Arch Fam Med* 1995;4(3):211-219.
139. Weissman MM, Olfson M, Leon AC, Broadhead WE, Gilbert TT, Higgins ES, Barrett JE, Blacklow RS, Keller MB, Hoven C. Brief diagnostic interviews (SDDS-PC™) for multiple mental disorders in primary care. A pilot study. *Arch Fam Med* 1995;4(3):220-227.

**Martin Keller, M.D.**

140. Keller MB, Klein DN, Hirschfeld RM, Kocsis JH, McCullough JP, Miller I, First MB, Holzer CP 3rd, Keitner GI, Marin DB, Shea T. Results of the DSM-IV mood disorders field trial. *Am J Psychiatry* 1995;152(6):843-849.
141. Shear MK, Leon AC, Pollack MH, Rosenbaum JF, Keller MB. Pattern of placebo response in panic disorder. *Psychopharmacol Bull* 1995;31(2):273-278.
142. Leon AC, Olfson M, Broadhead WE, Barrett JE, Blacklow RS, Keller MB, Higgins ES, Weissman MM. Prevalence of mental disorders in primary care. Implications for screening. *Arch Fam Med* 1995;4(10):857-861.
143. Goldenberg IM, Mueller T, Fierman EJ, Gordon A, Pratt L, Cox K, Park T, Lavori P, Goisman RM, Keller MB. Specificity of substance abuse in anxiety-disordered subjects. *Compr Psychiatry* 1995;36(5):319-328.
144. Warshaw MG, Massion AO, Peterson LG, Pratt LA, Keller MB. Suicidal behavior in patients with panic disorder: Retrospective and prospective data. *J Affect Disord* 1995;34(3):235-247.
145. Winokur G, Coryell W, Endicott J, Akiskal H, Keller M, Maser J, Warshaw M. Familial depression versus depression identified in a control group: Are they the same? *Psychol Med* 1995;25(4):797-806.
146. Winokur G, Coryell W, Keller M, Endicott J, Leon A. A family study of manic depressive (bipolar I) disease. Is it a distinct illness separable from primary unipolar depression? *Arch Gen Psychiatry* 1995;52(5):367-373.
147. Goisman RM, Warshaw MG, Steketee GS, Fierman EJ, Rogers MP, Goldenberg I, Weinshenker NJ, Vasile RG, Keller MB. DSM-IV and the disappearance of agoraphobia without history of panic disorder: New data on a controversial diagnosis. *Am J Psychiatry* 1995;152(10):1438-1443.
148. Goisman RM, Goldenberg I, Vasile RG, Keller MB. Comorbidity of anxiety disorders in a multicenter anxiety study. *Compr Psychiatry* 1995;36(4):303-311.
149. Winokur G, Coryell W, Akiskal HS, Maser JD, Keller MB, Endicott J, Mueller T. Alcoholism in manic-depressive (bipolar) illness: Familial illness, course of illness, and the primary-secondary distinction. *Am J Psychiatry* 1995;152(3):365-372.
150. Mueller TI, Goldenberg IM, Gordon AL, Keller MB, Warshaw MG. Benzodiazepine use in anxiety disordered patients with and without a history of alcoholism. *J Clin Psychiatry* 1996;57(2):83-89.
151. Yonkers K, Warshaw MG, Massion AO, Keller MB. Phenomenology and course of generalized anxiety disorder. *Br J Psychiatry* 1996;168(3):308-313.

**Martin Keller, M.D.**

152. Yonkers KA, Ellison JA, Shera DM, Pratt LA, Cole JO, Fierman E, Keller MB, Lavori PW. Description of antipanic therapy in a prospective longitudinal study. *J Clin Psychopharmacol* 1996;16(3):223-232.
153. Beardslee WR, Keller MB, Seifer R, Lavori PW, Staley J, Podorefsky D, Shera D. Prediction of adolescent affective disorder: Effects of prior parental affective disorders and child psychopathology. *J Am Acad Child Adolesc Psychiatry* 1996;35(3):279-288.
154. Warshaw MG, Keller, MB. The relationship between fluoxetine use and suicidal behavior in 654 subjects with anxiety disorders. *J Clin Psychiatry* 1996;57(4):158-166.
155. Herzog DB, Field AE, Keller MB, West JC, Robbins WM, Staley J, Colditz GA. Subtyping eating disorders: Is it justified? *J Am Acad Child Adolesc Psychiatry* 1996;35(7):928-936.
156. Winokur G, Coryell W, Endicott J, Keller MB, Akiskal H, Solomon D. Familial alcoholism in manic-depressive (bipolar) illness. *Am J Med Genet* 1996;67(2):197-201.
157. Rogers MP, Weinshenker N, Goisman R, Fernando R, Fierman E, Keller MB. Prevalence of somatoform disorders in a large sample of patients with anxiety disorders. *Psychosomatics* 1996;37(1):17-22.
158. Klerman GL, Shear MK, Leon A, Portera L, Keller MB, Lavori P, Deltito J, Rosenbaum J, Pollack M, Sachs G. Treating the depression associated with panic disorder. *Giornale Italiano Di Psicopatologia* 1996;Vol 2.
159. Coryell W, Leon A, Winokur G, Endicott J, Keller MB, Akiskal H, Solomon, D. The importance of psychotic features to long-term course in major depressive disorder. *Am J Psychiatry* 1996;153(4):483-489.
160. Solomon DA, Shea MT, Leon AC, Mueller TI, Coryell W, Masser JD, Endicott J, Keller MB. Personality traits in subjects with bipolar I disorder in remission. *J Affect Disord* 1996;40(1-2):41-48.
161. Mueller TI, Keller MB, Leon AC, Solomon DA, Shea MT Coryell W, Endicott J. Recovery after five years of unremitted major depressive disorder. *Arch Gen Psychiatry* 1996;53(9):794-799.
162. Solomon DA, Ristow WR, Keller MB, Kane JM, Gelenberg AJ, Rosenbaum JF, Warshaw MG. Serum lithium levels and psychosocial function in patients with bipolar I disorder. *Am J Psychiatry* 1996;153(10):1301-1307.
163. Shea MT, Leon AC, Mueller TI, Solomon DA, Warshaw MG, Keller MB. Does major depression result in lasting personality change? *Am J Psychiatry* 1996;153(11):1404-1410.
164. Kato T, Winokur G, Coryell W, Keller MB, Endicott J, Rice J. Parent-of-origin effect in the transmission of bipolar disorder. *Am J Med Genet* 1996;67(6):546-550.

**Martin Keller, M.D.**

165. Goldenberg IM, White K, Yonkers K, Reich J, Warshaw MG, Goisman R, Keller MB. The infrequency of "pure culture" diagnoses among the anxiety disorders. *J Clin Psychiatry* 1996;57(11):528-533.
166. Finkelstein SN, Berndt ER, Greenberg PE, Parsley RA, Russell JM, Keller MB. Improvement in subjective work performance after treatment of chronic depression: Some preliminary results. *Psychopharmacol Bull* 1996;32(1):33-40.
167. Hasin DS, Tsai WY, Endicott J, Mueller TI, Coryell W, Keller M. Five-year course of major depression: Effects of comorbid alcoholism. *J Affect Disord* 1996;41(1):63-70.
168. Keller MB, Hanks DL, Klein DN. Summary of the DSM-IV mood disorders field trial and issue overview. *Psychiatr Clin North Am* 1996;19(1):1-28. (*Editor of this issue: Martin B. Keller*)
169. Klein DN, Kocsis JH, McCullough JP, Holzer CE 3rd, Hirschfeld RM, Keller MB. Symptomatology in dysthymic and major depressive disorder. *Psychiatr Clin North Am* 1996;19(1):41-53.
170. Weinshenker NJ, Goldenberg I, Rogers MP, Goisman RM, Warshaw MG, Fierman EJ, Vasile RG, Keller MB. Profile of a large sample of patients with social phobia: Comparison between generalized and specific social phobia. *Depress Anxiety* 1996-1997;4(5):209-216.
171. Coryell W, Winokur G, Solomon D, Shea T, Leon A, Keller M. Lithium and recurrence in a long-term follow-up of bipolar affective disorder. *Psychol Med* 1997;27(2):281-289.
172. Solomon DA, Ryan CE, Keitner GI, Miller IW, Shea MT, Kazim A, Keller MB. A pilot study of lithium carbonate plus divalproex sodium for the continuation and maintenance treatment of patients with bipolar I disorder. *J Clin Psychiatry* 1997;58(3):95-99.
173. Solomon DA, Keller MB, Leon AC, Mueller TI, Shea MT, Warshaw M, Maser JD, Coryell W, Endicott J. Recovery from major depression: A 10-year prospective follow-up across multiple episodes. *Arch Gen Psychiatry* 1997;54(11):1001-1006.
174. Hirschfeld RMA, Keller MB, Panico S, Arons BS, Barlow D, Davidoff F, Endicott J, Froom J, Goldstein M, Gorman JM, Guthrie D, Marek RG, Maurer TA, Meyer R, Phillips K, Ross J, Schwenk TL, Sharfstein SS, Thase ME, Wyatt RJ. The National Depressive and Manic-Depressive Association consensus statement on the undertreatment of depression. *JAMA* 1997;277(4):333-340.
175. Revicki DA, Brown RE, Keller MB, Gonzales J, Culpepper L, Hales RE. Cost-effectiveness of new antidepressants compared with tricyclic antidepressants in managed care settings. *J Clin Psychiatry* 1997;58(2):47-58.

**Martin Keller, M.D.**

176. Steketee G, Perry JC, Goisman RM, Warshaw MG, Massion AO, Peterson LG, Langford L, Weinshenker N, Farreras IG, Keller MB. The psychosocial treatments interview for anxiety disorders: A method for assessing psychotherapeutic procedures in anxiety disorders. *J Psychother Pract Res* 1997;6(3):194-210.
177. Zlotnick C, Warshaw M, Shea MT, Keller MB. Trauma and chronic depression among patients with anxiety disorders. *J Consult Clin Psychol* 1997;65(2):333-336.
178. Keller MB, Hirschfeld RMA, Hanks D. Double depression: A distinctive subtype of unipolar depression. *J Affect Disord* 1997;45(1-2):65-73.
179. Warshaw MG, Massion AO, Shea MT, Allsworth J, Keller MB. Predictors of remission in patients with panic with and without agoraphobia: Prospective five-year follow-up data. *J Nerv Ment Dis* 1997;185(8):517-519.
180. Vasile RG, Goldenberg I, Reich J, Goisman RM, Lavori PW, Keller MB. Panic disorder versus panic disorder with major depression: Defining and understanding differences in psychiatric morbidity. *Depress Anxiety* 1997;5(1):12-20.
181. Field AE, Herzog DB, Keller MB, West J, Nussbaum K, Colditz GA. Distinguishing recovery from remission in a cohort of bulimic women: How should asymptomatic periods be described? *J Clin Epidemiol* 1997;50(12):1339-1345.
182. Kato T, Winokur G, Coryell W, Rice J, Endicott J, Keller MB, Akiskal HS. Failure to demonstrate parent-of-origin effect in transmission of bipolar II disorder. *J Affect Disord* 1998;50(2-3):135-141.
183. Berndt ER, Finkelstein SN, Greenberg PE, Howland RH, Keith A, Rush AJ, Russell J, Keller MB. Workplace performance effects from chronic depression and its treatment. *J Health Econ* 1998;17(5):511-535.
184. Yonkers KA, Zlotnick C, Allsworth J, Warshaw M, Shea T, Keller MB. Is the course of panic disorder the same in women and men? *Am J Psychiatry* 1998;155(5):596-602.
185. Dawson R, Lavori PW, Coryell WH, Endicott J, Keller MB. Maintenance strategies for unipolar depression: An observational study of levels of treatment and recurrence. *J Affective Dis* 1998;49(1):31-44.
186. Goisman RM, Allsworth J, Rogers MP, Warshaw MG, Goldenberg I, Vasile RG, Rodriguez-Villa F, Mallya G, Keller MB. Simple phobia as a comorbid anxiety disorder. *Depress Anxiety* 1998;7(3):105-112.
187. Coryell W, Solomon D, Leon AC, Akiskal HS, Keller MB, Scheftner WA, Mueller TI. Lithium discontinuation and subsequent effectiveness. *Am J Psychiatry* 1998; 155(7):895-898.

**Martin Keller, M.D.**

188. Keller MB, Boland RJ. Implications of failing to achieve successful long-term maintenance treatment of recurrent unipolar major depression? *Biol Psychiatry* 1998;44(5):348-360.
189. Klein DN, Schatzberg AF, McCullough JP, Keller MB, Dowling F, Goodman D, Howland RH, Markowitz JC, Smith C, Micelli R, Harrison WH. Early- versus late-onset dysthymic disorder: Comparison in out-patients with superimposed major depressive episodes. *J Affect Disord* 1999;52(1-3):187-196.
190. Judd LL, Akiskal HS, Maser JD, Zeller PJ, Endicott J, Coryell W, Paulus MP, Kunovac JL, Leon AC, Mueller TI, Rice JA, Keller MB. Major depressive disorder: A prospective study of residual subthreshold depressive symptoms as predictor of rapid relapse. *J Affect Disord* 1998;50(2-3):97-108.
191. Keller MB, Kocsis JH, Thase ME, Gelenberg AJ, Rush AJ, Koran L, Schatzberg A, Russell J, Hirschfeld R, Klein D, McCullough J, Fawcett JA, Kornstein S, LaVange L, Harrison W. Maintenance phase efficacy of sertraline for chronic depression: A randomized controlled trial. *JAMA* 1998;280(19):1665-1672.
192. Rush AJ, Koran LM, Keller MB, Markowitz JC, Harrison WM, Miceli RJ, Fawcett JA, Gelenberg AJ, Hirschfeld RM, Klein DN, Kocsis JH, McCullough JP, Schatzberg AF, Thase ME. The treatment of chronic depression, part 1: Study design and rationale for evaluating the comparative efficacy of sertraline and imipramine as acute, crossover, continuation, and maintenance phase therapies. *J Clin Psychiatry* 1998;59(11):589-597.
193. Keller MB, Gelenberg AJ, Hirschfeld RM, Rush AJ, Thase ME, Kocsis JH, Markowitz JC, Fawcett JA, Koran LM, Klein DN, Russell JM, Kornstein SG, McCullough JP, Davis SM, Harrison WM. The treatment of chronic depression, part 2: A double-blind, randomized trial of sertraline or imipramine. *J Clin Psychiatry* 1998;59(11):598-607.
194. Miller IW, Keitner GI, Schatzberg AF, Klein DN, Thase ME, Rush AJ, Markowitz JC, Schlager DS, Kornstein SG, Davis SM, Harrison WM, Keller MB. The treatment of chronic depression, part 3: Psychosocial functioning before and after treatment with sertraline or imipramine. *J Clin Psychiatry* 1998;59(11):608-619.
195. Coryell W, Turvey C, Endicott J, Leon AC, Mueller T, Solomon D, Keller M. Bipolar I affective disorder: Predictors of outcome after 15 years. *J Affect Disord* 1998;50(2-3): 109-116.
196. Dawson R, Lavori PW, Coryell WH, Endicott J, Keller MB. Course of treatment received by depressed patients. *J Psychiatric Res* 1998;33(3):233-242.
197. Winokur G, Turvey CL, Akiskal H, Coryell W, Solomon D, Leon A, Mueller T, Endicott J, Maser J, Keller M. Alcoholism and drug abuse in three groups—bipolar I, unipolars and their acquaintances. *J Affect Disord* 1998;50(2-3):81-89.

**Martin Keller, M.D.**

198. Judd LL, Akiskal HS, Maser JD, Zeller PJ, Endicott J, Coryell W, Paulus MP, Kunovac JL, Leon AC, Mueller TI, Rice JA, Keller MB. A prospective 12-year study of subsyndromal and syndromal depressive symptomatology in unipolar major depressive disorders. *Arch Gen Psychiatry* 1998;55(8):694-700.
199. Turvey CL, Coryell WH, Arndt S, Solomon DA, Leon AC, Endicott J, Mueller TI, Keller M, Akiskal H. Polarity sequence, depression, and chronicity in bipolar I disorder. *J Nerv Ment Dis* 1998;187(3):181-187.
200. Zlotnick C, Warshaw M, Shea MT, Allsworth J, Pearlstein T, Keller MB. Chronicity in posttraumatic stress disorder (PTSD) and predictors of course of comorbid PTSD in patients with anxiety disorders. *J Trauma Stress* 1999;12(1):89-100.
201. Turvey CL, Coryell WH, Solomon DA, Leon AC, Endicott J, Keller MB, Akiskal H. Long-term prognosis of bipolar I disorder. *Acta Psychiatr Scand* 1999;99(2):110-119.
202. Klein DN, Schatzberg AF, McCullough JP, Dowling F, Goodman D, Howland RH, Markowitz JC, Smith C, Thase ME, Rush AJ, LaVange L, Harrison WM, Keller MB. Age of onset in chronic major depression: Relation to demographic and clinical variables, family history, and treatment response. *J Affect Disord* 1999;55(2-3):149-157.
203. Leon AC, Keller MB, Warshaw MG, Mueller TI, Solomon DA, Coryell W, Endicott J. Prospective study of fluoxetine treatment and suicidal behavior in affectively ill subjects. *Am J Psychiatry* 1999;156(2):195-201.
204. Leon AC, Solomon DA, Mueller TI, Turvey CL, Endicott J, Keller MB. The Range of Impaired Functioning Tool (LIFE-RIFT): A brief measure of functional impairment. *Psychol Med* 1999;29(4):869-78.
205. Mueller TI, Leon AC, Keller MB, Solomon DA, Endicott J, Coryell W, Warshaw M, Maser JD. Recurrence after recovery from major depressive disorder during 15 years of observational follow-up. *Am J Psychiatry* 1999;156(7):1000-1006.
206. Herzog D, Dorer DJ, Keel PK, Selwyn SE, Ekeblad ER, Flores AT, Greenwood DN, Burwell RA, Keller MB. Recovery and relapse in anorexia and bulimia nervosa: A 7.5-year follow-up study. *J Am Acad Child Adolesc Psychiatry* 1999;38(7):829-837.
207. Rogers MP, Warshaw MG, Goisman RM, Goldenberg I, Rodriguez-Villa F, Mallya G, Freeman SA, Keller MB. Comparing primary and secondary generalized anxiety disorder in a long-term naturalistic study of anxiety disorders. *Depress Anxiety* 1999;10(1):1-7.
208. Goisman RM, Warshaw MG, Keller MB. Psychosocial treatment prescriptions for generalized anxiety disorder, panic disorder, and social phobia, 1991-1996. *Am J Psychiatry* 1999;156(11):1819-1821.

**Martin Keller, M.D.**

209. Coryell W, Turvey C, Leon A, Maser JD, Solomon D, Endicott J, Mueller T, Keller M. Persistence of depressive symptoms and cardiovascular death among patients with affective disorder. *Psychosom Med* 1999;61(6):755-761.
210. Eisen JL, Goodman WK, Keller MB, Warshaw MG, DeMarco LM, Rasmussen SA. Patterns of remission and relapse in obsessive compulsive disorder: A 2-year prospective study. *J Clin Psychiatry* 1999;60(5):346-51, CME quiz 352.
211. Judd LL, Akiskal HS, Zeller PJ, Paulus M, Leon AC, Maser JD, Endicott J, Coryell W, Kunovac JL, Mueller TI, Rice JP, Keller MB. Psychosocial disability during the long-term course of unipolar major depressive disorder. *Arch Gen Psychiatry* 2000;57(4):375-380.
212. McCullough JP Jr, Klein DN, Keller MB, Holzer CE 3rd, Davis SM, Kornstein SG, Howland RH, Thase ME, Harrison WM. Comparison of DSM-III-R chronic major depression and major depression superimposed on dysthymia (double depression): validity of the distinction. *J Abnorm Psychol* 2000;109(3):419-427.
213. Yonkers KA, Dyck IR, Warshaw M, Keller MB. Factors predicting the clinical course of generalised anxiety disorder. *Br J Psychiatry* 2000;176:544-549.
214. Shea MT, Zlotnick C, Dolan R, Warshaw MG, Phillips KA, Brown P, Keller MB. Personality disorders, history of trauma, and posttraumatic stress disorder in subjects with anxiety disorders. *Compr Psychiatry* 2000;41(5):315-325.
215. Kornstein SG, Schatzberg AF, Thase ME, Yonkers KA, McCullough JP, Keitner GI, Gelenberg AJ, Davis SM, Harrison WM, Keller MB. Gender differences in treatment response to sertraline versus imipramine in chronic depression. *Am J Psychiatry* 2000;157(9):1445-1452.
216. Kornstein SG, Schatzberg AF, Thase ME, Yonkers KA, McCullough JP, Keitner GI, Gelenberg AJ, Ryan CE, Hess AL, Harrison W, Davis SM, Keller MB. Gender differences in chronic major and double depression. *J Affect Disord* 2000;60(1):1-11.
217. Berndt ER, Bailit HL, Keller MB, Verner JC, Finkelstein SN. Health care use and at-work productivity among employees with mental disorders. *Health Aff (Millwood)* 2000;19(4):244-256.
218. Berndt ER, Koran LM, Finkelstein SN, Gelenberg AJ, Kornstein SG, Miller IM, Thase ME, Trapp GA, Keller MB. Lost human capital from early-onset chronic depression. *Am J Psychiatry* 2000;157(6):940-947.
219. Herzog DB, Greenwood DN, Dorer DJ, Flores AT, Ekeblad ER, Richards A, Blais MA, Keller MB. Mortality in eating disorders: a descriptive study. *Int J Eat Disord* 2000;28(1):20-26.

**Martin Keller, M.D.**

220. Solomon DA, Keller MB, Leon AC, Mueller TI, Lavori PW, Shea MT, Coryell W, Warshaw M, Turvey C, Maser JD, Endicott J. Multiple recurrences of major depressive disorder. *Am J Psychiatry* 2000;152(2):229-233.
221. Gunderson JG, Shea MT, Skodol AE, McGlashan TH, Morey LC, Stout RL, Zanarini MC, Grilo CM, Oldham JM, Keller MB. The Collaborative Longitudinal Personality Disorders Study: development, aims, design, and sample characteristics. *J Personal Disord* 2000;14(4):300-315.
222. Judd LL, Paulus MJ, Schettler PJ, Akiskal HS, Endicott J, Leon AC, Maser JD, Mueller T, Solomon DA, Keller MB. Does incomplete recovery from first lifetime major depressive episode herald a chronic course of illness. *Am J Psychiatry* 2000;157(9):1501-1504.
223. Hirschfeld RMA, Montgomery SA, Keller MB, Kasper S, Moller HJ, Healy D, Baldwin D, Humble M, Versiani M, Montenegro, R, Bourgeois M. Social functioning in depression: a review. *J Clin Psychiatry* 2000;61(4):268-275.
224. Keller MB, McCullough JP, Klein DN, Arnow B, Dunner DL, Gelenberg AJ, Markowitz JC, Nemeroff CB, Russell JM, Thase ME, Trivedi MH, Zajecka J. A comparison of nefazodone, the cognitive behavioral-analysis system of psychotherapy, and their combination for the treatment of chronic depression. *N Engl J Med* 2000;342(20):1462-1470. (Erratum in: *N Engl J Med* 2001;345(3):232.)
225. Warshaw MG, Dolan RT, Keller MB. Suicidal behavior in patients with current or past panic disorder: five years of prospective data from the Harvard/Brown Anxiety Research Program. *Am J Psychiatry* 2000;157(11):1876-1878.
226. Leon AC, Solomon DA, Mueller TI, Endicott J, Posternak M, Judd LL, Schettler P, Akiskal HS, Keller MB. A brief assessment of psychosocial functioning of subjects with bipolar I disorder: the LIFE-RIFT (Longitudinal Interval Follow-up Evaluation-Range Impaired Functioning Tool). *J Nerv Ment Dis* 2000;188(12):805-812.
227. Keller MB. Citalopram therapy for depression: a review of ten years of European experience and data from U.S. clinical trials. (review) *J Clin Psychiatry* 2000;61(12):896-908.
228. Dyck IR, Phillips KA, Warshaw MG, Dolan RT, Shea MT, Stout RL, Massion AO, Zlotnick C, Keller MB. Patterns of personality pathology in patients with generalized anxiety disorder, panic disorder with and without agoraphobia, and social phobia. *J Personal Disord* 2001;15(1):60-71.
229. Leon AC, Mueller TI, Solomon DA, Keller MB. A dynamic adaptation of the propensity score adjustment for effectiveness analyses of ordinal doses of treatment. *Stat Med* 2001;20(9-10):1487-1498.

**Martin Keller, M.D.**

230. Phillips KA, Shea MT, Warshaw MG, Dyck I, Bruce S, Keller M. The relationship between comorbid personality disorders and treatment received in patients with anxiety disorders. *J Personal Disord* 2001;15(2):157-67.
231. Keller MB, Ryan ND, Strober M, Klein RG, Kutcher S, Birmaher B, Hagino, OR, Koplewicz H, Carlson GA, Clarker G, Feinberg D, Geller B, Kusumakar V, Papatheodorou G, Sack WH, Sweeney M, Wagner KD, Weller EB, Winters NC, Oakes R, McCafferty JP. Efficacy of paroxetine in the treatment of adolescent major depression: a randomized controlled trial. *J Am Acad Child Adolesc Psychiatry* 2001;40(7):762-772.
232. Koran LM, Gelenberg AJ, Kornstein SG, Howland RH, Friedman RA, DeBattista C, Klein D, Kocsis JH, Schatzberg AF, Thase ME, Rush AJ, Hirschfeld RMA, LaVange LM, Keller MB. Sertraline versus imipramine to prevent relapse in chronic depression. *J Affect Disord* 2001;65(1):27-36.
233. Kessler RC, Keller MB, Wittchen HU. The epidemiology of Generalized Anxiety Disorder. (review) *Psychiatr Clin North Am* 2001;24(1):19-39.
234. Thase ME, Nierenberg AA, Keller MB, Panagides J. Efficacy of mirtazapine for prevention of depressive relapse: a placebo-controlled double-blind trial of recently remitted high-risk patients. *J Clin Psychiatry* 2001;62(10):782-788.
235. Koran LM, Gelenberg AJ, Kornstein SG, Howland RH, Friedman RA, DeBattista C, Klein D, Kocsis JH, Schatzberg AF, Thase ME, Rush AJ, Hirschfeld RMA, LaVange LM, Keller MB. Sertraline versus imipramine to prevent relapse in chronic depression. *J Affect Disord* 2001;65(1):27-36.
236. Keller, M. Role of serotonin and noradrenaline in social dysfunction: a review of data on reboxetine and the Social Adaptation Self-Evaluation Scale (SASS). *Gen Hosp Psychiatry* 2001;23(1):15-19.
237. Russell JM, Koran LM, Rush AJ, Hirschfeld RMA, Harrison W, Friedman E, Davis S, Keller MB. Effect of Concurrent Anxiety on Response to Sertraline and Imipramine in Patients with Chronic Depression. *Depress Anxiety* 2001;13(1):18-27.
238. Coryell W, Arndt S, Turvey C, Endicott J, Solomon D, Mueller T, Leon AC, Keller M. Lithium and suicidal behavior in major affective disorder: a case-control study. *Acta Psychiatr Scand* 2001;104(3):193-197.
239. Warshaw MG, Dyck I, Allsworth J, Stout RL, Keller MB. Maintaining reliability in a long-term psychiatric study: an ongoing inter-rater reliability monitoring program using the longitudinal interval follow-up evaluation. *J Psychiatr Res* 2001;35(5):297-305.
240. Shelton RC, Keller MB, Gelenberg A, Dunner DL, Hirschfeld R, Thase ME, Russell J, Lydiard RB, Crits-Cristoph P, Gallop R, Todd L, Hellerstein D, Goodnick P, Keitner G,

**Martin Keller, M.D.**

- Stahl SM, Halbreich U. Effectiveness of St John's Wort in major depression: a randomized controlled trial. *JAMA* 2001;285(15):1978-1986.
241. Keller, MB. Long-term treatment of recurrent and chronic depression. *J Clin Psychiatry* 2001;62(suppl 24):3-5.
  242. Bruce SE, Machan JT, Dyck I, Keller MB. Infrequency of "pure" GAD: impact of psychiatric comorbidity on clinical course. *Depress Anxiety* 2001;14(4):219-225.
  243. Stout RL, Dolan R, Dyck I, Eisen J, Keller MB. Course of social functioning after remission from panic disorder. *Compr Psychiatry* 2001;42(6):441-447.
  244. Zlotnick C, Bruce SE, Shea MT, Keller MB. Delayed posttraumatic stress disorder (PTSD) and predictors of first onset of PTSD in patients with anxiety disorders. *J Nerv Ment Dis* 2001;189(6):404-406.
  245. Yonkers KA, Dyck IR, Keller MB. An eight-year longitudinal comparison of clinical course and characteristics of social phobia among men and women. *Psychiatr Serv* 2001;52(5):637-643.
  246. Salzman C, Goldenberg I, Bruce SE, Keller MB. Pharmacologic treatment of anxiety disorders in 1989 versus 1996: results from the Harvard/Brown anxiety disorders research program. *J Clin Psychiatry* 2001;62(3):149-152.
  247. Hirschfeld RM, Dunner DL, Keitner G, Klein DN, Koran LM, Kornstein SG, Markowitz JC, Miller I, Nemeroff CB, Ninan PT, Rush AJ, Schatzberg AF, Thase ME, Trivedi MH, Borian FE, Crits-Christoph P, Keller MB. Does psychosocial functioning improve independent of depressive symptoms? A comparison of nefazodone, psychotherapy, and their combination. *Biol Psychiatry* 2002 Jan 15;51(2):123-133.
  248. Keel PK, Dorer DJ, Eddy KT, Delinsky SS, Franko DL, Blais MA, Keller MB, Herzog DB. Predictors of treatment utilization among women with anorexia and bulimia nervosa. *Am J Psychiatry* 2002 Jan;159(1):140-142.
  249. Weisberg RB, Machan JT, Dyck IR, Keller MB. Do panic symptoms during periods of remission predict relapse of panic disorder? *J Nerv Ment Dis* 2002 Mar;190(3):190-197.
  250. Thase ME, Rush AJ, Howland RH, Kornstein SG, Kocsis JH, Gelenberg AJ, Schatzberg AF, Koran LM, Keller MB, Russell JM, Hirschfeld RMA, LaVange LM, Klein DN, Fawcett J, Harrison W. Double-blind switch study of imipramine or sertraline treatment of antidepressant-resistant chronic depression. *Arch Gen Psychiatry* 2002 Mar;59(3):233-239.
  251. Ninan PT, Rush AJ, Crits-Christoph P, Kornstein SG, Manber R, Thase ME, Trivedi MH, Rothbaum BO, Zajecka J, Borian FE, Keller MB. Symptomatic and syndromal anxiety in chronic forms of major depression: effect of nefazodone, cognitive behavioral analysis

**Martin Keller, M.D.**

- system of psychotherapy, and their combination. *J Clin Psychiatry* 2002 May;63(5):434-441.
252. Massion AO, Dyck IR, Shea MT, Phillips KA, Warshaw MG, Keller MB. Personality disorders and time to remission in generalized anxiety disorder, social phobia, and panic disorder. *Arch Gen Psychiatry* 2002 May;59(5):434-440.
  253. Thase ME, Rush AJ, Manber R, Kornstein SG, Klein DN, Markowitz JC, Ninan PT, Friedman ES, Dunner DL, Schatzberg AF, Borian FE, Trivedi MH, Keller MB. Differential effects of nefazodone and cognitive behavioral analysis system of psychotherapy on insomnia associated with chronic forms of major depression. *J Clin Psychiatry* 2002 Jun;63(6):493-500.
  254. Weisberg RB, Bruce SE, Machan JT, Kessler RC, Culpepper L, Keller MB. Nonpsychiatric illness among primary care patients with trauma histories and posttraumatic stress disorder. *Psychiatr Serv* 2002 Jul;53(7):848-854.
  255. Schatzberg AF, Prather MR, Keller MB, Rush AJ, Laird LK, Wright CW. Clinical use of nefazodone in major depression: a 6-year perspective. (review) *J Clin Psychiatry* 2002;63(suppl 1):18-31.
  256. Coryell W, Haley J, Endicott J, Solomon D, Leon AC, Keller M, Turvey C, Maser JD, Mueller T. The prospectively observed course of illness among depressed patients who commit suicide. *Acta Psychiatr Scand* 2002;105(3):218-223.
  257. Zajecka J, Dunner DL, Gelenberg AJ, Hirschfeld, RM, Kornstein SG, Ninan PT, Rush AJ, Thase ME, Trivedi MH, Arnow BA, Borian FE, Manber R, Keller MB. Sexual function and satisfaction in the treatment of chronic major depression with nefazodone, psychotherapy and their combination. *J Clin Psychiatry* 2002;63(8):709-716.
  258. Judd LL, Akiskal HS, Schettler PJ, Endicott J, Maser J, Solomon DA, Leon AC, Rice JA, Keller MB. The long-term natural history of the weekly symptomatic status of bipolar I disorder. *Arch Gen Psychiatry* 2002 Jun;59(6):530-537.
  259. Keller MB, Hirschfeld RMA, Demyttenaere K, Baldwin DS. Optimizing outcomes in depression: focus on antidepressant compliance. (review) *Int Clin Psychopharmacol* 2002;17(6):265-271.
  260. Shea MT, Stout R, Gunderson J, Morey LC, Grilo CM, McGlashan T, Skodol AE, Dolan-Sewell R, Dyck I, Zanarini MC, Keller MB. Short-term diagnostic stability of schizotypal, borderline, avoidant, and obsessive-compulsive personality disorders. *Am J Psychiatry* 2002 Dec;159(12):2036-2041.
  261. Santiago NJ, Klein DN, Vivian D, Vocisano C, Dowling F, Arnow BA, Manber R, Markowitz JC, McCullough JP, Riso LPL, Rothbaum BO, Rush AJ, Thase ME, Keller MB.

**Martin Keller, M.D.**

- Pretreatment correlates of the therapeutic alliance in the chronically depressed. *J Contemp Psychotherapy* Winter 2002;32(4):281-290.
262. Judd LL, Akiskal HS, Schettler PJ, Coryell W, Maser J, Rice JA, Solomon DA, Keller MB. The comparative clinical phenotype and long term longitudinal episode course of bipolar I and bipolar II: a clinical spectrum or distinct disorders? *J Affect Disord* 2003 Jan;73(1-2):19-32.
  263. Manber R, Rush AJ, Thase ME, Arnow B, Klein D, Trivedi MH, Kornstein SG, Markowitz JC, Dunner DL, Munsaka M, Borian FE, Keller M. The effects of psychotherapy, nefazodone, and their combination on subjective sleep in chronic depression. *Sleep* 2003 Mar 15;26(2):130-136.
  264. Yonkers KA, Bruce SE, Dyck IR, Keller MB. Chronicity, relapse, and illness—course of panic disorder, social phobia, and generalized anxiety disorder: findings in men and women from 8 years of follow-up. *Depress Anxiety* 2003;17(3):173-179.
  265. Judd LL, Akiskal HS, Schettler PJ, Coryell W, Endicott J, Maser JD, Solomon DA, Leon AC, Keller MB. A prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar-II disorder. *Arch Gen Psychiatry* 2003;60(3):261-269.
  266. Pearlstein T, Spurell E, Hohlstein LA, Gurney V, Read J, Fuchs C, Keller MB. A double-blind, placebo-controlled trial of fluvoxamine in binge eating disorder: a high placebo response. *Arch Women Ment Health* 2003 Apr;6(2):147-151.
  267. Leon AC, Solomon DA, Mueller TI, Endicott J, Rice JP, Maser JD, Coryell W, Keller MB. A 20-year longitudinal observational study of somatic antidepressant treatment effectiveness. *Am J Psychiatry* 2003 Apr;160(4):727-733.
  268. Manber R, Arnow B, Blasey C, Vivian D, McCullough JP, Blalock JA, Klein DN, Markowitz JC, Riso LP, Rothbaum B, Rush AJ, Thase ME, Keller MB. Patient's therapeutic skill acquisition and response to psychotherapy, alone or in combination with medication. *Psychol Med* 2003 May;33(4):693-702.
  269. Russell JM, Kornstein SG, Shea MT, McCullough JP, Harrison WM, Hirschfeld RMA, Keller MB. Chronic depression and comorbid personality disorders: response to sertraline versus imipramine. *J Clin Psychiatry* 2003 May;64(5):554-561.
  270. Zlotnick C, Bruce SE, Weisberg RB, Shea MT, Machan JT, Keller MB. Social and health functioning in female primary care patients with post-traumatic stress disorder with and without comorbid substance abuse. *Compr Psychiatry* 2003 May-Jun;44(3):177-183.
  271. Keller MB. Past, present, and future directions for defining optimal treatment outcome in depression: remission and beyond. *JAMA* 2003 Jun 18;289(23):3152-3160.

**Martin Keller, M.D.**

272. Judd LL, Schettler PJ, Akiskal HS, Maser J, Coryell W, Solomon D, Endicott J, Keller M. Long-term symptomatic status of bipolar I vs. bipolar II disorders. *Int J Neuropsychopharmacol* 2003 Jun;6(2):127-137.
273. Bruce SE, Vasile RG, Goisman RM, Salzman C, Spencer M, Machan JT, Keller MB. Are benzodiazepines still the medication of choice for patients with panic disorder with or without agoraphobia? *Am J Psychiatry* 2003 Aug;160(8):1432-1438.
274. Rush AJ, Trivedi MH, Ibrahim HM, Carmody TJ, Arnow B, Klein DN, Markowitz JC, Ninan PT, Kornstein S, Manber R, Thase ME, Kocsis JH, Keller MB. The 16-item Quick Inventory of Depressive Symptomatology (QIDS) Clinician Rating (QIDS-C) and Self-Report (QIDS-SR): a psychometric evaluation in patients with chronic major depression. *Biol Psychiatry* 2003 Sept 1; 54(5):573-583. (Erratum in: *Biol Psychiatry* 2003 Sep 1;54(5):585.)
275. Coryell W, Solomon D, Turvey C, Keller M, Leon AC, Endicott J, Shettler P, Judd L, Mueller T. The long-term course of rapid-cycling bipolar disorder. *Arch Gen Psychiatry* 2003 Sep;60(9):914-920.
276. Kocsis JH, Rush AJ, Markowitz JC, Borian FE, Dunner DL, Koran LM, Klein DN, Trivedi MH, Arnow B, Keitner G, Kornstein SG, Keller MB. Continuation treatment of chronic depression: a comparison of nefazodone, cognitive behavioral analysis system of psychotherapy, and their combination. *Psychopharmacol Bull* 2003;37(4):73-87.
277. Gelenberg AJ, Trivedi MH, Rush AJ, Thase ME, Howland R, Klein DN, Kornstein SG, Dunner DL, Markowitz JC, Hirschfeld RMA, Keitner GI, Zajecka J, Kocsis JH, Russell JM, Miller I, Manber R, Arnow B, Rothbaum B, Munsaka M, Banks P, Borian FE, Keller MB. Randomized, placebo-controlled trial of nefazodone maintenance treatment in preventing recurrence in chronic depression. *Biol Psychiatry* 2003 Oct 15;54(8):806-817.
278. Rodriguez BF, Weisberg RB, Pagano ME, Machan JT, Culpepper L, Keller MB. Mental health treatment received by primary care patients with posttraumatic stress disorder. *J Clin Psychiatry* 2003 Oct;64(10):1230-1236.
279. Solomon DA, Leon AC, Endicott J, Coryell WH, Mueller TI, Posternak MA, Keller MB. Unipolar mania after the course of a 20-year follow-up study. *Am J Psychiatry* 2003 Nov;160(11):2049-2051.
280. Nemeroff CB, Heim CM, Thase ME, Klein DN, Rush AJ, Schatzberg AF, Ninan PT, McCullough JP Jr, Weiss P, Dunner DL, Rothbaum BO, Kornstein S, Keitner G, Keller MB. Differential responses to pharmacotherapy in patients with chronic forms of major depression and childhood trauma. *Proc Natl Acad Sci USA* 2003 Nov 25;100(24):14293-14296.

**Martin Keller, M.D.**

281. McCullough JP Jr, Klein DN, Borian FE, Howland RH, Riso LP, Keller MB, Banks PL. Group comparisons of DSM-IV subtypes: validity of the distinctions. Part 2. *J Abnorm Psychol* 2003 Nov;112(4):614-622.
282. Klein DN, Schwartz JE, Santiago NJ, Vivian D, Vocisano C, Castonguay LG, Arnow B, Blalock JA, Manber R, Markowitz JC, Riso LP, Rothbaum B, McCullough JP, Thase ME, Borian FE, Miller IW, Keller MB. Therapeutic alliance in depression treatment: controlling for prior change and patient characteristics. *J Consult Clin Psychol* 2003 Dec;71(6):997-1006.
283. Arnow BA, Manber R, Blasey C, Klein DN, Blalock JA, Markowitz JC, Rothbaum BO, Rush AJ, Thase ME, Riso LP, Vivian D, McCullough JP Jr, Keller MB. Therapeutic reactance as a predictor of outcome in the treatment of chronic depression. *J Consult Clin Psychol* 2003 Dec;71(6):1025-1035.
284. Andrade L, Caraveo-Anduaga JJ, Berglund P, Bijl RV, De Graaf R, Vollebergh W, Dragomirecka E, Kohn R, Keller M, Kessler RC, Kawakami N, Kilic C, Offord D, Ustun TB, Wittchen HU. The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. *Int J Methods Psychiatr Res* 2003;12(1):3-21. (Erratum in *Int J Methods Psychiatr Res* 2003;12(3):165).
285. Rodriguez BF, Bruce SE, Pagano ME, Spencer MA, Keller MB. Factor structure and stability of the Anxiety Sensitivity Index in a longitudinal study of anxiety disorders patients. *Behav Res Ther* 2004 Jan;42(1):79-91.
286. Mueller TI, Kohn R, Leventhal N, Leon AC, Solomon D, Coryell W, Endicott J, Alexopoulos GS, Keller MB. The course of depression in elderly patients. *Am J Geriatr Psychiatry* 2004 Jan-Feb;12(1):22-29.
287. Zlotnick C, Rodriguez BF, Weisberg RB, Bruce SE, Spencer MA, Culpepper L, Keller MB. Chronicity in posttraumatic stress disorder and predictors of the course of posttraumatic stress disorder among primary care patients. *J Nerv Ment Dis* 2004 Feb;192(2):153-159.
288. Rodriguez BF, Weisberg RB, Pagano ME, Machan JT, Culpepper L, Keller MB. Frequency and patterns of psychiatric comorbidity in a sample of primary care patients with anxiety disorders. *Compr Psychiatry* 2004 Mar-Apr;45(2):129-137.
289. Nierenberg AA, Quitkin FM, Kremer C, Keller MB, Thase ME. Placebo-controlled continuation treatment with mirtazapine: acute pattern of response predicts relapse. *Neuropsychopharmacology* 2004 May;29(5):1012-1018.
290. Gelenberg AJ, Shelton RC, Crits-Christoph P, Keller MB, Dunner DL, Hirschfeld RMA, Thase ME, Russell JM, Lydiard RB, Gallop RJ, Todd L, Hellerstein DJ, Goodnick PJ, Keitner GI, Stahl SM, Halbreich U, Hopkins HS. The effectiveness of St. John's Wort in major depressive disorder: a naturalistic phase 2 follow-up in which nonresponders were provided alternate medication. *J Clin Psychiatry* 2004 Aug;65(8):1114-1119.

**Martin Keller, M.D.**

291. Klein DN, Santiago NJ, Vivian D, Arnow BA, Blalock JA, Kocsis JH, Markowitz JC, McCullough JP Jr, Rush AJ, Trivedi MH, Arnow BA, Dunner DL, Manber R, Rothbaum B, Thase ME, Borian FE, Keitner GI, Miller IW, Keller MB. Cognitive-Behavioral Analysis System of Psychotherapy as a maintenance treatment for chronic depression. *J Consult Clin Psychol* 2004 Aug;72(4):681-688.
292. Solomon DA, Leon AC, Endicott J, Mueller TI, Coryell W, Shea MT, Keller MB. Psychosocial impairment and recurrence of major depression. *Compr Psychiatry* 2004 Nov-Dec;45(6):423-430.
293. Rodriguez BF, Bruce SE, Pagano ME, Keller MB. Relationships among psychosocial functioning, diagnostic comorbidity, and the recurrence of generalized anxiety disorder, panic disorder, and major depression. *J Anxiety Disord* 2005;19(7):752-766.
294. Vasile RG, Bruce SE, Goisman RM, Pagano M, Keller MB. Results of a naturalistic longitudinal study of benzodiazepine and SSRI use in the treatment of generalized anxiety disorder and social phobia. *Depress Anxiety* 2005;22(2):59-67.
295. Rush AJ, Trivedi MH, Carmody TJ, Ibrahim HM, Markowitz JC, Keitner GI, Kornstein SG, Arnow B, Klein DN, Manber R, Dunner DL, Gelenberg AJ, Kocsis JH, Nemeroff CB, Fawcett J, Thase ME, Russell JM, Jody DN, Borian FE, Keller MB. Self-reported depressive symptom measures: sensitivity to detecting change in a randomized, controlled trial of chronically depressed, nonpsychotic outpatients. *Neuropsychopharmacology* 2005 Feb;30(2):405-416.
296. Keller MB, Ruwe FJ, Janssens CJ, Sitsen JM, Jokinen R, Janczewski J. Relapse prevention with Gepirone ER in outpatients with major depression. *J Clin Psychopharmacol* 2005 Feb;25(1):79-84.
297. Lieberman JA, Greenhouse J, Hamer RM, Krishnan KR, Nemeroff CB, Sheehan DV, Thase ME, Keller MB. Comparing the effects of antidepressants: consensus guidelines for evaluating quantitative reviews of antidepressant efficacy. *Neuropsychopharmacology* 2005 Mar;30(3):445-460.
298. Solomon DA, Leon AC, Mueller TI, Coryell W, Teres JJ, Posternak MA, Judd LL, Endicott J, Keller MB. Tachyphylaxis in unipolar major depressive disorder. *J Clin Psychiatry* 2005 Mar;66(3):283-290.
299. Weisberg RB, Maki KM, Culpepper L, Keller MB. Is Anyone Really M.A.D.?: the occurrence and course of mixed anxiety-depressive disorder in a sample of primary care patients. *J Nerv Ment Dis* 2005 Apr;193(4):223-230.
300. Schatzberg AF, Rush AJ, Arnow BA, Banks PL, Blalock JA, Borian FE, Howland R, Klein DN, Kocsis JH, Kornstein SG, Manber R, Markowitz JC, Miller I, Ninan PT, Rothbaum BO, Thase ME, Trivedi MH, Keller MB. Chronic depression: medication (nefazodone) or

**Martin Keller, M.D.**

- psychotherapy (CBASP) is effective when the other is not. *Arch Gen Psychiatry* 2005 May;62(5):513-520.
301. Bruce SE, Yonkers KA, Otto MW, Eisen JL, Weisberg RB, Pagano M, Shea MT, Keller MB. Influence of psychiatric comorbidity on recovery and recurrence in generalized anxiety disorder, social phobia, and panic disorder: a 12-year prospective study. *Am J Psychiatry* 2005 Jun;162(6):1179-1187.
  302. Mueller TI, Pagano ME, Rodriguez BF, Bruce SE, Stout RL, Keller MB. Long-term use of benzodiazepines in participants with comorbid anxiety and alcohol use disorders. *Alcohol Clin Exp Res* 2005 Aug;29(8):1411-1418.
  303. Manber R, Blasey C, Arnow B, Markowitz JC, Thase ME, Rush AJ, Dowling F, Koscis J, Trivedi M, Keller MB. Assessing insomnia severity in depression: comparison of depression rating scales and sleep diaries. *J Psychiatr Res* 2005 Sep;39(5):481-8.
  304. Keller MB, Krystal JH, Hen R, Neumeister A, Simon NM. Untangling depression and anxiety: clinical challenges. *J Clin Psychiatry* 2005 Nov;66(11):1477-84.
  305. Judd LL, Akiskal HS, Schettler PJ, Endicott J, Leon AC, Solomon DA, Coryell W, Maser JD, Keller MB. Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study. *Arch Gen Psychiatry* 2005 Dec;62(12):1322-30.
  306. Goldstein TR, Birmaher B, Axelson D, Ryan ND, Strober MA, Gill MK, Valeri S, Chiappetta L, Leonard H, Hunt J, Bridge JA, Brent DA, Keller M. History of suicide attempts in pediatric bipolar disorder: factors associated with increased risk. *Bipolar Disord* 2005 Dec;7(6):525-35.
  307. Kranzler HR, Mueller T, Cornelius J, Pettinati HM, Moak D, Martin PR, MD, Anthenelli R, Brower KJ, O'Malley S, Mason BJ, Hasin D, Keller M. Sertraline Treatment of Co-occurring Alcohol Dependence and Major Depression. *J Clin Psychopharmacol* 2006 Feb;26(1):13-20.
  308. Rodriguez BF, Weisberg RB, Pagano ME, Bruce SE, Spencer MA, Culpepper L, Keller MB. Characteristics and predictors of full and partial recovery from generalized anxiety disorder in primary care patients. *J Nerv Ment Dis* 2006 Feb;194(2):91-7.
  309. Keller M, Montgomery S, Ball W, Morrison M, Snavely D, Liu G, Hargreaves R, Hietala J, Lines C, Beebe K, Reines S. Lack of efficacy of the substance p (neurokinin1 receptor) antagonist aprepitant in the treatment of major depressive disorder. *Biol Psychiatry* 2006 Feb 1;59(3):216-23.
  310. Birmaher B, Axelson D, Strober M, Gill MK, Valeri S, Chiappetta L, Ryan N, Leonard H, Hunt J, Iyengar S, Keller M. Clinical course of children and adolescents with bipolar spectrum disorders. *Arch Gen Psychiatry* 2006 Feb;63(2):175-83.

**Martin Keller, M.D.**

311. Solomon DA, Leon AC, Maser JD, Truman CJ, Coryell W, Endicott J, Teres JJ, Keller MB. Distinguishing bipolar major depression from unipolar major depression with the screening assessment of depression-polarity (SAD-P). *J Clin Psychiatry* 2006 Mar;67(3):434-42.
312. Posternak MA, Solomon DA, Leon AC, Mueller TI, Shea MT, Endicott J, Keller MB. The naturalistic course of unipolar major depression in the absence of somatic therapy. *J Nerv Ment Dis* 2006 May;194(5):324-9.
313. Akiskal HS, Kilzieh N, Maser JD, Clayton PJ, Schettler PJ, Traci Shea M, Endicott J, Scheftner W, Hirschfeld RM, Keller MB. The distinct temperament profiles of bipolar I, bipolar II and unipolar patients. *J Affect Disord* 2006 May;92(1):19-33.
314. Rende R, Birmaher B, Axelson D, Strober M, Gill MK, Valeri S, Chiappetta L, Ryan N, Leonard H, Hunt J, Iyengar S, Keller M. Psychotic symptoms in pediatric bipolar disorder and family history of psychiatric illness. *J Affect Disord* 2006 Jun 27; [Epub ahead of print]
315. Rapaport MH, Gharabawi GM, Canuso CM, Mahmoud RA, Keller MB, Bossie CA, Turkoz I, Lasser RA, Loeschner A, Bouhours P, Dunbar F, Nemeroff CB. Effects of Risperidone Augmentation in Patients with Treatment-Resistant Depression: Results of Open-Label Treatment Followed by Double-Blind Continuation. *Neuropsychopharmacology* 2006 Jun 7; [Epub ahead of print].
316. Esposito-Smythers C, Birmaher B, Valeri S, Chiappetta L, Hunt J, Ryan N, Axelson D, Strober M, Leonard H, Sindelar H, Keller M. Child comorbidity, maternal mood disorder, and perceptions of family functioning among bipolar youth. *J Am Acad Child Adolesc Psychiatry* 2006 Aug;45(8):955-64.
317. Strober M, Birmaher B, Ryan N, Axelson D, Valeri S, Leonard H, Iyengar S, Gill MK, Hunt J, Keller M. Pediatric bipolar disease: current and future perspectives for study of its long-term course and treatment. *Bipolar Disord* 2006 Aug;8(4):311-21.
318. Keller MB. Mood and social anxiety disorders: Long-term maintenance and treatment strategies. *Psychopharmacol Bull* (in press).
319. Keller MB, Nemeroff CB, Thase ME. Trends in the treatment of major depressive disorder and generalized anxiety disorder. *Psychopharmacol Bull* (in press).
320. Solomon DA, Leon AC, Coryell W, Mueller TI, Posternak M, Endicott J, Keller, MB. Psychosocial Functioning and Recovery from Major Depression. *Am J Psychiatry* (in press)

## Martin Keller, M.D.

### OTHER PUBLICATIONS:

1. Keller MB. Reactive depression. *Physician and Patient* 1983;9-47.
2. Keller MB, Friedman BL, Lavori PW. The nature of recovery and relapse in depressive disorders. *Directions in Psychiatry* 1984;4(18).
3. Keller MB. Incidence of relapse in depression. *Medical Aspects of Human Sexuality* 1985;19(9):153-154.
4. Hirschfeld RMA, Keller MB. The clinical course of major depression. *Masters in Psychiatry* 1985;9-12.
5. Keller MB, Baker LA. The effects of major depression on dysthymia. *Clinical Advances in the Treatment of Psychiatric Disorders*. April/May 1990;4(2):4-7.
6. Keller MB. Panic disorders: Introduction. *RI Medicine* 1992;75(5):233-235.
7. Keller MB. Overview of depression: Chronicity, recurrence, morbidity and the need for maintenance treatment. *RI Medicine* 1993;76(8):381-386.
8. Culpepper L, Keller MB, Smith NL. Diagnosis and treatment of anxiety disorders: A primary care perspective. A Continuing Education Self-Study Program for Physicians. Sponsored by Medical Education Resources, 2000.
9. Keller MB. The burden of depressive disorders. New standards in psychiatry: Optimizing outcomes. Trevoise, PA: Postgrad Institute for Medicine, Summer 2001;2-6.

### Journal Supplements:

10. Keller MB, Lavori PW, Klerman GL, Endicott J, Coryell W. Dysthymia and major depression. *Clin Neuropharm* 1984;7(suppl 1):714-715.
11. Endicott J, Coryell W, Keller MB, Andreasen NC. Depressive disorders with delusions or hallucinations. *Clin Neuropharm* 1984;7(suppl 1):712-713.
12. Keller MB. The course of manic-depressive illness. *J Clin Psychiatry* 1988;49(11; suppl)4-6.
13. Herzog DB, Keller MB, Lavori PW, Sacks NR. The course and outcome of bulimia nervosa. *J Clin Psychiatry* 1991;52(suppl):4-8.
14. Reich J, Warshaw M, Peterson LG, White K, Keller M, Lavori PW, Yonkers KA. Comorbidity of panic and major depressive disorder. *J Psychiatr Res* 1993;27 (suppl 1):23-33.
15. Keller, MB. Depression: A long term illness. *Br J Psychiatry* 1994;165(suppl 26):9-15.

**Martin Keller, M.D.**

16. Keller MB, Hanks DL. The natural history and heterogeneity of depressive disorders. *J Clin Psychiatry* 1994(suppl A):25-31, 32-33, 98-100.
17. Keller MB. Dysthymia in clinical practice: Course, outcome and impact on the community. *Acta Psychiatr Scand* 1994 (suppl)383:24-34.
18. Keller MB. Langzeitbehandlung der Depression (Long-Term Treatment of Depression). *Fortsch Neurol Psychiatr* 1994;62(suppl 1):32-38.
19. Keller MB, Hanks DL. Anxiety symptom relief in depression treatment outcomes. *J Clin Psychiatry* 1995;56 (suppl 6):22-29.
20. Keller MB, Culpepper L, Gorman JH, Wise MG. The experts converse. Special considerations in switching antidepressants. *J Clin Psychiatry* 1995;56(10)suppl:1-12.
21. Keller MB. Depression: Considerations for treatment of a recurrent and chronic disorder. *J Psychopharmacol* 1996;10(suppl 1):41-44.
22. Keller MB. Advances in the management of chronic depressive and anxiety disorders. Introduction. *J Clin Psychiatry* 1997;58(suppl 13):3-4.
23. Keller, MB. Long-term treatment of recurrent and chronic depression. *J Clin Psychiatry* 2001;62(suppl 24):3-5.
24. Keller MB. Foreword: Global Research in Anxiety and Depression (GRAD) Network Consensus Conference. *J Clin Psychiatry* 2002;63(suppl 8):3.
25. Keller MB. The long-term clinical course of generalized anxiety disorder. (review) *J Clin Psychiatry* 2002;63(suppl 8):11-16.
26. Keller MB. Rationale and options for the long-term treatment of depression. *Hum Psychopharmacol Clin Exp* 2002;17(suppl 1):S43-S46.
27. Keller MB. Long-term treatment strategies in affective disorders. *Psychopharmacol Bull* 2002 Summer;36(suppl 2):36-48.
28. Keller MB, Berndt ER. Depression treatment: A lifelong commitment? *Psychopharmacol Bull* 2002 Summer;36(suppl 2):133-141.
29. Keller MB. Raising the expectations of long-term treatment strategies in anxiety disorders. *Psychopharmacol Bull* 2002 Summer;36(suppl 2):166-174.
30. Keller MB. Paroxetine treatment of major depressive disorder. (review) *Psychopharmacol Bull* 2003 Spring;37(suppl 1):42-52.

### **Martin Keller, M.D.**

31. Keller MB. Maintenance treatment of bipolar disorder. In: Optimizing therapeutic options in the treatment of bipolar disorder. Primary Psychiatry (roundtable monograph suppl), July 2003:5-6.
32. Keller MB. The lifelong course of social anxiety disorder: a clinical perspective. (review) Acta Psychiatr Scand Suppl 2003;108(suppl 417):85-94.
33. Keller MB. Remission versus response: the new gold standard of antidepressant care. (review) J Clin Psychiatry 2004;65(suppl 4):53-59.
34. Keller MB. Improving the course of illness and promoting continuation of treatment of bipolar disorder. (review) J Clin Psychiatry. 2004;65(suppl 15):10-14.
35. Keller MB. Issues in treatment-resistant depression. J Clin Psychiatry 2005;66(suppl 8): 5-12.
36. Keller MB. Prevalence and impact of comorbid anxiety and bipolar disorder. J Clin Psychiatry 2006 Jan;67 Suppl 1:5-7.

#### Book Chapters, Monographs, and Reviews:

Chapters In: Lazare A, ed. Outpatient Psychiatry, Diagnosis and Treatment. Baltimore: Williams and Wilkins, 1979:

1. Keller MB, Manschreck TM. The biological approach (pp 13-18).
2. Manschreck TM, Keller MB. The mental status examination: General considerations (pp 172-177).
3. Manschreck TM, Keller MB. The biologic mental status examination I: General appearance and behavior, emotional state, perception and thinking (pp 178-202).
4. Keller MB, Manschreck TM. The biologic mental status examination II: Higher intellectual functioning (pp 203-214).
5. Lazare A, Keller MB, Rubinstein J, Eisenthal S. The clinical record: A multidimensional/hypothesis testing/negotiated approach (pp 238-246).
6. Manschreck TM, Keller MB. Disturbances of thinking (pp 265-270).
7. Manschreck TM, Keller MB. Perceptual disturbances (pp 271-274).
8. Keller MB, Manschreck TM. Disorders of higher intellectual functioning (pp 275-286).
9. Manschreck TM, Keller MB. Motor disturbances (pp 287-295).
10. Keller MB. Transsexualism. In: Manschreck TM, Murray G, Kuehnle J, eds. Psychiatric Medicine Update: Massachusetts General Hospital Reviews for Physicians. New York: Elsevier-North Holland, 1981:37-103.
11. Lavori PW, Keller MB. Application of survival analysis to psychiatric research. Comparisons of groups: Assessing the variability due to sampling. In: Gibbons RD,

**Martin Keller, M.D.**

Dysken M, eds. *Statistical and Methodological Advances in Psychiatric Research*. New York: Spectrum Publications Inc., 1983:131-148.

12. Keller MB. Chronic and recurrent affective disorders: Incidence, course, and influencing factors. *Proceedings of advances in biochemical psychopharmacology*. In: *Chronic Treatments in Neuropsychiatry* 1985;40:111-120.
13. Hirschfeld RMA, Klerman GL, Andreasen NC, Clayton PJ, Keller MB. Psychosocial predictors of chronicity in depression. In: Halbreich U, Feinberg SS, eds. *Psychosocial Aspects of Nonresponse to Antidepressant Drugs*. Washington, DC: American Psychiatric Press, Inc, 1986:83-92.
14. Klerman GL, Hirschfeld RMA, Andreasen NC, Coryell W, Endicott J, Fawcett J, Keller MB, Scheftner WA. Major depression and related affective disorders. *Proceedings of the American Psychiatric Press, "DSM III: diagnosis and classification in Psychiatry,"* 1987.
15. Keller MB. Differential diagnosis, natural course and epidemiology of bipolar disorder. In: Hales RE, Frances AJ, eds. *Psychiatry Update: The American Psychiatric Association Annual Review, Vol 6*. Washington DC: American Psychiatric Press, Inc, 1987;10-31.
16. Klerman GL, Keller MB, Fawcett JA, Andreasen NC, Hirschfeld RMA, Endicott J. Major depression and related affective disorders. In: Tischler GL, ed. *Diagnosis and Classification in Psychiatry: A Critical Appraisal of DSM-III*. New York: Cambridge Press, 1987.
17. Keller MB, Sessa FM. Dysthymic and cyclothymic disorders. In: Last CG, Hersen M, eds. *Handbook of Child Psychiatric Diagnosis*. New York: John Wiley & Sons, Inc, 1988:330-342.
18. Keller MB. Diagnostic issues and clinical course of unipolar illness. In: Hales RE, France AJ, eds. *The American Psychiatric Association Annual Review, Vol 7*. Washington, DC: American Psychiatric Press, Inc, 1988:188-212.

Chapters In: Lazare A, ed. *Outpatient Psychiatry, Diagnosis and Treatment*. 2<sup>nd</sup> ed. Baltimore: Williams and Wilkins, 1988:

19. Manschreck TM, Keller MB. The mental status examination: General appearance and behavior, emotional state, perception, speech and language, and thinking (pp 160-187).
20. Keller MB, Manschreck TM. The mental status examination II: Higher intellectual functioning (pp 188-199).
21. Manschreck TM, Keller MB. Disturbances of thinking (pp 267-273).
22. Manschreck TM, Keller MB. Perceptual disturbances (pp 274-279).

**Martin Keller, M.D.**

23. Keller MB, Sessa FM. Dysthymia: Development and clinical course. In: Akiskal HS, Burton SW, eds. *Dysthymic Disorder: A New Concept in Chronic Mild Depression*. London: Gaskell Publications Ltd, 1990:13-23.
24. Herzog DB, Keller MB, Lavori PW, Bradburn IS, Ott IL. Course and outcome of bulimia. In: Fichter M, ed. *Bulimia: Basic Research, Diagnosis and Therapy*. Stuttgart, Germany: Enke Verlag, 1990(9):126-141.
25. Keller MB, Sessa FM, Jones LP. Chronic depressive disorders. In: Thase ME, Edelstein BA, Hersen M, eds. *Handbook of Outpatient Treatment of Adults*. New York: Plenum Press, 1990.
26. Keller MB, Wunder J. Depressive disorders. In: SE Hyman, MA Jenike, eds. *Manual of Clinical Problems in Psychiatry with Annotated Key References*. Boston: Little, Brown & Company, 1990(2):7-15.
27. Keller MB, Wunder J. Bipolar disorder in childhood. In: Hersen M, Last CG, eds. *Handbook of Child and Adult Psychopathology: A Longitudinal Perspective*. Tarrytown, NY: Pergamon Press, 1990:5:69-81.
28. Hirschfeld RMA, Hasin D, Keller MB, Endicott J, Wunder J. Depression and alcoholism: Comorbidity in a longitudinal study. In: Maser J, Cloninger CL, eds. *Comorbidity of Mood and Anxiety Disorders*. Washington, DC: American Psychiatric Association Press, 1990:293-303.
29. Keller MB. Diagnostic and course of illness variables pertinent to refractory depression. In: Tasman A, Kaufman C, Goldfinger S, eds. *The American Psychiatric Association Annual Review of Psychiatry, Vol 9*. Washington, DC: American Psychiatric Press, Inc, 1991.
30. Herzog DB, Keller MB, Lavori PW, Yeh C. Clinical overview of bulimia nervosa. In: Racagni G, Brunello N, Fukuda T, eds. *Biological Psychiatry, Volume 2*. New York: Excerpta Medica, 1991.
31. Keller MB, Russell CW. Dysthymia: Toward DSM-IV. In: Widiger T, Frances AF, Pincus H, et al, eds. *DSM-IV Sourcebook*. Washington DC: American Psychiatric Association Press, January 1992.
32. Keller MB, Baker LA, Russell CW. Classification and treatment of dysthymia. In: Dunner DL, ed. *Current Psychiatric Therapy*. Philadelphia: WB Saunders Company, Harcourt Brace Jovanovich, Inc, 1993:210-214.
33. Klerman GL, Hirschfeld RMA, Weissman MM, Pelicer Y, Ballenger JC, Costa e Silve JA, Judd LL, Keller MB. Panic anxiety and its treatments: Report of the World Psychiatric Association Presidential Educational Program Task Force. Washington DC: American Psychiatric Association Press, 1993.

### **Martin Keller, M.D.**

34. Keller MB. Chronicity, relapse, recurrence, and psychosocial morbidity in severe depression and the role of maintenance treatment. In: Grunhaus L, Greden J, eds. *Severe Depressive Disorders* (No. 44). Washington DC: American Psychiatric Association Press, 1994.
35. Keller MB, Hanks DL. Psychiatry in the year 2018. *RI Medicine* 1994;77(6):170-172.
36. Solomon DA, Keller MB. Treatment of mood disorders. In: Rakel RE, ed. *Conn's Current Therapy*. Philadelphia: WB Saunders Company, Harcourt Brace & Co, 1995:1054-1060.
37. Keller MB, Hanks DL. Course and natural history of chronic depression. In: Kocsis JH, Klein DN, eds. *Diagnosis and Treatment of Chronic Depression*, New York: Guilford Publications, Inc, 1995:58-72.
38. Angst J, Lepine J-P, Keller MB, Hanks DL, Merikangas KR. Social phobia: Epidemiology, developmental antecedents and social impact. WPA Social Phobia Educational Program. Brussels, Belgium: KPR International, 1995.
39. Goisman R, Warshaw MG, Peterson L, Rogers M, Cuneo P, Hunt M, Tomlin-Albanese J, Kazim A, Gollan J, Epstein-Kaye T, Reich J, Keller MB. Panic, agoraphobia, and panic with agoraphobia: Follow-up data from a multicenter anxiety disorder study. In: *The Yearbook of Psychiatry and Applied Mental Health*. New York: Mosby-Year Book, Inc, 1995.
40. Boland RJ, Keller MB. Outcome studies of depression in adulthood. In: Shulman K, Tohen M, Kutcher S, eds. *Mood Disorders Throughout the Lifespan*. New York: John Wiley & Sons, Inc, 1996:217-250.
41. Boland RJ, Keller MB. Other affective disorders (dysthymia, recurrent brief depression, double depression, seasonal depression and other depressive disorders). In: T Thiekotter, ed. *Psychiatrie der Gegenwart*. Berlin/Heidelberg, Germany: Springer-Verlag, 1997.
42. Boland RJ, Keller MB. Approaches to diagnosing depression, and the reciprocal relationship to depression research. In: M Maj, ed. *World Psychiatric Association Expert Series: Vol 1, Mood Disorders*, 1999.
43. Boland RJ, Keller MB. Mixed-state bipolar disorders: Outcome data from the NIMH Collaborative Program on the Psychobiology of Depression. In: JF Goldberg, M Harrow, eds. *Bipolar Disorders: Clinical Course and Outcome*. Washington, DC: American Psychiatric Press, 1999:115-128.
44. Boland RJ, Keller MB. Chronic depression. In: DL Dunner, JF Rosenbaum, eds. *Psychiatric Clinics of North American: Annual of Drug Therapy*. Philadelphia: WB Saunders, 1999.

**Martin Keller, M.D.**

45. Boland, RJ, Keller, MB. Treating chronic and recurrent depression: Pharmacotherapy and psychotherapy combinations. In: J Greden (Vol. Ed.), M Riba (Series Ed.) American Psychiatric Press Review of Psychiatry (Volume 20). Washington, DC: American Psychiatric Press, 2000.
46. Keller MB, Hirschfield RMA, Rush AJ. New options for the treatment of depression. In: Keller MB, ed. Journal of Clinical Psychiatry Online Insight. Memphis, TN: Physicians Postgraduate Press, October 2001.
47. Bruce SE, Weisberg RB, Dolan RT, Machan JT, Kessler RC, Manchester G, Culpepper L, Keller MB. Trauma and posttraumatic stress disorder in primary care patients. Primary Care Companion of J Clin Psychiatry 2001;3:211-217.
48. Boland RJ, Keller MB. Course and outcome of depression. In: Gotlib IH, Hammen CL, eds. Handbook of Depression. New York: The Guilford Press. 2002:43-60.
49. Boland RJ, Keller MB. Treatment of recurrent depression. In: J Greden, ed. Annual Review of Psychiatry 2001, Vol. 20. APA Press, 2002.
50. Boland RJ, Keller MB. Pharmacotherapy of depression: The acute and long-term perspective. In: Kasper S, den Boer JA, Sitsen JMA, eds. Handbook of Depression and Anxiety, 2<sup>nd</sup> ed. 2003:583-598.
51. Kohn R, Keller MB. Emotions. In: Tasman A, Kay J, Lieberman JA, eds. Psychiatry, 2<sup>nd</sup> edition. New York: Wiley & Sons Press, 2003.
52. Boland RJ, Keller MB. The course of depression. In: Davis KL, Charney D, Coyle JT, Nemeroff C, eds. Neuropsychopharmacology: The fifth generation of progress. Nashville, TN: ACNP Press, 2004.
53. Boland RJ, Keller MB. Diagnostic classification of mood disorders: Historical context and implications for neurobiology. In: Charney DS, Nestler EJ, eds. Neurobiology of Mental Illness, 2<sup>nd</sup> ed. Oxford University Press, 2004.

Editorials and Letters:

54. Keller MB, Lavori PW, Endicott J, Klerman GL, Coryell W, Fawcett JA. Treatment of depression. JAMA 1983;249(14):1824.
55. Keller MB, Lavori PW, Endicott J, Klerman GL, Coryell W, Fawcett JA. Antidepressant drugs as a cause of death. JAMA 1983;249(14):1826.
56. Keller MB, Lavori PW, Klerman GL, Endicott J, Coryell W, Fawcett JA. Treatment of depression. JAMA 1983;249(18):2457-2458.
57. Keller MB. Outcome in double depression: evidence for an internal biologic clock? JAMA 1984;141(2):328-329.

### **Martin Keller, M.D.**

58. Keller MB, Lavori PW. The adequacy of treating depression. *J Nerv Ment Dis* 1988; 176(8):471-474.
59. Keller MB, Herzog DB, Lavori PW, Ott IL, Bradburn IS, Mahoney EM. High rates of chronicity and rapidity of relapse in patients with bulimia nervosa and depression (letter). *Arch Gen Psychiatry* 1989;46(5):480-481.
60. Keller MB. Early results in "landmark" anxiety study. *Anxiety Disorders Association of America Reporter* 1991;2(3).
61. Keller MB. HARP study shows medical problems, under-use of behavioral treatment. *Anxiety Disorders Association of America Reporter* 1993;winter issue.
62. Keller, MB. Response to a letter re: Relapse of depressive symptoms after discontinuing sertraline. *JAMA* 1999;282(4).
63. Keller MB. Response to a letter re: Nefazodone and psychotherapy and their combination for chronic depression. *N Engl J Med* 2000;343(14):1041-1042.
64. Jureidini J, Tonkin A, Keller MB, Ryan ND, Strober M, Weller EB, McCafferty JP, Hagino OR, Birmaher B, Wagner KD. Paroxetine in major depression. *J Am Acad Child Adolesc Psychiatry* 2003 May;42(5):514-515.

#### Book Reviews:

65. Keller MB. *Review of The Behavior of Psychiatric Patients: Quantitative Techniques for Evaluation*, Burdock EI, Sudilovsky A, Gershon S, eds. In: *Am J Psychiatry* 1984;141(2):317-318.
66. Keller MB. *Review of The Affective Disorders*, Davis JM, Maas JW, eds. In: *Am J Psychiatry* 1985;142(9):1112-1113.
67. Keller MB, Carver A. *Review of Life-span Research on the Prediction of Psychopathology*, Erlenmeyer-Kimling L, Miller NE, eds. In: *Am J Psychiatry* 1990;147(2):254.