

Betty R. Vohr, ORIGINAL PUBLICATIONS IN PEER-REVIEW JOURNALS

1. Vohr B, Rosenfield AG, Oh W. Umbilical hernia in low birth weight infants (1500 grams). J Pediatr. 1977;90:807-8.
2. Cowett RM, Lipsitt LP, Vohr B, Oh W. Aberrations in sucking behavior in the low birth weight infant. Dev Med Child Neurol. 1978;20:701-9.
3. Vohr B, Cowett RM, Rosenfield AG, Oh W. The pre-term small-for-gestational age infant: A two-year follow-up study. Am J Obstet Gynecol. 1979;133:425-31.
4. Vohr B, Lipsitt LP, Oh W. Somatic growth of children of diabetic mothers with reference to birth size. J Pediatr. 1980;97:196-9.
5. Warburton D, Boyle RJ, Keats JP, Vohr B, Peuschel S, Oh W. Nonketotic hyperglycinemia: Effects of therapy with strychnine. Am J Dis Child. 1980;134:273-5.
6. Vohr B, Bell EF, Oh W. Infants with bronchopulmonary dysplasia: Growth patterns and neurologic and development outcome. Am J Dis Child. 1982;136:443-7.
7. Vohr B, Oh W. Growth and development of preterm small-for-gestational age infants. JPediatr. 1983;103:941-5.
8. Walker DJ, Feldman A, Vohr B, Oh W. Cost-benefit analysis of neonatal intensive care for infants weighing less than 1000 grams at birth. Pediatrics. 1984;74:20-5.
9. Vohr B, Garcia Coll C. Increased morbidity in low birth weight survivors with severe retrolental fibroplasia. J Pediatr. 1985;106(2):287.

Walker DJ, Vohr B, Oh W. Economic analysis of regionalized neonatal care for low birth weight infants in the State of Rhode Island. Pediatrics. 1985;76(1):69-74.
11. Vohr B, Garcia Coll C. Neurodevelopmental and school performance of very low birth weight infants: A seven year longitudinal study. Pediatrics. 1985;76(3):345-50.
12. Vohr B, Oh W. Age of DTP immunization of special care nursery graduates. Pediatrics. 1986;77(4):569-71.
13. Garcia Coll C, Vohr B, Hoffman J, Oh W. Maternal and environmental factors affecting developmental outcome of infants of adolescent mothers.

- J Dev Behav Pediatr. 1986;7(4):230-6.
14. Garcia Coll C, Emmons L, Vohr B, Ward AM, Brann BS, Shaul PW, et al. Behavioral responsiveness in preterm infants with intraventricular hemorrhage (IVH). *Pediatrics*. 1988;81(3):412-8.
 15. Vohr B, Chen A, Garcia Coll C, Oh W. Mothers of preterm and full-term infants on home apnea monitors. *Am J Dis Child*. 1988;142(2):229-31.
 16. Mullen MK, Garcia Coll C, Vohr B, Muriel AC, Oh W. Mother-infant feeding interaction in full-term small-for-gestational age infants. *J Pediatr*. 1988;112:143-8.
 17. Vohr B, Garcia Coll C, Oh W. Language development of low birthweight infants at 2 years of age. *Dev Med Child Neur*. 1988;30:608-15.
 18. Anderson L, Garcia Coll C, Vohr B, Emmons L, Brann B, Shaul PW, et al. Behavioral characteristics and early temperament of preterm infants with intracranial hemorrhage. *Early Hum Dev*. 1989;18:273-83.
 19. Rapisardi G, Vohr B, Cashore WJ, Peucker M, Lester B. Assessment of infant cry variability in high risk infants. *Intl Pediatr J Otorhinopharyngology* 1989;17:19-29.
 20. Vohr B, Garcia Coll C, Oh W. Language and neurodevelopmental outcome of low-birthweight infants at three years. *Dev Med Child Neur*. 1989;31:582-90.
 21. Lester BM, Anderson L, Boukydis Z, Garcia Coll C, Vohr B, Peucker M. Early detection of infants for later handicap through acoustic cry analysis. *Res Inf Assessment*. 1989;25(6):99-118.
 22. Vohr B, Lester BM, Rapisardi G, O'Dea C, Brown L, Peucker MR, Cashore WJ, Oh W. Abnormal brainstem auditory evoked response (BAER) correlates with acoustic cry features in term infants with hyperbilirubinemia. *J Pediatr*. 1989;115:303-8.
 23. Vohr B, Garcia Coll C, Mayfield S, Brann B, Shaul P, Oh W. Neurologic and developmental status related to the evolution of visual-motor abnormalities from birth to 2 years of age in preterm infants with intraventricular hemorrhage (IVH). *J Pediatr*. 1989;115(2):296-302.
 24. Vohr B, Karp D, O'Dea C, Darrow D, Garcia Coll C, Lester BM, Oh W, Cashore WJ. Behavioral changes correlated with brainstem auditory evoked responses in term infants with moderate hyperbilirubinemia. *J Pediatr*. 1990;117:288-91.

25. White K, Maxon B, Behrens T, Blackwell P, Vohr B. Neonatal hearing screening using evoked otoacoustic emissions: The Rhode Island Hearing Assessment Project. *Evoked Otoacoustic Emissions Rhode Island 1990*; 15: 207-228.
26. Ment L, Duncan CC, Schneider KC, Ehrenkranz RA, Scott DT, Oh W, Vohr B, Philip A, Allan W, Katz KH, Gettner P, Makuch RW. Risk of early intraventricular hemorrhage. *Ann Neurol*. 1990;28:451-452.
27. Vohr B and Oh W. Immunizations. *Current Therapy in Neonatal-Perinatal Medicine 1990*; 155-157.
28. Ju SH, Vohr B, Lester B, Garcia Coll C, Oh W. Maternal perceptions of the sleep patterns of premature infants at 7 months corrected age compared to full term infants. *Inf Mental Hlth J*. 1991;12(4):338-46.
29. Vohr BR, Garcia Coll C, Lobato D, Yunis KA, O'Dea C, Oh W. Neurodevelopmental and medical status of low birth weight (LBW) survivors with bronchopulmonary dysplasia (BPD) at 10 to 12 years of age. *Dev Med Child Neuro*. 1991;33:690-7.
30. Garcia Coll C, Halpern L, Vohr B, Seifer R, Oh W. Stability and correlates of change of early temperament in preterm and full-term infants. *Inf Behav Dev*. 1992;15:137-53.
31. Vohr B, Garcia Coll C, Flanagan P, Oh W. Effects of intraventricular hemorrhage and socioeconomic status on perceptual, cognitive and neurologic status of low birth weight infants at 5 years of age. *J Pediatr*. 1992;121(2):280-5.
32. Chang KW, Vohr BR, Norton SJ, Lekas MD. External and middle ear status related to evoked otacoustic emission in neonates. *Arch Otolaryngol Head Neck Surg*. 1993;119:276-82.
33. Chen SJ, Vohr BR, Oh W. Effects of birth order, gender and intrauterine growth retardation on the outcome of very low birth weight twins. *J Pediatr*. 1993;123(1):132-6.
34. Hansen T, Wallach M, Dey A, Boivin P, Vohr BR, Oh W. Prognostic value of clinical and radiological status on day 28 of life for subsequent course in very low birthweight (<1500g) babies with bronchopulmonary dysplasia. *Pediatr Pulmon*. 1993;15:327-31.
35. Bier JB, Ferguson A, Cho C, Oh W, Vohr BR. The oral motor development of low birth weight (LBW) infants who had orotracheal

- intubation during the neonatal period. *Am J Dis Child.* 1993;147:858-62.
36. Sung I-K, Vohr BR, Oh W. Growth and neurodevelopmental outcome of very low birthweight infants with intrauterine growth retardation: Comparison with birth weight and gestation matched controls. *J Pediatr.* 1993;123:618-24.
 37. Maxon AB, White KR, Vohr BR, Behrens TR. Using transient evoked otoacoustic emissions for neonatal hearing screening. *Brit J Audiology.* 1993;27:149-53.
 38. Blaymore Bier J, Ferguson A, Anderson L, Solomon E, Voltas C, Oh W, Vohr BR. Breastfeeding of very low birth weight infants. *J Pediatr.* 1993;123(5):773-8.
 39. Vohr BR, White KR, Maxon AB, Johnson MJ. Factors affecting the interpretation of transient evoked otoacoustic emissions results in neonatal hearing screening. *Seminars in Hearing.* 1993;14(1):57-72.
 40. White KR, Vohr B, Behrens TR. Universal newborn hearing screening using transient evoked otoacoustic emissions: Results of the Rhode Island Hearing Assessment Project. *Seminars in Hearing.* 1993;14(1):18-29.
 41. Johnson MJ, Maxon AB, White KR, Vohr B. Operating a hospital-based universal newborn hearing screening program using transient evoked otoacoustic emissions. *Seminars in Hearing.* 1993;14(1):46-56.
 42. Maxon AB, White KR, Vohr B, Behrens TR. Feasibility of identifying risk for conductive hearing loss in a newborn universal hearing screening program. *Seminars in Hearing.* 1993;14(1):73-87.
 43. Vohr B. Very-Low-Birth-Weight Infants. AAFP Home Study. American Academy of Family Physicians: Clinical Update 186, 1994.
 44. White KR, Vohr B, Maxon AB, Behrens TR, McPherson MG, Mauk G. Screening all newborns for hearing loss using transient evoked otoacoustic emissions. *Intl J Pediatr Otorhinolaryngol.* 1994;29:203-17.
 45. Bier JB, Pezzullo J, Kim E, Oh W, Garcia Coll C, Vohr B. Outcome of extremely low birth weight infants: A population based study from 1980 to 1990. *Acta Paediatr.* 1994;83:1244-8.
 46. Ment LR, Oh W, Ehrenkranz RA, Philip AGS, Vohr BR, Allen W, et al. Low dose indomethacin and prevention of intraventricular hemorrhage: A multicenter randomized trial. *Pediatrics.* 1994;93(4):543-50.

47. Ment LR, Oh W, Ehrenkranz PA, Philip AGS, Vohr BR, Allan W, et al. Low dose indomethacin and extension of intraventricular hemorrhage: A multicenter randomized trial. *J Pediatr*. 1994;124(6):951-5.
48. Clarkson RL, Vohr BR, Blackwell PM, White KR. University infant hearing screening and intervention: The Rhode Island Program. *Infants and Young Children*. 1994;4(3):65-74.
49. Lobato DJ, Watson JE, Garcia Coll CG, Vohr BR. Behavioral and family characteristics of low birth weight survivors of bronchopulmonary dysplasia at 10 to 12 years of age. *Child Hlth Care. Children's Hlth Care*. 1995;24(3):193-204.
50. Lester BM, Boukydis CFZ, Garcia Coll C, Peucker M, McGrath MM, Vohr BR, et al. Developmental outcome as a function of the goodness of fit between the infants cry characteristics and the mother's perception of her infant's cry. *Pediatrics*. 1995;95(4):516-21.
51. Kim C-R, Vohr BR, Oh W. Effects of maternal preeclampsia on brainstem auditory evoked response in very low birth weight infants. *J Pediatr*. 1995;127(1):123-7.
52. Vohr BR, McGarvey ST, Garcia Coll C. Effects of maternal gestational diabetes and adiposity on neonatal adiposity and blood pressure. *Diabetes Care*. 1995;18(4):467-75.
53. Vohr BR. The Rhode Island Hearing Assessment Program (RIHAP). *RI Medicine*. 1995;78(1):11-3.
54. White KR, Culpepper B, Maxon AB, Vohr B, Mauk GW. Transient evoked otoacoustic emission-based screening in typical nurseries: A response to Jacobson and Jacobson. *Internat'l J Pediatr Otorhinolaryngology*. 1995;33:17-21.
55. Maxon AB, White KR, Behrens TR and Vohr B. Referral Rates and Cost Efficiency in a Universal Newborn Hearing Screening Program using Transient Evoked Otoacoustic Emissions. *JAAA* 1995;6:271-277
56. Maxon A, White K, Behrens T, Vohr B. Best of 1995 in the All-Around-Favorites category. *The Hearing Journal*;1995 48 (11) 20.
57. Tallo C, Vohr B, Oh W, Rubin L, Seifer D, Haning R. Maternal and neonatal morbidity associated with in vitro fertilization. *J Pediatr* 1995;127(5): 794 - 800.

58. Sadeh A, Dark I, Vohr B. Newborns' sleep-wake patterns: The role of maternal delivery and infant factors. *Early Human Dev.* 1996; 44: 113-126.
59. Vohr B, Ment LR. Perinatal brain injury in the preterm infant. *Early Human Dev.* 1996; 44: 1-16.
60. Vohr B, White K, Maxon AB. Effects of exam procedures on transient evoked otoacoustic emissions (TEOAE) in neonates. *JAAA.* 1996; 7(2): 77-82.
61. Maxon AB, Vohr BR, White KR. Newborn Hearing Screening: Comparison of a simplified otoacoustic emissions hearing screen device (ILO1088) with the ILO88. Screening Program (Journal of the International Society for Neonatal Screening). *Early Human Dev* 1996; 45: 171-178.
62. Kim CR, Vohr B, Oh W. Effects of Maternal Hypertension in Very-Low-Birth-Weight Infants. *Arch. Pediatr. Adolesc. Med.* 1996; 150 686 - 691.
63. Vohr B. Screening infants for hearing impairment. *J Pediat* 1996;128 (5) 710 - 714.
64. Garcia Coll C, Halpern L, Seifer R, Meyer E, Kilis E, Lester B, Vohr B, Oh W. Behavioral intervention and post-natal growth in full-term intrauterine growth retarded (IUGR) infants. *Early Human Dev* 1996; 46 (1,2): 105-116.
65. Ment L, Vohr B, Oh W, Scott D, Allan W, Westerveld M, Duncan C, Ehrenkranz R, Katz K, Schneider K, Makuch R. Neurodevelopmental Outcome at 36 Months' Corrected Age of Preterm Infants in the Multicenter Indomethacin Intraventricular Hemorrhage Prevention Trial. *Pediatrics* 1996; 98 (4) 714-718.
66. Kim CR, Vohr B, Oh W. Effects of Maternal Hypertension in Very Low Birth Weight Infants. *Neonatal Intensive Care* 1996; 9 (7) 35-40.
67. Blaymore Bier J, Ferguson A, Morales Y, Leibling J, Archer D, Oh W, Vohr B. Comparison of Skin-to-Skin Contact With Standard Contact in Low-Birth-Weight Infants Who Are Breast-Fed. *Arch. Pediatr. Adolesc. Med.* 1996; 150: 1265-1269.
68. Meyers-Seifer C, Vohr B. Lipid Levels in former gestational diabetic mothers. *Diabetes Care* 1996; 10 (12): 1-6.
69. Cowett R, Howard G, Johnson J, Vohr B. Brain Stem Auditory Evoked Response (BAER) in relation to neonatal glucose metabolism. *Biology of*

- the Neonate 1997; 71: 31-36.
70. Vohr B, McGarvey S. Growth patterns for large-for-gestational-age and appropriate-for-gestational-age infants of gestational diabetic mothers and control mothers at 1 year of age. *Diabetes Care* 1997; 20: (7) 1066-1072.
 71. Allan W, Vohr B, Makuch R, Katz K, Ment L. Antecedents of cerebral palsy in a multicenter trial of indomethacin for intraventricular hemorrhage. *Arch. Pediatr. Adolesc. Med.* 1997; 151: 580-585.
 72. Blaymore Bier J, Ferguson A, Morales Y, Liebling J, Oh W, Vohr B. Breastfeeding Infants who were extremely low birth weight. *Pediatrics* 1997; 100(6):1-4.
 73. Vohr B, Carty, LM, Moore PE, Letourneau, K. The Rhode Island Hearing Assessment Program: experience with statewide hearing screening (1993-1996). *J Pediatr* 1998; 133(3): 353-357.
 74. Ment LR, Westerveld M, Makuch R, Vohr B, Allan WC. Cognitive outcome at 4 1/2 years of very low birth weight infants enrolled in the multicenter indomethacin intraventricular hemorrhage prevention trial *Pediatrics*. 1998 Jul;102(1 Pt 1):159-60SC.
 75. Dexter SC, Malee MP, Pinar, H, Hogan JW, Carpenter MW, Vohr BR. Influence of chorioamnionitis on developmental outcomes of very low birth weight infants. *Obst. Gynecol.* 1999; 94:267-73.
 76. Ment L, Vohr B, Allan W, Westerveld, M, Katz, KH, Schneider, KC, Makuch R. The etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants. *Pediatrics* 1999; 104(2):243-248.
 77. Vohr BR, McGarvey ST, Tucker R. Effects of maternal gestational diabetes on offspring adiposity at 4 to 7 years of Age. *Diabetes Care* 1999; 22(8):1284-1291.
 78. Dexter SC, Malee MP, Pinar H, Hogan JW, Carpenter MW, Vohr BR. Outcome of very low birth weight infants with histopathologic chorioamnionitis. *Obstet Gynecol.* 2000; 96(2):172-7.
 79. Ment LR, Vohr B, Allan W, Westerveld M, Sparrow SS, Schneider KC, Katz KH, Duncan CC, Makuch RW. Outcome of children in the intraventricular hemorrhage prevention trial. *Pediatrics* 2000;105(3):485-491.

80. Vohr BR, Wright LL, Dusick AD, Mele L, Verter J, Steichen J, Simon NP, Wilson DC, Broyles S, Bauer CR, Delaney-Black V, Yolton KA, Fleisher BE, Papile L, Kaplan MD. Neurodevelopmental and functional outcome of extremely low birth weight (ELBW) infants in the NICHD Neonatal Network 1993-1994. *Pediatrics* 2000;105(6):1216-1226.
81. Sweeney P, Schwartz R, Mattis N, Vohr B. The effect of integrating substance abuse treatment with prenatal care on birth outcome. *J Perinatol* 2000; 20(4):219-24.
82. Peterson BS, Vohr B, Staib LH, Cannistraci CJ, Dolberg A, Schneider KC, Katz KK, Westerveld M, Sparrow S, Anderson AW, Duncan CC, Makuch RW, Gore JC, Ment LR. Regional brain volume abnormalities and long-term cognitive outcome in preterm infants. *JAMA* 2000;284(15):1939-1947.
83. El-Metwally D, Vohr B, Tucker R. Survival and neonatal morbidity at the limits of viability in mid 1990's: 22-25 weeks. *J Pediatr* 2000;137(5):616-622.
84. Norton SJ, Gorga MP, Widen JE, Folsom RC, Sininger YS, Cone-Wesson B, Vohr BR and Fletcher KA. Identification of Neonatal Hearing Impairment: A Multi-center Investigation. *Ear and Hear.* 2000; 21(5):348-356.
85. Harrison WA, Dunnell JJ, Vohr BR, Gorga MP, Widen JE, Cone-Wesson B, Folsom RC, Sininger YS, and Norton SJ. Identification of Neonatal Hearing Impairment: Implementation of Neonatal Test Protocol. *Ear and Hear.* 2000; 21(5);357-372.
86. Vohr BR, Cone-Wesson B, Widen JE, Sininger YS, Gorga MP, Folsom RC and Norton SJ. Identification of Neonatal Hearing Impairment: Characteristics of Infants in the Neonatal Intensive Care Unit (NICU) and Well Baby Nursery. *Ear and Hear.* 2000; 21(5):373-382.
87. Sininger YS, Cone-Wesson B, Folsom RC, Gorga MP, Vohr BR, Widen JE, Ekelid M and Norton SJ. Identification of Neonatal Hearing Impairment: Auditory Brainstem Responses in the Perinatal Period. *Ear and Hear.* 2000; 21(5):383-399.
88. Gorga MP, Norton SJ, Sininger YS, Cone-Wesson B, Folsom RC, Vohr BR and Widen JE. Identification of Neonatal Hearing Impairment: Distortion Product Otoacoustic Emissions during the Perinatal Period. *Ear and Hear.* 2000; 21(5):400-424.
89. Norton SJ, Gorga MP, Widen JE, Vohr BR, Folsom, R.C., Sininger, YS,

- Cone-Wesson B and Fletcher KA. Identification of Neonatal Hearing Impairment: Transient Otoacoustic Emissions during the Perinatal Period. *Ear and Hear.* 2000; 21(5):425-442.
90. Keefe DH, Folsom RC, Gorga MP, Vohr BR, Bulen JC and Norton SJ. Identification of Neonatal Hearing Impairment: Ear-canal Measurements of Acoustic Admittance and Reflectance in Neonates. *Ear and Hear.* 2000; 21(5):443-461.
 91. Folsom RC, Widen JE, Vohr BR, Cone-Wesson B, Gorga MP, Sininger YS and Norton SJ. Identification of Neonatal Hearing Impairment: Recruitment and Follow-up. *Ear and Hear.* 2000; 21(5):462-470.
 92. Widen JE, Folsom RC, Cone-Wesson B, Carty L, Dunnell JJ, Koebse K, Levi A, Mancl L, Ohlrich B, Trouba S, Gorga MP, Sininger YS, Vohr BR, Norton SJ. Identification of Neonatal Hearing Impairment: Hearing Status at 8-12 Months Corrected Age Using a Visual Reinforcement Audiometry Protocol. *Ear and Hear.* 2000; 21(5):471-487.
 93. Cone-Wesson B, Vohr BR, Sininger YS, Widen JE, Folsom RC, Gorga MP and Norton SJ. Identification of Neonatal Hearing Impairment: Infants with Hearing Loss. *Ear and Hear.* 2000; 21(5):488-507.
 94. Norton SJ, Widen JE, Gorga MP, Folsom RC, Sininger YS, Cone-Wesson B, Vohr BR and Fletcher, KA. Identification of Neonatal Hearing Impairment: Evaluation of TEOAE, DPOAE and ABR Test Performance. *Ear and Hear.* 2000; 21(5):508-528.
 95. Norton SJ, Gorga MP, Widen JE, Folsom RC, Sininger Y, Cone-Wesson B, Vohr BR, Fletcher KA. Identification of Neonatal Hearing Impairment: Summary and Recommendations. *Ear and Hear.* 2000; 21(5):592-536.
 96. Milunsky, JM, Maher TA, Yosunkaya E, Vohr BR. Connexin-26 Gene Analysis in Hearing Impaired Newborns. *Genetic Testing* 2000;4(4):345-349.
 97. Vohr BR, Letourneau KS, McDermott C. Maternal worry about neonatal hearing screening. *J Perinatology* 2001;21:15-20
 98. Vohr BR, Oh W, Stewart EJ, Bentkover JD, Gabbard S, Lemons J, Papile L-A, Pye R. Comparison of costs and referral rates of three universal newborn hearing screening protocols. *J Pediatr.* 2001;130(2):238-244.
 99. Worrell LA, Thorp JW, Tucker R, McKinley LT, Chen J, Chng Y-M, Vohr BR. The effects of the introduction of a high nutrient transitional formula on growth and development of very low birth weight (VLBW) infants. *J*

- Perinatology. 2002;22:112-119.
100. Vohr BR, Moore PE, Tucker RJ. Impact of family health insurance and other environmental factors on universal hearing screen program effectiveness. *J Perinatology* 2002;22(5):380-5.
 101. Malee MP, Verma A, Tucker R, Vohr B. Association between maternal and child leptin levels 9 years after pregnancy complicated by gestational diabetes. *Horm Metab Res.* 2002;34:212-216.
 102. Bier JB, Olive T, Ferguson A, Vohr BR. Human milk reduces outpatient upper respiratory symptoms in premature infants during their first year of life. *J Perinatology* 2002;22(5):354-359.
 103. Verma, A, Boney C, Tucker B, Vohr BR. Insulin resistance syndrome in women with prior history of gestational diabetes mellitus. *J Clinical Endocrinology & Metabolism.* 2002(87(7):3227-3235.
 104. Bier JB, Oliver T, Ferguson A, Vohr BR. Breast-feeding improves motor development of low birth weight infants during early infancy. *Horm Metab Res.* 2002;25(5):354-9.
 105. Peterson BS, Vohr B, Kane M, Whalen DH, Schneider KC, Katz KH, Zhang H, Duncan CC, Makuch R, Gore JC, Ment LR. A functional MRI study of language processing and cognitive outcome in prematurely born children. *Pediatrics.* 2002;110(6):1153-62.
 106. Bier JB, Oliver T, Ferguson AE, Vohr BR. Human milk improves cognitive and motor development of premature infants during infancy. *J Human Lac.* 2002;18(4):361-367.
 107. Keefe DH, Gorga MP, Neely ST, Zhao F, Vohr BR. Ear-canal acoustic admittance and reflectance effects in human neonates. I. Predictions of otoacoustic emission and auditory brainstem responses *J Acoust Soc Am.* 2003;113(1):389-406.
 108. Keefe DH, Zhao, F, Neely ST, Gorga MP, Vohr BR. Ear-canal acoustic admittance and reflectance measurements in human neonates. II. Predictions of middle-ear dysfunction and sensorineural hearing loss. *J Acoust Soc Am.* 2003;113(1):407-22.
 109. Vohr BR, Allan WC, Westerveld M, Schneider KC, Katz KH, Makuch RW, Ment LR. School age outcomes of very low birth weight infants in the indomethacin intraventricular prevention trial. *Pediatrics.* 2003;111(4):e340-346.

110. Ment LR, Vohr B, Allan W, Katz KH, Schneider KC, Westerveld M, Duncan CC, Makuch RW. Change in cognitive function over time in very low-birth-weight infants. *JAMA* 2003;289:705-711.
111. Wadhawan R, Vohr BR, Fanaroff AF, Perritt RL, Duara S, Stoll BJ, Goldberg R, Lupton A, Poole K, Wright LL, Oh W. Does labor influence neonatal and neurodevelopmental outcomes of extremely-low-birth-weight infants delivered by cesarean section? *Am J Obstet Gynecol.* 2003 Aug;189(2):501-6.
112. Oh W, Tyson JE, Fanaroff AA, Vohr BR, Perritt R, Stoll BJ, Ehrenkranz RA, Carlo WA, Shankaran S, Poole K, Wright LL. Association between peak serum bilirubin and neurodevelopmental outcomes in extremely low birth weight infants. *Pediatrics.* 2003 Oct;112(4):773-9.
113. O'Connor MT, Vohr BR, Tucker R, Cashore W. Is retinopathy of prematurity increasing among infants less than 1250 grams birth weight? *J Perinatol.* 2003 Dec;23(8):673-8.
114. Pleacher MD, Vohr BR, Katz KH, Ment LR, Allan WC. An evidence-based approach to predicting low IQ in very preterm infants from the neurological examination. Outcome data from the Indomethacin Intraventricular Hemorrhage Prevention Trial. *Pediatrics.* 2004 Feb;113(2):416-9.
115. Vohr BR, Wright LL, Dusick AM, Perritt R, Poole WK, Tyson JE, Steichen JJ, Bauer CR, Wilson-Costello DE, Linda C. Mayes LC. Center Differences and Outcomes of Extremely Low Birth Weight Infants. *Pediatrics.* 2004 Apr;113(4):781-9.
116. Wharton KN, Pinar H, Stonestreet BS, Tucker R, McLean KR, Wallach M, Vohr BR. Severe Umbilical Cord Inflammation – A Predictor of Periventricular Leukomalacia in Very Low Birth Weight Infants. *Early Hum Dev.* 2004 Apr;77(1-2):77-87.
117. Castro L, Yolton K, Haberman B, Roberto N, Hansen NI, Ambalavanan N, Vohr BR, Donovan EF. Bias in reported neurodevelopmental outcomes among extremely low birth weight survivors. *Pediatrics.* 2004 Aug;114(2):404-10.
118. Reiss AL, Kesler SR, Vohr B, Duncan CC, Katz KH, Pajot S, Schneider KC, Makuch RW, Ment LR.. Sex differences in cerebral volumes of 8-year-olds born preterm. *J Pediatr.* 2004 Aug;145(2):242-9.
119. Shankaran S, Johnson Y, Langer JC, Vohr BR, Fanaroff AA, Wright LL, Poole WK. Outcome of extremely-low-birth-weight infants at highest risk: Gestational age ≤ 24 weeks, birth weight ≤ 750 g, and 1-minute Apgar ≤ 3 .

- Am J Obstet Gynecol. 2004 Oct;191(4):1084-91.
120. Stoll BJ, Hansen NI, Adams-Chapman I, Fanaroff AA, Hintz SR, Vohr B, Higgins RD; National Institute of Child Health and Human Development Neonatal Research Network. Neurodevelopmental and growth impairment among extremely low-birth-weight infants with neonatal infection. JAMA. 2004 Nov 17;292(19):2357-65.
 121. Kesler SR, Ment LR, Vohr B, Pajot SK, Schneider KC, Katz KH, Ebbitt TB, Duncan CC, Makuch RW, Reiss AL. Volumetric analysis of regional cerebral development in preterm children. Pediatr Neurol. 2004 Nov;31(5):318-25.
 122. Ment LR, Vohr BR, Makuch RW, Westerveld M, Katz KH, Schneider KC, Duncan CC, Ehrenkranz R, Oh W, Philip AG, Scott DT, Allan WC. Prevention of intraventricular hemorrhage by indomethacin in male preterm infants. J Pediatr. 2004 Dec;145(6):832-4.
 123. Ambalavanan N, Tyson JE, Kennedy KA, Hansen N, Vohr BR, Wright LL, Carlo W. Vitamin A supplementation for extremely low birth weight infants: outcome at 18 to 22. Pediatrics. 2005 Mar;115(3):e249-54. Epub 2005 Feb 15.
 124. Boney CM, Verma A, Tucker R, Vohr BR. Metabolic syndrome in childhood: association with birth weight, maternal obesity and gestational diabetes mellitus. Pediatrics. 2005 Mar;115(3):e290-6
 125. Hintz S, Kendrick D, Stoll B, Vohr B, Fanaroff A, Donovan E, Poole K, Blakely M, Wright L, Higgins R. Neurodevelopmental and growth outcomes of extremely low birth weight infants after necrotizing enterocolitis. Pediatrics. 2005 Mar;115(3):696-703.
 126. Hintz S, Kendrick D, Vohr B, Poole WK. Changes in neurodevelopmental outcomes at 18-22 months' corrected age among infants less than 25 weeks' gestation born in 1993-1999. Pediatrics. 2005 Jun;115(6):1645-51.
 127. Walsh MC, Morris BH, Wrage LA, Vohr BR, Poole WK, Tyson JE, Wright LL, Ehrenkranz RA, Stoll BJ, Fanaroff, AA. Extremely low birthweight neonates with protracted ventilation: mortality and 18-month neurodevelopmental outcomes. J Pediatr. 2005 Jun;146(6):798-804.
 128. Kesler SR, Vohr B, Schneider KC, Katz KH, Makuch RW, Reiss AL, Ment LR. Increased temporal lobe gyrification in preterm children. Neuropsychologia. 2006;44(3):445-453. Epub 2005 Jun 27.
 129. Vohr BR, Msall ME, Wilson D, Wright LL, McDonald S, Poole WK.

- Spectrum of gross motor function in extremely low birthweight (ELBW) children with cerebral palsy at 18 months of age. *Pediatrics*. 2005 Jul;116(1):123-9.
130. Johnson JJ, White KR, Widen JE, Gravel JS, James-Trychel M, Kennalley T, Maxon AB, Spivak L, Sullivan-Mahoney M, Vohr BR, Weirather Y, Holstrum J. A multi-center evaluation of how many infants with permanent hearing loss pass a two-stage OAE/AABR newborn hearing screening protocol. *Pediatrics*, Sept. 2005;vol. 116(3):663-672
 131. Vohr BR, Wright L, Poole K, McDonald SA. Neurodevelopmental Outcomes of Extremely Low Birth Weight Infants <32 Weeks' Gestation Between 1993 and 1998. *Pediatrics* 2005;116(3): 635-643.
 132. Johnson JL, White KR, Widen JE, Gravel JS, Vohr BR, James M, Kennalley T, Maxon AB, Spivak L, Sullivan-Mahoney M, Weirather Y, Meyer S. A multisite study to examine the efficacy of the otoacoustic emission/automated auditory brainstem response newborn hearing screening protocol: introduction and overview of the study. *Am J Audiol*. 2005 Dec;14(2):S178-85.
 133. White KR, Vohr BR, Meyer S, Widen JE, Johnson JL, Gravel JS, James M, Kennalley T, Maxon AB, Spivak L, Sullivan-Mahoney M, Weirather Y. A multisite study to examine the efficacy of the otoacoustic emission/automated auditory brainstem response newborn hearing screening protocol: research design and results of the study. *Am J Audiol*. 2005 Dec;14(2):S186-199.
 134. Widen JE, Johnson JL, White KR, Gravel JS, Vohr BR, James M, Kennalley T, Maxon AB, Spivak L, Sullivan-Mahoney M, Weirather Y, Meyer S. A multisite study to examine the efficacy of the otoacoustic emission/automated auditory brainstem response newborn hearing screening protocol: results of visual reinforcement audiometry. *Am J Audiol*. 2005 Dec;14(2):S200-16.
 135. Gravel JS, White KR, Johnson JL, Widen JE, Vohr BR, James M, Kennalley T, Maxon AB, Spivak L, Sullivan-Mahoney M, Weirather Y, Meyer S. A multisite study to examine the efficacy of the otoacoustic emission/automated auditory brainstem response newborn hearing screening protocol: recommendations for policy, practice, and research. *Am J Audiol*. 2005 Dec;14(2):S217-28.
 136. Ehrenkranz RA, Walsh MC, Vohr BR, Jobe AH, Wright LL, Fanaroff AA, Wrage LA, Poole K. Validation of the National Institutes of Health consensus definition of bronchopulmonary dysplasia. *Pediatrics*. 2005

Dec;116(6):1353-60.

137. Mercer JS, Vohr BR, McGrath M, Padbury JF, Wallach M, Oh W. Delayed cord clamping in very preterm infants reduces the incidence of intraventricular hemorrhage and late onset sepsis: a randomized controlled trial. *Pediatrics*. 2006 Apr;117(4):1235-42.
138. Ehrenkranz RA, Dusick AM, Vohr BR, Wright LL, Wrage LA, Poole WK. Growth in the neonatal intensive care unit influences neurodevelopmental and growth outcomes of extremely low birth weight infants. *Pediatrics*. 2006 Apr;117(4):1253-61.
139. Bhandari V, Bizzarro MJ, Shetty A, Ehrenkranz RA, Vohr B, Jonsson B, Desai N, Hussain N, Gross I, Page GP, Ment L, Gruen JR. Twin studies show genetic susceptibility to bronchopulmonary dysplasia (BPD) in premature babies. In Press: *Pediatrics* 2006.
140. Vohr BR, Poindexter BB, Dusick AM, McKinley LT, Wright LL, Langer J, Poole WK for the NICHD Neonatal Research Network. Beneficial effects of human milk in the neonatal intensive care unit on the developmental outcome and growth of extremely low birth weight infants at 18 months of age. In Press: *Pediatrics* 2006.
141. Hintz SR, Poole WK, Kendrick D, Vohr BR, Gender differences in neurodevelopmental outcomes among extremely preterm, extremely low birth weight infants. In Press: *Acta Paediatrica* 2006.
142. Ment LR, Peterson BS, Meltzer JA, Vohr B, Allan W, Katz KH, Lacadie C, Schneider KC, Duncan CC, Makuch RW, Constable T. A Functional MRI Study of the Long-term Influences of Early Indomethacin Exposure on Language Processing in the Brains of Prematurely Born Children. Accepted: *Pediatrics* 2006.
143. Ment LR, Peterson BS, Vohr B, Allan W, Schneider KC, Lacadie C, Katz KH, Maller-Kesselman J, Pugh K, Duncan CC, Makuch RW, Constable RT. Cortical recruitment patterns in prematurely-born children compared to controls during a passive listening fMRI task. Accepted: *J Peds* 2006.

OTHER NON-PEER REVIEWED PUBLICATIONS

Chapters

1. Vohr BR, Oh W. Immunizations. In: *Current Therapy in Neonatal-Perinatal Medicine* 2. BC Decker, Inc; 1990:155-7.

2. Vohr BR, Garcia Coll C. Follow-up studies of high risk low birth weight infants: Changing trends. In: Theory and Research in Behavioral Pediatrics. New York: Plenum Publishing Inc; 1989:1-65.
3. White KR, Maxon AB, Behrens TR, Blackwell PM, Vohr BR. Neonatal hearing screening using evoked otoacoustic emissions: The Rhode Island Hearing Assessment Project. In: Bess FH, Hall JW III, eds. Screening Newborns for Auditory Function. Bill Wilkerson Center Press; 1992:207-28.
4. Vohr BR. Practical Medical Issues When Screening Normal Nursery and Neonatal Intensive Care Unit (NICU) Infants. In: Universal Newborn Hearing Screening. New York: Thieme;1997:145-166.
5. Vohr, BR, Msall, ME. Neuropsychological and Functional Outcomes of Very Low Birth Weight Infants. In: Seminars in Perinatology. W.B. Saunders Co;1997:202-220.
6. Vohr, BR, Cashore WJ, Bigsby R. Stresses and Interventions in the Neonatal Intensive Care Unit. In: Developmental-Behavioral Pediatrics, 3rd ed. W.B. Saunders Co; 1998:263-275.
7. Vohr, BR, Blaymore Bier, J, MD, Turner McKinley, L. Human Milk and Health Outcomes: Infancy and Later. Report of the 108th Ross Conference, Ross Laboratories, Columbus, OH, 1999.

Review Articles

1. Oh W, Vohr BR. The role of neonatal metabolic disorders on the neurological and developmental outcome of low birth weight infants. Neonatal neurological assessment and outcome. 77th Ross Conference on Ped. Research (Arizona). 1978;75:48-52.
2. Widness JA, Vohr BR, and Oh W. Infants of diabetic mothers: Current concepts. In: Gluck LP, Resnick R, eds. 78th Ross Conference on Pediatric Research (San Diego). 1979;29-30.
3. Vohr BR, Oh W. A model for planning high risk infant "follow-up" studies in the at-risk infant. In: Hare S, ed. Excerpt Medica. Amsterdam; 1980:172-7.
4. Vohr BR, Hack M. Developmental follow-up of low birth weight infants. Ped Clinics North Amer. 1982;29(6):1441-54.
5. Shriver C, Vohr B, Parker E, Harper R. High risk neonatal follow-up care. In: Brain AW, Caffeeol RC, e's. AAP-ACOG Perinatal Handbook. 1983;99-105.
6. Vohr BR. Screening the ICU graduates for neurological and developmental disabilities. Advances in Prevention of Developmental Disabilities. 1983.

7. Vohr BR, Garcia Col. C. Long term neurodevelopmental follow-up of high risk low birth weight infants. In: Flehmig I, Stern L, e's. Child Development and Learning Behavior. Stuttgart-New York: Gustav Fischer Verlag; 1986:169-81.
8. Vohr BR. Long-term follow-up of the infant of the diabetic mother. In: Gabbe S, Oh W, e's. 93rd Ross Conference on Pediatric Research (Arizona). 1987; 159-67.
9. Vohr BR. Abnormal brain-stem function (brain-stem auditory evoked response) correlates with acoustic cry features in term infants with hyperbilirubinemia. J Pediatr. 1989;115:303-308
10. Vohr BR. Long term follow-up of high risk very low birth weight infants; Moving towards a more optimal outcome. Prospective in Pediatrics. 1990;82: 163-70.
11. Vohr BR. New approaches to assessing the risks of hyperbilirubinemia. Clinics in Perinatology. 1990;17(2):293-306.
12. Vohr BR. Preterm cognitive development: Biologic and environmental influences. Inf Young Children. 1991;3(3):20-9.
13. Vohr BR. Neurodevelopmental consequences of intraventricular hemorrhage. Surfactant Safety Issues: Perspectives on Intraventricular Hemorrhage. Washington DC: 1992 Roundtable Symposium; 1993:30-3.
14. Vohr BR. Rhode Island Hearing Assessment Program. Rhode Island Medical Journal. January 1995 78: 11-13.
15. Vohr B, Ment LR. Intraventricular hemorrhage in the preterm infant. Early Human Development. 1996; 44:1-16.
16. Vohr B, Msall M. Neuropsychological and functional outcomes of very low birth weight infants. Seminars in Perinatology 1997; 21 (3): 202-220.
17. Vohr B, Allan WC, Scott DT, Katz KH, Schneider KC, Makuch RW, Ment LR. Early onset intraventricular hemorrhage in preterm neonates: incidence of neurodevelopmental handicap. Seminars In Perinatology 1999; 23(3):212-217.
18. Vohr BR. The quest for the ideal neurologic assessment for infants and young children. The Journal of Pediatrics 1999;135:140-2.

19. Vohr BR. Newborn hearing screening: Will children with hearing loss caused by congenital cytomegalovirus infection be missed? 2000 Yearbook of Neonatal and Perinatal Medicine 2000.
20. Vohr BR, Simon P, Letourneau K. Public health implications of universal hearing screening. *Seminars in Hearing* 2000;21(4):295-307.
21. Adams DF, Ment LR, Vohr B. Antenatal therapies and the developing brain. *Semin. Neonatal* 2001; 6:173-183.
22. Goodwin G, Msall ME, Vohr BR, Rubin LP, Padbury J. Newborn screening: an overview with an update on recent advances. *Curr Probl Pediatr Adolesc Health Care*. 2002;32(5):144-72.
23. Vohr B, Simon P, McDermott C, Kurtzer-White E, Johnson MJ, Topol D. Early Hearing Screening, Detection and Intervention (EHDI) in Rhode Island. *Rhode Island Medical Journal* 2002;85(12):369-372.
24. Vohr BR, O'Shea M, Wright LL. The NICHD Network Research Network Longitudinal Multi-center Follow-up of High Risk Infants: Why, Who, When and What to Assess. *Seminars in Perinatology*. 2004 Aug;27(4):333-342.
25. Vohr BR, Tuner McKinley, L. The Challenge Pays Off: Early Enhanced Nutritional Intake for VLBW Small-for-Gestation Neonates Improves Long-Term Outcome. *J Pediatric* 2003;142(5):459-461. (Editorial).
26. Vohr B. Overview: Infants and children with hearing loss-Part I. *Ment Retard Dev Disabil Res Rev*. 2003;9(2):62-4.
27. Vohr B. Overview: Infants and children with hearing loss-Part 2. *Ment Retard Dev Disabil Res Rev*. 2003;9(4). 218-219.
28. Vohr B, Wright LL, Hack M, Aylward G, Hirtz D. Follow-up Care of High Risk Infants. *Pediatrics* Nov;114(5):1377-1397. Supplement.
29. Vohr BR. The World of Deaf Infants: A Longitudinal Study. *NEJM*. 2004;351(21):2244-2245.
30. Ment LR, Allan WC, Makuch RW, Vohr B. Grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome. *Pediatrics* 2005;116(6). Dec. 1597-98.

Letters to the Editor

1. Vohr BR. Universal Screening for Infant Hearing Impairment. *Pediatrics*. 1994;94(6):948.

2. Ment L, Vohr BR, Allan W, Westerveld M, Makuch R. Cognitive Outcome at 4-1/2 years of Very Low Birth Weight Infants Enrolled in the Multicenter Indomethacin IVH Prevention Trials. The Lancet. 1997.
3. Ment LR, Allan WC, Makuch RW, Vohr B. Grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome. Pediatrics. 2005 Dec;116(6):1597-8.

Editorials

1. Vohr BR, Allen M. Extreme Prematurity – The Continuing Dilemma. N Engl J Med 2005, Jan. 6; 352: 71-72.