

1. Bear, D.G., Andrews, C.L., **Singer, J.D.**, Morgan, W.D., Grant, R.A., von Hippel, P.H., and Platt, T. (1985). Escherichia coli transcription factor Rho has a two-domain structure in its activated form. Proc. Nat'l. Acad. Sci. USA **82**: 1911-1915.
2. Nickoloff, J.A., **Singer, J.D.**, Hoekstra, M.F., and Heffron, F. (1989). Double-strand Breaks Stimulate Alternative Mechanisms of Recombinational Repair. J.Mol.Biol. **207**: 527-541.
3. Nickoloff, J.A., **Singer, J.D.**, and Heffron, F. (1990). *In vivo* Analysis of the Yeast HO Nuclease Recognition Site By Site-Directed Mutagenesis. Mol. Cell Biol. **10(3)**: 1174-1179.
4. Hoekstra, M.F., Burbee, D.G., **Singer, J.D.**, Mull, E., Chiao, E., and Heffron, F. (1991). A Tn3 derivative that can be used to make short in-frame insertions within genes. Proc. Nat'l. Acad. Sci. USA **88**: 5457-5461.
5. Bass, B.L., Hurst, S.R., and **Singer, J.D.** (1994). Binding properties of newly identified *Xenopus* proteins containing dsRNA-binding motifs. Current Biology **4(4)**: 301-314.
6. **Singer, J.D.**, Manning, B.E., and Formosa, T. (1996). Coordinating DNA replication to produce one copy of the genome requires genes that act in ubiquitin metabolism. Mol. Cell Biol. **16(4)**: 1356-1366.
7. **Singer, J.D.**, Gurian-West, M., Clurman, B., and Roberts, J.M. (1999). Cullin-3 targets cyclin E for ubiquitination and controls S phase in mammalian cells. Genes Dev. **13(18)**: 2375-87.
8. Sheaff, R.J., **Singer, J.D.**, Swanger, J., Smitherman, M., Roberts, J.M., and Clurman, B.E. (2000). Proteasomal Turnover of p21^{Cip1} Does Not Require p21^{Cip1} Ubiquitination. Mol. Cell **5(2)**: 403-410.
9. Welker, M., **Singer, J.D.**, Loeb, K., Grim, J., Bloecher, A., Gurian-West, M., Clurman, B., and Roberts, J.M. (2003). Multisite Phosphorylation by Cdk2 and GSK-3 Control Cyclin E Degradation. Mol. Cell. **12**: 381-392
10. Klysik, J. and **Singer, J.D.** (2005). Mice with the Enhanced Green Fluorescent Protein Gene Knocked-in to Chromosome 11 Exhibit Normal Transmission Ratios. Biochemical Genetics. **43(5/6)**: 321-333.
11. Salinas, G., Blair, L.A.C., Needleman, L.A., Gonzales, J.D., Chen, Y., Li, M., **Singer, J.D.** and Marshall, J. (2006) Actinfilin is a Cul3 substrate adaptor, linking GluR6 Kainate receptor subunits to the ubiquitin-proteasome pathway. J. Biol. Chem. **281(52)**: 40164-40173.
12. Wimmittisuk, W. and **Singer, J.D.** (2007). The Cullin3 Ubiquitin Ligase Functions As A Nedd8-Bound Heterodimer. Mol. Biol. Cell. **18**: 899-909.
13. McEvoy, J.D., Kossatz, U., Malek, N., and **Singer, J.D.** (2007). Constitutive turnover of cyclin E by Cul3 maintains quiescence. Mol. Cell Biol. **27(10)**: 3651-3666.
14. Watai, Y., Kobayashi, A., Nagase, H., Mizukami, M., McEvoy, J. D., **Singer, J. D.**, Itoh, K. and Yamamoto, M. (2007). Subcellular Localization and Cytoplasmic Complex Status of Endogenous Keap1. Genes to Cells, in press.