

Seizinger BR, Smith DI, Filling-Katz M R, Neumann H, Green J S, Choyke PL, Anderson KM, **Freiman RN**, et al. (1991). Genetic flanking markers refine diagnostic criteria and provide insights into the genetics of Von Hippel Lindau disease. **Proc. Natl. Acad. Sci. USA** **88**: 2864-2868.

Chung RY, Whaley JM, Anderson KM, Louis DN, Menon AG, Hettlich C, **Freiman, RN**, et al. (1991). TP53 gene mutations and 17p deletions in human astrocytomas. **Genes Chromosomes Cancer** **3(5)**: 323-331.

Goto H, Motomura S, Wilson AC, **Freiman, RN**, Nakabeppu Y, Nishitani H, Fujishima M, Herr W and Nishimoto T. (1997). A single point mutation in HCF causes temperature-sensitive cell-cycle arrest and disrupts VP16 function. **Genes & Dev.** **11**: 726-737.

Sutton A. and **Freiman RN** (1997). The Cak1p protein kinase is required at G1/S and G2/M in the budding yeast cell cycle. **Genetics** **147**: 57-71.

Wilson, AC, **Freiman, RN**, Goto H, Nishimoto T. and Herr W. (1997). VP16 targets an amino-terminal domain of HCF involved in cell cycle progression. **Mol. Cell. Biol.** **17**: 6139-6146.

**Freiman RN** and Herr W. (1997). Viral mimicry: Common mode of association with HCF by VP16 and the cellular protein LZIP. **Genes & Dev.** **11**: 3122-3127.

**Freiman, RN**, Albright, SR, Zheng, S, Sha, WC, Hammer, RE and Tjian R. (2001). Requirement of tissue-selective TBP-associated factor TAF<sub>II</sub>105 in ovarian development. **Science** **293**:2084-2087.

**Freiman, RN** and Tjian R. (2002). A glutamine-rich trail leads to transcription factors. **Science** **296**: 2149-2150.

**Freiman RN**, Albright SR, Chu, L.E., Zheng, S., Liang, H.-E., Sha, W.C. and Tjian, R. (2002). Redundant role of tissue-selective TAF<sub>II</sub>105 in B-lymphocytes. **Mol. Cell. Biol.** **22**: 6564-6572.

**Freiman, RN** and Tjian, R. (2003). Regulating the regulators: Lysine modifications make their mark. **Cell** **112**: 11-17.

Falender, AE, **Freiman, RN**, Geles, KG, Hwang, KS, Morris, PL, Tjian, R and Richards J.S. (2005). Maintenance of spermatogenesis requires TAF4b, a gonad specific component of TFIID. **Genes & Dev.** **19**: 794-803.

Wessel, GM and **Freiman, RN**. (2005). Every Sperm - and Germ Cell Protocol - is Sacred. **Development** **132**: 5127-5128.

Geles, KG, **Freiman, RN**, Liu W-L, Zheng, S, Voronina, E and Tjian R. (2006). Cell type-selective induction of c-jun by TAF4b directs ovarian-specific transcription networks. **PNAS** **103(8)**: 2594-2599.

Voronina, E., Lovasco, L.A., Gyuris, A., Baumgartner, R.A., Parlow, A.F. and **Freiman, R.N.** Ovarian Granulosa Cell Survival and Proliferation Requires the Gonad-Selective TFIID Subunit TAF4b. **Dev. Biol.** **303**: 715-26 (2007).

**Freiman, R.N.** Specific variants of general transcription factors regulate germ cell development in diverse organisms. *BBA-Gene Regulatory Mechanisms* 1789: 161-6 (2009).

Gyuris, A., Donovan, D.J., Seymour, K.A., Lovasco, L.A., Smilowitz, N., Halperin, A., Klysik, J. and **Freiman, R.N.** The Chromatin Targeting Protein Brd2 is Required for Neural Tube Closure and Embryogenesis. *BBA-Gene Regulatory Mechanisms* 1789: 413-21 (2009).

Lovasco, L.A., Seymour, K.A., Zafra, K., O'Brien, C.W., Schorl, C., and **Freiman, R.N.** Accelerated Ovarian Aging in the Absence of the Transcription Regulator TAF4b in Mice. Published online before print August 26, 2009, doi: 10.1095/biolreprod.109.077495 (2009).